

Aluminium, standard solution 1000mg/L  
,JUNSEI CHEMICAL CO., LTD.,13140jis\_J\_E1-2,28/Jan/2025

Date of issue for the 1st edition : 22/Aug/2017

Date of revision : 28/Jan/2025

## Safety Data Sheet

### Section 1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: Aluminium, standard solution 1000mg/L

Reference number(SDS):13140jis\_J\_E1-2

Product type:

Reagent

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the product: Atomic absorption spectrometry

Uses advised against: Do not use for other purposes.

Details of the supplier of the safety data sheet

Manufacturer/Supplier: JUNSEI CHEMICAL CO., LTD.

Address: 1-6, Ohmano-cho, Koshigaya-shi, Saitama 343-0844, Japan

Division: Quality Assurance Department

Telephone number: +81-48-986-6161

FAX: +81-48-989-2787

e-mail address: shiyaku-t@junsei.co.jp

### Section 2. Hazards identification

GHS classification and label elements of the product

Classification of the substance or mixture

#### HEALTH HAZARDS

Acute toxicity (Inhalation): Category 4

Skin corrosion/irritation: Category 1

Serious eye damage/eye irritation: Category 1

Respiratory sensitization: Category 1

Specific target organ toxicity – single exposure: Category 2 (respiratory system)

Specific target organ toxicity – repeated exposure: Category 2 (tooth, respiratory system)

#### ENVIRONMENT HAZARDS

Hazardous to the aquatic environment, short-term (acute): Category 2

Hazardous to the aquatic environment, long-term (chronic): Category 3

(Note) GHS classification without description: Not classified/Classification not possible

Label elements



Signal word: Danger

#### HAZARD STATEMENT

H332-Harmful if inhaled

H314-Causes severe skin burns and eye damage

H318-Causes serious eye damage

H334-May cause allergy or asthma symptoms or breathing difficulties if inhaled

H371-May cause damage to organs

H373-May cause damage to organs through prolonged or repeated exposure

H401-Toxic to aquatic life

H412-Harmful to aquatic life with long lasting effects

Aluminium, standard solution 1000mg/L,  
JUNSEI CHEMICAL CO., LTD.,13140jis\_J\_E1-2,28/Jan/2025

#### PRECAUTIONARY STATEMENT

##### Prevention

- Avoid release to the environment.
- Do not breathe dust/fume/gas/mist/vapors/spray.
- In case of inadequate ventilation wear respiratory protection.
- Use only outdoors or in a well-ventilated area.
- Wash contaminated parts thoroughly after handling.
- Wear protective gloves/protective clothing/eye protection/face protection.
- Do not eat, drink or smoke when using this product.

##### Response

- Get medical advice/attention if you feel unwell.
- Immediately call a POISON CENTER/doctor/physician.
- Call a POISON CENTER/doctor/physician if you feel unwell.
- IF exposed or concerned: Call a POISON CENTER/doctor/physician.
- If experiencing respiratory symptoms: Call a POISON CENTER/doctor/physician.
- IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- IF ON SKIN: Wash with plenty of soap and water.
- IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
- If skin irritation occurs: Get medical advice/attention.
- Take off contaminated clothing and wash it before reuse.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

##### Storage

- Store locked up.

##### Disposal

- Dispose of contents/container in accordance with local/national regulation.

---

### Section 3. Composition/information on ingredients

#### Mixture/Substance selection:

##### Mixture

Ingredient name:Aluminium(III) chloride hexahydrate

Content (%):0.8

Chemical formula:AlCl<sub>3</sub>·6H<sub>2</sub>O

ENCS:1-12

CAS No.:7784-13-6[7446-70-0(anh)]

MW:241.43

EC No.:231-208-1(anh)

Ingredient name:Hydrogen chloride

Content (%):3.5

Chemical formula:ClH

ENCS:1-215

CAS No.:7647-01-0

MW:36.46

EC No.:231-595-7

Ingredient name:Water

Content (%):Residual quantity of the ingredient mentioned above

Chemical formula:H<sub>2</sub>O

ENCS:Existing Chemical Substances under CSCL

CAS No.:7732-18-5

MW:18.02

Aluminium, standard solution 1000mg/L,  
JUNSEI CHEMICAL CO., LTD.,13140jis\_J\_E1-2,28/Jan/2025

EC No.:231-791-2

Note : The figures shown above are not the specifications of the product.

---

#### Section 4. First-aid measures

##### Descriptions of first-aid measures

###### General measures

- Get medical advice/attention if you feel unwell.
- Immediately call a POISON CENTER/doctor/physician.
- Keep victim warm and quiet.
- Call emergency medical service.
- Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.
- Effects of exposure (inhalation, ingestion or skin contact) to substance may be delayed.

###### IF INHALED

- Remove person to fresh air and keep comfortable for breathing.
- Give artificial respiration if victim is not breathing.
- Administer oxygen if breathing is difficult.
- If experiencing respiratory symptoms: Call a POISON CENTER/doctor/physician.
- Call a POISON CENTER/doctor/physician if you feel unwell.

###### IF ON SKIN (or hair)

- Take off immediately all contaminated clothing. Rinse skin with water or shower.
- Wash with plenty of soap and water.
- If skin irritation or rash occurs: Get medical advice/attention.
- If skin irritation occurs: Get medical advice/attention.
- Remove and isolate contaminated clothing and shoes.
- For minor skin contact, avoid spreading material on unaffected skin.

###### IF IN EYES

- Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- If eye irritation persists: Get medical advice/attention.

###### IF SWALLOWED

- Rinse mouth. Do NOT induce vomiting.
- Call a POISON CENTER/doctor/physician if you feel unwell.

##### Most important symptoms and effects, both acute and delayed

- Specific information on symptom and effect are unknown.

##### Indication of any immediate medical attention and special treatment needed

- Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

---

#### Section 5. Fire-fighting measures

##### Extinguishing media

###### Suitable extinguishing media

- Use appropriate extinguishing media suitable for surrounding facilities.
- The product is non-flammable.

###### Unsuitable extinguishing media

- Unsuitable extinguishing media data is not available.

##### Specific hazards arising from the substance or mixture

- Containers may explode when heated.
- Fire may produce irritating, corrosive and/or toxic gases.
- Runoff from fire control or dilution water may cause pollution.

Aluminium, standard solution 1000mg/L,  
JUNSEI CHEMICAL CO., LTD.,13140jis\_J\_E1-2,28/Jan/2025

#### Advice for firefighters

##### Specific fire-fighting measures

Evacuate non-essential personnel to safe area.

##### Special protective equipment and precautions for fire-fighters

Wear fire resistant or flame retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with a full facepiece operated in the positive pressure mode.

---

## Section 6. Accidental release measures

### Personnel precautions, protective equipment and emergency procedures

Keep unauthorized personnel away.

In case of contact with substance, immediately flush skin or eyes with running water for at least 20 minutes.

Ventilate area until material pick up is complete.

Wear proper protective equipment.

**PUBLIC SAFETY:** Ventilate closed spaces before entering.

Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

**EVACUATION :** Spill: See the Table of Initial Isolation and Protective Action Distances for highlighted substances. For non-highlighted substances, increase, in the downwind direction, as necessary, the isolation distance shown under "PUBLIC SAFETY".

### Environmental precautions

Avoid release to headsprings, rivers, lakes, ocean and groundwater.

### Methods and materials for containment and cleaning up

Absorb spill with inert material (dry sand, earth, et al), then place in a chemical waste container.

Use clean non-sparking tools to collect absorbed material.

All equipment used when handling the product must be grounded.

### Preventive measures for secondary accident

Collect spillage.

Stop leak if you can do it without risk.

**ELIMINATE** all ignition sources (no smoking, flares, sparks or flames in immediate area).

Prevent entry into waterways, sewers, basements or confined areas.

Do not get water inside containers.

Keep out of low areas.

---

## Section 7. Handling and storage

### Precautions for safe handling

#### Preventive measures

(Exposure Control for handling personnel)

Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

(Exhaust/ventilator)

Exhaust/ventilator should be available.

(Safety treatments)

Avoid contact with skin.

Avoid contact with eyes.

#### Safety Measures

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Use personal protective equipment as required.

When using do not eat, drink or smoke.

Aluminium, standard solution 1000mg/L,  
JUNSEI CHEMICAL CO., LTD.,13140jis\_J\_E1-2,28/Jan/2025

Any incompatibilities

Strong bases should not be mixed with the chemicals.

Advice on general occupational hygiene

Wash contaminated parts thoroughly after handling.

Do not eat, drink or smoke when using this product.

Take off contaminated clothing and wash it before reuse.

Storage

Conditions for safe storage

Store in a well-ventilated place. Keep container tightly closed.

Keep cool. Protect from sunlight.

Store in accordance with local/national regulation.

Store locked up.

Container and packaging materials for safe handling data is not available.

Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

---

## Section 8. Exposure controls/personal protection

### Control parameters

Control value and concentration standard value are not available in ISHA.

### Adopted value

(Hydrogen chloride)

JSOH(2014) (ceiling) 2ppm; 3.0mg/m<sup>3</sup>

ACGIH(2002) STEL: C 2ppm (URT irr)

### Exposure controls

#### Appropriate engineering controls

Do not use in areas without adequate ventilation.

Eye wash station should be available.

Washing facilities should be available.

#### Individual protection measures

##### Respiratory protection

Select and wear respiratory protection in accordance with approved standards (e.g. JIS T8150).

##### Hand protection

Wear protective gloves.

Inspect before use and replace worn or damaged gloves.

Contact the glove manufacturer for specific advice on glove selection and breakthrough times for your use conditions.

Chemical-resistant, impervious gloves complying with an approved standard (e.g. JIS T8116) should be used.

##### Eye protection

Wear chemical safety goggle.

Wear eye/face protection in accordance with approved standards (e.g. JIS T8147).

##### Skin and body protection

Wear impervious clothing and boots in case of repeated or prolonged treatment.

Personal protective equipment for the body and skin should be selected based on the task being performed and the risks involved.

---

## Section 9. Physical and Chemical Properties

### Information on basic physical and chemical properties

Physical state: Liquid

Color: Colorless

Odor data is not available.

Aluminium, standard solution 1000mg/L,  
JUNSEI CHEMICAL CO., LTD.,13140jis\_J\_E1-2,28/Jan/2025

Odor threshold data is not available.

Melting point/Freezing point data is not available.

Boiling point or initial boiling point data is not available.

Boiling range data is not available.

Flammability (gases, liquids and solids): Non-flammable

Lower and upper explosion limit/flammability limit data is not available.

Flash point: Non-flammable

Auto-ignition temperature data is not available.

Decomposition temperature data is not available.

Self-Accelerating Decomposition Temperature/SADT data is not available.

pH:  $\leq 2$  (Strong acidic)

Dynamic viscosity data is not available.

Kinematic viscosity data is not available.

Solubility:

Solubility in water: Miscible

Solubility in solvent data is not available.

n-Octanol/water partition coefficient data is not available.

Vapor pressure data is not available.

Density and/or relative density data is not available.

Relative vapor density (Air=1) data is not available.

Relative density of the Vapor/air - mixture at 20°C (Air = 1) data is not available.

Particle characteristics data is not available.

Other information

Critical temperature data is not available.

Evaporation rate data is not available.

VOC data is not available.

---

## Section 10. Stability and Reactivity

Reactivity

Reactivity data is not available.

Chemical stability

Stable under normal storage/handling conditions.

Possibility of hazardous reactions

Possibility of hazardous reactions data is not available.

Conditions to avoid

Contact with incompatible materials.

Heating.

Incompatible materials

Strong bases

Hazardous decomposition products

Aluminum oxides, Chlorides

---

## Section 11. Toxicological Information

The product has not been subjected to toxicological testing. Refer to the available data on the constituents.

Information on toxicological effects

Acute toxicity

Acute toxicity (Oral)

[Product]

Based on available data, the classification criteria are not met.

Aluminium, standard solution 1000mg/L,  
JUNSEI CHEMICAL CO., LTD.,13140jis\_J\_E1-2,28/Jan/2025

[Data for components of the product]

[NITE-CHRIP]

(Aluminium(III) chloride hexahydrate)

rat LD50: 3311 mg/kg (source: NITE)

(Hydrogen chloride)

rat LD50: 238 – 277 mg/kg (source: NITE)

Acute toxicity (Dermal)

[Product]

Based on available data, the classification criteria are not met.

[Data for components of the product]

[NITE-CHRIP]

(Hydrogen chloride)

rabbit LD50: > 5010 mg/kg (source: NITE)

Acute toxicity (Inhalation)

[Product]

Category 4, Harmful if inhaled

[Data for components of the product]

[NITE-CHRIP]

(Hydrogen chloride)

gas: rat LC50: 4.2 mg/L (60-minute) (converted 4-hour equivalent value: 1411 ppm) (source: NITE)

aerosol: rat LC50: 1.68 mg/L (1-hour) (converted 4-hour equivalent value: 0.42 mg/L) (source: NITE)

Irritant properties

Skin corrosion/irritation

[Product]

Category 1, Causes severe skin burns and eye damage

[Product data]

[GHS Cat. based on pH]

pH <= 2, accordingly Skin corrosion/irritation: Category 1

[Data for components of the product]

[NITE-CHRIP]

(Aluminium(III) chloride hexahydrate)

Category 2 (source: NITE)

(Hydrogen chloride)

Category 1 (source: NITE)

Serious eye damage/irritation

[Product]

Category 1, Causes serious eye damage

[Product data]

[GHS Cat. based on pH]

pH <= 2, accordingly Serious eye damage/eye irritation: Category 1

[Data for components of the product]

[NITE-CHRIP]

(Hydrogen chloride)

Category 1 (source: NITE)

Sensitization

Respiratory sensitization

[Product]

Category 1, May cause allergy or asthma symptoms or breathing difficulties if inhaled

[Data for components of the product]

[NITE-CHRIP]

(Hydrogen chloride)

Category 1 (source: NITE)

Aluminium, standard solution 1000mg/L,  
JUNSEI CHEMICAL CO., LTD.,13140jis\_J\_E1-2,28/Jan/2025

Skin sensitization

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Germ cell mutagenicity

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Carcinogenicity

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

[IARC]

(Hydrogen chloride)

Group 3 : Not classifiable as to its carcinogenicity to humans

[ACGIH]

(Hydrogen chloride)

A4(2002) : Not Classifiable as a Human Carcinogen

Reproductive toxicity

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Specific target organ toxicity (STOT)

STOT-single exposure

[Product]

Category 2, May cause damage to organs

[Data for components of the product]

[NITE-CHRIP]

(Hydrogen chloride)

Category 1 (respiratory system) (source: NITE)

STOT-repeated exposure

[Product]

Category 2, May cause damage to organs through prolonged or repeated exposure

[Data for components of the product]

[NITE-CHRIP]

(Hydrogen chloride)

Category 1 (teeth, respiratory system) (source: NITE)

Aspiration hazard

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

---

## Section 12. Ecological Information

The product has not been subjected to ecotoxicological testing. Refer to the available data on the constituents.

### Ecotoxicity

#### Aquatic toxicity

[Product]

Category 2, Toxic to aquatic life



Aluminium, standard solution 1000mg/L,  
JUNSEI CHEMICAL CO., LTD.,13140jis\_J\_E1-2,28/Jan/2025

Category 3, Harmful to aquatic life with long lasting effects

[Data for components of the product]

Hazardous to the aquatic environment, short-term (acute)

[NITE-CHRIP]

(Aluminium(III) chloride hexahydrate)

Fish (Atlantic salmon) 96-hour LC50: 0.075 mg Al/L (source: NITE)

(Hydrogen chloride)

Crustacea (Daphnia magna) 48-hour EC50: 0.492 mg/L (source: NITE)

Water solubility

[Data for components of the product]

(Hydrogen chloride)

67 g/100 mL (30°C) (source: ICSC, 2016)

Persistence and degradability

Persistence and degradability data is not available.

Bioaccumulative potential

[Data for components of the product]

(Hydrogen chloride)

log Pow: 0.25 (source: ICSC, 2016)

Mobility in soil

Mobility in soil data is not available.

Other adverse effects

Ozone depleting chemical data is not available.

---

### Section 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Waste treatment methods

Avoid release to the environment.

Dispose of contents/container in accordance with local/national regulation.

---

### Section 14. Transport Information

UN No., UN CLASS

UN Number or ID Number : 3264

UN Proper Shipping Name : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

Class or division (Transport hazard class) : 8

Packing group : III

ERG GUIDE No.: 154

IMDG Code (International Maritime Dangerous Goods Regulations)

UN Number or ID Number : 3264

UN Proper Shipping Name : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

Class or division (Transport hazard class) : 8

Packing group : III

IATA (Dangerous Goods Regulations)

UN Number or ID Number : 3264

UN Proper Shipping Name : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

Class or division (Transport hazard class) : 8

Hazard labels : Corrosive

Packing group : III

Environmental hazards

Marine pollutants (yes/no) : no

Aluminium, standard solution 1000mg/L,  
JUNSEI CHEMICAL CO., LTD.,13140jis\_J\_E1-2,28/Jan/2025

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Noxious Liquid Substances ; Cat. Z

Hydrogen chloride

Non Noxious Liquid Substances ; Cat. OS

Water

MARPOL Annex V – HME (Harmful to the Marine Environment)

Specific target organ toxicity – repeated exposure: cat.1

Hydrogen chloride

Hazardous to the aquatic environment – short-term (acute): cat.1

Hydrogen chloride

---

## Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Labor Standards Act, Japan

Chemical substances or compounds (including alloys) causing disease (Regulation, Appended Table1-2-4-1)

Hydrogen chloride

U.S. Toxic Substances Control Act (TSCA) Inventory

Chemicals listed in TSCA Inventory

7784-13-6[7446-70-0(anh)]; 7647-01-0; 7732-18-5

All components are listed or exempted.

Superfund Amendments and Reauthorizations Act (SARA), Title III

SARA 313 (TRI)

Hydrogen chloride

Other regulatory information

We are not able to check up the regulatory information with regard to the substances in your country or region, therefore, we request this matter would be filled by your responsibility.

Regulatory information with regard to this substance in your country or in your region should be examined by your own responsibility.

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

Regulatory information in this section are limited to intentional ingredient(s), but does not contain information on non-intentional ingredients or impurities which are not informed by supplier(s).

Chemical safety assessment

Advice on safe handling for this product can be found in sections 7 and 8 of this SDS.

---

## Section 16. Other information

GHS classification and labelling

H332-Acute toxicity, Category 4: H332 Harmful if inhaled

H314-Skin corrosion/irritation, Category 1: H314 Causes severe skin burns and eye damage

H318-Serious eye damage/eye irritation, Category 1: H318 Causes serious eye damage

H334-Respiratory sensitization, Category 1: H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled

H371-STOT – single exposure, Category 2: H371 May cause damage to organs

H373-STOT – Repeated exposure, Category 2: H373 May cause damage to organs through prolonged or repeated exposure

H401-Hazardous to the aquatic environment, short-term (acute), Category 2: H401 Toxic to aquatic life

H412-Hazardous to the aquatic environment, long-term (chronic), Category 3: H412 Harmful to aquatic life with long lasting effects

References and sources for data

Globally Harmonized System of classification and labelling of chemicals, UN

Aluminium, standard solution 1000mg/L,  
JUNSEI CHEMICAL CO., LTD.,13140jis\_J\_E1-2,28/Jan/2025

Recommendations on the TRANSPORT OF DANGEROUS GOODS 22nd edit., 2021 UN  
IMDG Code, 2022 Edition (Incorporating Amendment 41-22)

IATA Dangerous Goods Regulations (65th Edition) 2024

2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT)

2024 TLVs and BEIs. (ACGIH)

JIS Z 7252 : 2019

JIS Z 7253 : 2019

2023 Recommendation on TLVs (JSOH)

Notification No. 0111-1 (January 11, 2022), Chemical Hazards Control Division, Industrial  
Safety and Health Department, Labour Standards Bureau, MHLW in Japan

Supplier's data/information

Chemicals safety data management system "GHS Assistant" Version 4.31 (<https://www.asahi-ghs.com/>)

NITE Chemical Risk Information Platform "NITE-CHRIP"

([https://www.chem-info.nite.go.jp/chem/chrip/chrip\\_search/systemTop](https://www.chem-info.nite.go.jp/chem/chrip/chrip_search/systemTop))

GHS Classification Guidance for Enterprises 2019 Revised Edition (Ver. 2.1) (May. 2024, METI)

#### Abbreviations and acronyms

SDS (Safety Data Sheet)

LD50 (Lethal Dose, 50%)

LC50 (Lethal Concentration, 50%)

IARC (International Agency for Research on Cancer)

ACGIH (American Conference of Governmental Industrial Hygienists)

EPA (US Environmental Protection Agency)

NTP (US National Toxicology Program)

METI (Ministry of Economy, Trade and Industry in Japan)

MHLW (Ministry of Health, Labour and Welfare in Japan)

MOE (Ministry of the Environment in Japan)

JSOH (Japan Society for Occupational Health)

ISHA (Industrial Safety and Health Act in Japan)

CSCL (Chemical Substances Control Law in Japan)

EU (European Union)

EC50 (Effective Concentration, 50%)

NOEC (No Observed Effect Concentration)

BOD (Biochemical Oxygen Demand)

COD (Chemical Oxygen Demand)

BCF (Bioconcentration Factor)

anh (anhydride)

#### General Disclaimer

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Data published in Japan (National Institute of Technology and Evaluation (NITE) Chemical Risk Information Platform (NITE-CHRIP), up to FY2023).