

## Safety Data Sheet

### 1. Identification of the substance/mixture and of the company/undertaking

#### Product identifier:

Product name: Iron, standard solution 1000mg/L

Product code(SDS NO): 47155jis\_J\_E2-1

#### Details of the supplier of the safety data sheet

Manufacturer/Supplier: JUNSEI CHEMICAL CO., LTD.

Address: 1-6, Ohmano-Cho, Koshigaya, Saitama 343-0844, Japan

Division: Quality Assurance Department

Telephone number: +81-48-986-6161

FAX: +81-48-989-2787

e-mail address: shiyaku-t@junsei.co.jp

### 2. Hazards identification

#### GHS classification and label elements of the product

#### Classification of the substance or mixture

##### HEALTH HAZARDS

Acute toxicity Inhalation: Category 4

Skin corrosion/irritation: Category 1

Serious eye damage/eye irritation: Category 1

Respiratory sensitization: Category 1

Specific target organ toxicity – single exposure: Category 2(respiratory system)

Specific target organ toxicity – repeated exposure: Category 2(tooth, respiratory system)

##### ENVIRONMENT HAZARDS

Hazardous to the aquatic environment – acute hazard: Category 2

(Note) GHS classification without description: Not applicable/Out of classification/Not classifiable

#### Label elements



Signal word: Danger

#### HAZARD STATEMENT

Harmful if inhaled

Causes severe skin burns and eye damage

Causes serious eye damage

May cause allergy or asthma symptoms or breathing difficulties if inhaled

May cause damage to organs after single exposure

May cause damage to organs through prolonged or repeated exposure

Toxic to aquatic life

#### PRECAUTIONARY STATEMENT

##### Prevention

Avoid release to the environment.

Do not breathe dust/mist.

In case of inadequate ventilation wear respiratory protection. (as specified by the manufacturer/supplier or the competent authority.)

Use only outdoors or in a well-ventilated area.

Wash contaminated parts thoroughly after handling.

Wear protective gloves.

Iron, standard solution 1000mg/L,  
JUNSEI CHEMICAL CO., LTD.,47155jis\_J\_E2-1,04/08/2017

Wear protective gloves, protective clothing or face protection.

Wear eye protection/face protection.

Do not eat, drink or smoke when using this product.

#### Response

Get medical advice/attention if you feel unwell.

Immediately call a POISON CENTER or doctor/physician.

If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF ON SKIN: Wash with plenty of soap and water.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If skin irritation occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

#### Storage

Store locked up.

#### Disposal

Dispose of contents/container in accordance with local/national regulation.

---

### 3. Composition/information on ingredients

#### Mixture/Substance selection:

##### Mixture

Ingredient name:Iron(III) chloride

Content(%):ca. 0.3

Chemical formula:Cl<sub>3</sub>Fe

Chemicals No, Japan:1-213

CAS No.:7705-08-0

MW:162.20

ECNO:231-729-4

Ingredient name:Hydrogen chloride

Content(%):ca. 3.5

Chemical formula:ClH

Chemicals No, Japan:1-215

CAS No.:7647-01-0

MW:36.46

ECNO:231-595-7

Ingredient name:Water

Content(%):Residual quantity of the ingredient mentioned above.

Chemical formula:H<sub>2</sub>O

CAS No.:7732-18-5

MW:18.02

ECNO:231-791-2

Note : The figures shown above are not the specifications of the product.

---

### 4. First-aid measures

#### Descriptions of first-aid measures

##### General measures

Get medical attention/advice if you feel unwell.

Immediately call a POISON CENTER or doctor/physician.

Iron, standard solution 1000mg/L,  
JUNSEI CHEMICAL CO., LTD.,47155jis\_J\_E2-1,04/08/2017

#### IF INHALED

Remove person to fresh air and keep comfortable for breathing.  
If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.  
Call a POISON CENTER or doctor/physician if you feel unwell.

#### IF ON SKIN (or hair)

Take off immediately all contaminated clothing. Rinse skin with water/shower.  
Wash with plenty of soap and water.  
If skin irritation or rash occurs: Get medical advice/attention.  
If skin irritation occurs: Get medical advice/attention.

#### IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
If eye irritation persists: Get medical advice/attention.

#### IF SWALLOWED

Rinse mouth. Do NOT induce vomiting.  
Call a POISON CENTER or doctor/physician if you feel unwell.

---

### 5. Fire-fighting measures

#### Extinguishing media

##### Suitable extinguishing media

Use appropriate extinguishing media suitable for surrounding facilities.  
The product is non-flammable.

#### Specific hazards arising from the substance or mixture

Containers may explode when heated.  
Fire may produce irritating, corrosive and/or toxic gases.  
Runoff from fire control or dilution water may cause pollution.

#### Advice for firefighters

##### Specific fire-fighting measures

Evacuate non-essential personnel to safe area.

##### Special protective equipment and precautions for fire-fighters

Wear fire/flame resistant/retardant clothing.  
Wear protective gloves/protective clothing/eye protection/face protection.  
Firefighters should wear self-contained breathing apparatus with full face piece operated positive pressure mode.

---

### 6. Accidental release measures

#### Personnel precautions, protective equipment and emergency procedures

Keep unauthorized personnel away.  
In case of contact with substance, immediately flush skin or eyes with running water for at least 20 minutes.  
Ventilate area after material pick up is complete.  
Wear proper protective equipment.

#### Environmental precautions

Avoid release to the rivers, lakes, ocean and groundwater.

#### Methods and materials for containment and cleaning up

Absorb spill with inert material (dry sand, earth, et al), then place in a chemical waste container.

#### Preventive measures for secondary accident

Collect spillage.  
Stop leak if you can do it without risk.  
Prevent entry into waterways, sewers, basements or confined areas.

---

Iron, standard solution 1000mg/L,  
JUNSEI CHEMICAL CO., LTD.,47155jis\_J\_E2-1,04/08/2017

## 7. Handling and storage

### Precautions for safe handling

#### Preventive measures

(Exposure Control for handling personnel)

Do not breathe dust/mist.

(Protective measures against fire & explosion)

Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

#### Exhaust/ventilator

Exhaust/ventilator should be available.

#### Safety treatments

Avoid contact with skin.

Avoid contact with eyes.

Avoid breathing dust or mist.

#### Safety Measures/Incompatibility

Use only outdoors or in a well-ventilated area.

Wear protective gloves, protective clothing or face protection.

Wear protective gloves.

Wear eye protection/face protection.

Use personal protective equipment as required.

When using do not eat, drink or smoke.

### Conditions for safe storage, including any incompatibilities

#### Recommendation for storage

Store in a well-ventilated place. Keep container tightly closed.

Keep cool. Protect from sunlight.

Store locked up.

---

## 8. Exposure controls/personal protection

### Control parameters

No control value data available

#### Adopted value

(Hydrogen chloride)

JSOH(2014) (ceiling limit) 2ppm; 3.0mg/m<sup>3</sup>

ACGIH(2000) STEL: C 2ppm (URT irr)

(Iron(III) chloride)

ACGIH(1990) TWA: 1mg-Water-soluble Fe/m<sup>3</sup> (URT & skin irr)

#### OSHA-PEL

(Hydrogen chloride)

C 5ppm, 7mg/m<sup>3</sup>

### Exposure controls

#### Appropriate engineering controls

Do not use in areas without adequate ventilation.

Eye wash station should be available.

Washing facilities should be available.

#### Individual protection measures

##### Respiratory protection

Wear respiratory protection.

##### Hand protection

Wear protective gloves.

##### Eye protection

Wear eye/face protection.

#### Safety and Health measures

Wash ... thoroughly after handling.

Do not eat, drink or smoke when using this product.

Iron, standard solution 1000mg/L,  
JUNSEI CHEMICAL CO., LTD.,47155jis\_J\_E2-1,04/08/2017

Take off contaminated clothing and wash it before reuse.

---

## 9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical properties

Appearance: Liquid

Color: Yellow

Odor: None

pH: pH  $\leq$  2(Strong acidic)

Phase change temperature

Initial Boiling Point/Boiling point data N.A.

Melting point/Freezing point data N.A.

Decomposition temperature data N.A.

Flash point data N.A.

Auto-ignition temperature data N.A.

Explosive properties data N.A.

Vapor pressure data N.A.

Vapor density data N.A.

Specific gravity/Density data N.A.

Solubility

Solubility in water: Miscible

n-Octanol /water partition coefficient data N.A.

---

## 10. Stability and Reactivity

Chemical stability

Stable under normal storage/handling conditions.

Conditions to avoid

Contact with incompatible materials.

Heat.

Incompatible materials

Bases

Hazardous decomposition products

Hydrogen chloride, Iron oxides.

---

## 11. Toxicological Information

Information on toxicological effects

Acute toxicity

Acute toxicity (Oral)

[GHS Cat. Japan, base data]

(Hydrogen chloride) rat LD50 =238 mg/kg (SIDS, 2009)

(Iron(III) chloride) rat LD50=500~1872 mg/kg (SIDS, 2008)

Acute toxicity (Inhalation)

[GHS Cat. Japan, base data]

(Hydrogen chloride) mist : rat LC50=0.42 mg/L/4hr (SIDS, 2009)

Labor standard law, Japan; Toxic

Hydrogen chloride

Irritant properties

Skin corrosion/irritation

[GHS Cat. Japan, base data]

(Hydrogen chloride) rabbit/mouse/rat/human : corrosive (SIDS, 2009)

(Iron(III) chloride) 0.1M solution pH=2 (HSDB, Access on September 2014)

Iron, standard solution 1000mg/L,  
JUNSEI CHEMICAL CO., LTD.,47155jis\_J\_E2-1,04/08/2017

Serious eye damage /irritation

[GHS Cat. Japan, base data]

(Hydrogen chloride) rabbit : corrosive (SIDS, 2002)

(Iron(III) chloride) 0.1M solution pH=2 (HSDB, Access on September 2014)

Sensitization

Respiratory sensitization

[GHS Cat. Japan, base data]

(Hydrogen chloride) cat.1; Occupational/Environmental Allergy Society, Japan

No Mutagenic effects data available

Carcinogenicity

(Hydrogen chloride)

IARC-Gr.3 : Not Classifiable as a Human Carcinogen

ACGIH-A4(2000) : Not Classifiable as a Human Carcinogen

No reproductive toxicity data available

Delayed and immediate effects and also chronic effects from short- and long-term exposure

STOT

STOT-single exposure

[cat.1]

[Japan published data]

(Hydrogen chloride) respiratory apparatus/system ( ACGIH, 2003 )

[cat.3(resp. irrit.)]

[Japan published data]

(Iron(III) chloride) Respiratory tract irritation ( SIDS, 2008; HSDB, Access on September 2014 )

STOT-repeated exposure

[cat.1]

[Japan published data]

(Hydrogen chloride) teeth; respiratory apparatus/system ( SIDS, 2002 )

No Aspiration hazard data available

Additional data

There are no data available on the preparation itself.

---

## 12. Ecological Information

Toxicity

Aquatic toxicity

Toxic to aquatic life

Aquatic acute toxicity component(s) data

[GHS Cat. Japan, base data]

(Hydrogen chloride) Crustacea(Daphnia magna) EC50=0.492mg/L/48hr (SIDS, 2005),etc.

(Iron(III) chloride) Crustacea(Daphnia magna) EC50 = 37.5mg/L/48hr (12.9 mgFe/L) (SIDS, 2008)

Aquatic chronic toxicity component(s) data

[GHS Cat. Japan, base data]

(Iron(III) chloride) Crustacea(Daphnia magna) NOEC = 2.0 mg/L/21 days (0.70 mgFe/L) (SIDS, 2008)

Water solubility

(Hydrogen chloride) 67 g/100 ml (30°C) (ICSC, 2000)

(Iron(III) chloride) (reaction) 92 g/100 ml (20°C) (ICSC, 2004)

No Persistence and degradability data available

Bioaccumulative potential

(Hydrogen chloride) log Pow=0.25 (ICSC, 2000)

Additional information

There are no data available on the preparation itself.

---

**13. Disposal considerations**

## Waste treatment methods

Avoid release to the environment (– if this is not the intended use).

Dispose of contents/container in accordance with local/national regulation.

---

**14. Transport Information**

UN No, UN CLASS

UN number: 3264

UN proper shipping name: CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

Transport hazard class(es): 8

Packing group: III

ERG GUIDE NO.: 154

Transport in bulk according to Annex II of MARPOL73/78 and IBC Code

Noxious Liquid ; Cat. Y··Iron(III) chloride

Noxious Liquid ; Cat. Z··Hydrogen chloride

Non Noxious Liquid ; Cat. OS··Water

---

**15. Regulatory Information**

Safety, health and environmental regulations/legislation specific for the substance or mixture

US major regulations

TSCA

Hydrogen chloride; Iron(III) chloride; Water

Other regulatory information

We are not able to check up the regulatory information in regard to the substances in your country or region, therefore, we request this matter would be filled by your responsibility.

Regulatory information with regard to this substance in your country or in your region should be examined by your own responsibility.

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

---

**16. Other information**

GHS classification and labelling

Acute Tox. 4: H332 Harmful if inhaled

Skin Corr. 1: H314 Causes severe skin burns and eye damage

Eye Dam. 1: H318 Causes serious eye damage

Resp. Sens. 1: H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled

STOT SE 2: H371 May cause damage to organs after single exposure

STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure

Aquatic Acute 2: H401 Toxic to aquatic life

Reference Book

Globally Harmonized System of classification and labelling of chemicals, (5th ed., 2013), UN

Recommendations on the TRANSPORT OF DANGEROUS GOODS 19th edit., 2015 UN

Classification, labelling and packaging of substances and mixtures (table3-1 ECNO6182012)

2012 EMERGENCY RESPONSE GUIDEBOOK(US DOT)

2017 TLVs and BEIs. (ACGIH)

<http://monographs.iarc.fr/ENG/Classification/index.php>

Supplier's data/information

Chemical Risk Information Platform (CHRIP)(NITE) <http://www.safe.nite.go.jp/japan/db.html>

GHS Classification Guidance for Enterprises 2013 Revised Edition (August, 2013,METI)

Iron, standard solution 1000mg/L,  
JUNSEI CHEMICAL CO., LTD.,47155jis\_J\_E2-1,04/08/2017

General Disclaimer

This information contained in this data sheet represents the best information currently available to us. However, no warranty is made with respect to its completeness and we assume no liability resulting from its use. It are advised to make their own tests to determinate the safety and suitability of each such product or combination for their own purposes.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data (NITE published in 2015).