

Safety Data Sheet

1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: Niobium, standard solution 1000mg/L

Product code(SDS NO): 53062jis_J_E1-1

Details of the supplier of the safety data sheet

Manufacturer/Supplier: JUNSEI CHEMICAL CO., LTD.

Address: 1-6, Ohmano-Cho, Koshigaya, Saitama 343-0844, Japan

Division: Quality Assurance Department

Telephone number: +81-48-986-6161

FAX: +81-48-989-2787

e-mail address: shiyaku-t@junsei.co.jp

2. Hazards identification

GHS classification and label elements of the product

Classification of the substance or mixture

HEALTH HAZARDS

Skin corrosion/irritation: Category 2

Serious eye damage/eye irritation: Category 2

Skin sensitization: Category 1

Germ cell mutagenicity: Category 2

Specific target organ toxicity – single exposure: Category 2(respiratory system, pancreas)

Specific target organ toxicity – repeated exposure: Category 2(bone, teeth, pituitary gland, thyroid gland,
kidneys, nervous system, liver, testes, bronchi)

(Note) GHS classification without description: Not applicable/Out of classification/Not classifiable

Label elements



Signal word: Warning

HAZARD STATEMENT

Causes skin irritation

Causes serious eye irritation

May cause an allergic skin reaction

Suspected of causing genetic defects

May cause damage to organs after single exposure

May cause damage to organs through prolonged or repeated exposure

PRECAUTIONARY STATEMENT

Prevention

Do not handle until all safety precautions have been read and understood.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash contaminated parts thoroughly after handling.

Wear protective gloves.

Contaminated work clothing should not be allowed out of the workplace.

Wear eye protection/face protection.

Use personal protective equipment as required.

Do not eat, drink or smoke when using this product.

Niobium, standard solution 1000mg/L,
JUNSEI CHEMICAL CO., LTD.,53062jis_J_E1-1,19/06/2018

Response

Get medical advice/attention if you feel unwell.
IF ON SKIN: Wash with plenty of soap and water.
If skin irritation or rash occurs: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Storage

Store locked up.

Disposal

Dispose of contents/container in accordance with local/national regulation.

3. Composition/information on ingredients

Mixture/Substance selection:

Mixture

Ingredient name:Niobium pentafluoride

Content(%):0.1

Chemical formula:F5Nb

CAS No.:7783-68-8

MW:187.90

ECNO:232-020-2

Ingredient name:Hydrofluoric acid

Content(%):2

Chemical formula:FH

Chemicals No, Japan:1-306

CAS No.:7664-39-3

MW:20.01

ECNO:231-634-8

Ingredient name:Water

Content(%):Residual quantity of the ingredient mentioned above.

Chemical formula:H2O

CAS No.:7732-18-5

MW:18.02

ECNO:231-791-2

4. First-aid measures

Descriptions of first-aid measures

General measures

Get medical attention/advice if you feel unwell.

IF INHALED

Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell.

IF ON SKIN (or hair)

Take off immediately all contaminated clothing. Rinse skin with water/shower.

Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Niobium, standard solution 1000mg/L,
JUNSEI CHEMICAL CO., LTD.,53062jis_J_E1-1,19/06/2018

If eye irritation persists: Get medical advice/attention.

IF SWALLOWED

Rinse mouth.

Call a POISON CENTER or doctor/physician if you feel unwell.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Use appropriate extinguishing media suitable for surrounding facilities.

Specific hazards arising from the substance or mixture

Containers may explode when heated.

Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution.

Advice for firefighters

Specific fire-fighting measures

Evacuate non-essential personnel to safe area.

Special protective equipment and precautions for fire-fighters

Wear fire/ flame resistant/retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with full face piece operated positive pressure mode.

6. Accidental release measures

Personnel precautions, protective equipment and emergency procedures

Ventilate area after material pick up is complete.

Wear proper protective equipment.

Environmental precautions

Avoid release to the rivers, lakes, ocean and groundwater.

Methods and materials for containment and cleaning up

Absorb spill with inert material (dry sand, earth, et al), then place in a chemical waste container.

Preventive measures for secondary accident

Collect spillage.

7. Handling and storage

Precautions for safe handling

Preventive measures

(Exposure Control for handling personnel)

Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

Exhaust/ventilator

Exhaust/ventilator should be available.

Safety treatments

Avoid contact with skin.

Avoid contact with eyes.

Avoid breathing dust, fume, gas, mist or vapor.

Safety Measures/Incompatibility

Do not handle until all safety precautions have been read and understood.

Wear protective gloves, protective clothing or face protection.

Niobium, standard solution 1000mg/L,
JUNSEI CHEMICAL CO., LTD.,53062jis_J_E1-1,19/06/2018

- Wear protective gloves.
- Wear eye protection/face protection.
- Use personal protective equipment as required.
- When using do not eat, drink or smoke.

Conditions for safe storage, including any incompatibilities

Recommendation for storage

- Store in a well-ventilated place. Keep container tightly closed.
- Keep cool. Protect from sunlight.
- Store locked up.

8. Exposure controls/personal protection

Control parameters

Control value

- (Hydrofluoric acid)
- Japan control value (2009) ≤ 0.5 ppm

Adopted value

- (Hydrofluoric acid)
- JSOH(2000) (ceiling limit) 3ppm; 2.5mg/m³
- ACGIH(2004) TWA: 0.5ppm
- STEL: C 2ppm (URT, LRT, skin & eye irr; fluorosis)

Notation...Skin

OSHA-PEL

- (Hydrofluoric acid)
- TWA 3ppm

Exposure controls

Appropriate engineering controls

- Do not use in areas without adequate ventilation.
- Eye wash station should be available.
- Washing facilities should be available.

Individual protection measures

Respiratory protection

- Wear respiratory protection.

Hand protection

- Wear protective gloves.

Eye protection

- Wear eye/face protection.

Safety and Health measures

- Wash ... thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Contaminated work clothing should not be allowed out of the workplace.
- Take off contaminated clothing and wash it before reuse.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical properties

- Appearance: Liquid
- Color: Colorless-clear
- Odor data N.A.
- pH: Strong acidic

Phase change temperature

- Initial Boiling Point/Boiling point data N.A.
- Melting point/Freezing point data N.A.

Niobium, standard solution 1000mg/L,
JUNSEI CHEMICAL CO., LTD.,53062jis_J_E1-1,19/06/2018

Decomposition temperature data N.A.

Flash point data N.A.

Auto-ignition temperature data N.A.

Explosive properties data N.A.

Vapor pressure data N.A.

Vapor density data N.A.

Specific gravity/Density data N.A.

Solubility

Solubility in water: Miscible

n-Octanol /water partition coefficient data N.A.

10. Stability and Reactivity

Chemical stability

Stable under normal storage/handling conditions.

Possibility of hazardous reactions

Reacts violently with bases

Conditions to avoid

Contact with incompatible materials.

Heat.

Incompatible materials

Bases

Hazardous decomposition products

Fluorides

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Acute toxicity (Inhalation)

[GHS Cat. Japan, base data]

(Hydrofluoric acid) vapor : rat LC50=650 ppm/4hr (EU-RAR No.8, 2001)

Labor standard law, Japan; Toxic

Hydrofluoric acid

Irritant properties

Skin corrosion/irritation

[GHS Cat. Japan, base data]

(Hydrofluoric acid) animal/human : skin corrosive (CERI hazard data book, 2001-46, 2002 et al.)

Serious eye damage /irritation

[GHS Cat. Japan, base data]

(Hydrofluoric acid) animal : corrosive (ATSDR, 2003 et al.)

Sensitization

Skin sensitization

[GHS Cat. Japan, base data]

(Hydrofluoric acid) cat.1; CERI hazard data book 2001-46, 2002

Germ cell mutagenicity

[GHS Cat. Japan, base data]

(Hydrofluoric acid) cat.2; EU-RAR No.8, 2001

No Carcinogenic effects data available

No reproductive toxicity data available

Delayed and immediate effects and also chronic effects from short- and long-term exposure

STOT

STOT-single exposure

[cat.1]

Niobium, standard solution 1000mg/L,
JUNSEI CHEMICAL CO., LTD.,53062jis_J_E1-1,19/06/2018

[Japan published data]

(Hydrofluoric acid) respiratory apparatus/system; pancreas (CERI hazard data book2001-46, 2002)

STOT-repeated exposure

[cat.1]

[Japan published data]

(Hydrofluoric acid)

bone; teeth; pituitary gland; thyroid/thyroid gland; kidney; nerve/nervous system; liver; testicle;
bronchial tubes (CERI hazard data book2001-46, 2002; EU-RAR No.8, 2001)

No Aspiration hazard data available

Additional data

There are no data available on the preparation itself.

12. Ecological Information

Ecotoxicity

Aquatic toxicity

Aquatic acute toxicity component(s) data

[GHS Cat. Japan, base data]

(Hydrofluoric acid) Crustacea (Mysidopsis bahia) EC50=10.5mg/L/96hr (EU-RAR,2002)

Water solubility

(Hydrofluoric acid) very good (ICSC, 2000)

No Persistence and degradability data available

No Bioaccumulative potential data available

Additional information

There are no data available on the preparation itself.

13. Disposal considerations

Waste treatment methods

Dispose of contents/container in accordance with local/national regulation.

14. Transport Information

UN No, UN CLASS

UN number: 1790

UN proper shipping name: HYDROFLUORIC ACID,with not more than 60% hydrogen fluoride

Transport hazard class(es): 8

Transport subsidiary risks: 6.1

Packing group: II

ERG GUIDE NO.: 157

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

US major regulations

TSCA

Niobium pentafluoride; Hydrofluoric acid; Water

Other regulatory information

We are not able to check up the regulatory information in regard to the substances in your country or region, therefore, we request this matter would be filled by your responsibility.

Regulatory information with regard to this substance in your country or in your region should be examined by your own responsibility.

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

16. Other information**GHS classification and labelling**

Skin Irrit. 2: H315 Causes skin irritation

Eye Irrit. 2: H319 Causes serious eye irritation

Skin Sens. 1: H317 May cause an allergic skin reaction

Muta. 2: H341 Suspected of causing genetic defects

STOT SE 2: H371 May cause damage to organs after single exposure

STOT RE 2: H373 May cause damage to organs through prolonged or repeated exposure

Reference Book

Globally Harmonized System of classification and labelling of chemicals, (5th ed., 2013), UN

Recommendations on the TRANSPORT OF DANGEROUS GOODS 19th edit., 2015 UN

Classification, labelling and packaging of substances and mixtures (table3-1 ECNO6182012)

2016 EMERGENCY RESPONSE GUIDEBOOK (US DOT)

2017 TLVs and BEIs. (ACGIH)

<http://monographs.iarc.fr/ENG/Classification/index.php>

Supplier's data/information

NITE Chemical Risk Information Platform (NITE-CHRIP) <http://www.safe.nite.go.jp/japan/db.html>

GHS Classification Guidance for Enterprises 2013 Revised Edition (August, 2013, METI)

General Disclaimer

This information contained in this data sheet represents the best information currently available to us. However, no warranty is made with respect to its completeness and we assume no liability resulting from its use. It are advised to make their own tests to determinate the safety and suitability of each such product or combination for their own purposes.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data (NITE published in 2016).