

Nickel, standard solution 1000mg/L ,
JUNSEI CHEMICAL CO., LTD.,53215jis_J_E2-2,29/Sep/2022

Date of issue for the 1st edition : 20/May/2016

Date of revision : 29/Sep/2022

Safety Data Sheet

Section 1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: Nickel, standard solution 1000mg/L

Reference number(SDS):53215jis_J_E2-2

Product type:

Reagent

Details of the supplier of the safety data sheet

Manufacturer/Supplier: JUNSEI CHEMICAL CO., LTD.

Address: 1-6, Ohmano-cho, Koshigaya-shi, Saitama 343-0844, Japan

Division: Quality Assurance Department

Telephone number: +81-48-986-6161

FAX: +81-48-989-2787

e-mail address: shiyaku-t@junsei.co.jp

Section 2. Hazards identification

GHS classification and label elements of the product

Classification of the substance or mixture

HEALTH HAZARDS

Acute toxicity (Inhalation): Category 4

Skin corrosion/irritation: Category 1

Serious eye damage/eye irritation: Category 1

Respiratory sensitization: Category 1

Carcinogenicity: Category 1A

Specific target organ toxicity – single exposure: Category 2(respiratory system)

Specific target organ toxicity – repeated exposure: Category 2(tooth, respiratory system)

ENVIRONMENT HAZARDS

Hazardous to the aquatic environment (Acute): Category 2

Hazardous to the aquatic environment (Long-term): Category 3

(Note) GHS classification without description: Not classified/Classification not possible

Label elements



Signal word: Danger

HAZARD STATEMENT

H332-Harmful if inhaled

H314-Causes severe skin burns and eye damage

H318-Causes serious eye damage

H334-May cause allergy or asthma symptoms or breathing difficulties if inhaled

H350-May cause cancer

H371-May cause damage to organs

H373-May cause damage to organs through prolonged or repeated exposure

H401-Toxic to aquatic life

H412-Harmful to aquatic life with long lasting effects

PRECAUTIONARY STATEMENT

Prevention

Obtain special instructions before use.

Nickel, standard solution 1000mg/L ,
JUNSEI CHEMICAL CO., LTD.,53215jis_J_E2-2,29/Sep/2022

Do not handle until all safety precautions have been read and understood.
Avoid release to the environment.
Do not breathe dust/fume/gas/mist/vapors/spray.
In case of inadequate ventilation wear respiratory protection.
Use only outdoors or in a well-ventilated area.
Wash contaminated parts thoroughly after handling.
Wear protective gloves, protective clothing or face protection.
Wear eye protection/face protection.
Use personal protective equipment as required.
Do not eat, drink or smoke when using this product.

Response

Get medical advice/attention if you feel unwell.
IF exposed or concerned: Get medical advice/attention.
Immediately call a POISON CENTER/doctor/physician.
Call a POISON CENTER/doctor/physician if you feel unwell.
IF exposed or concerned: Call a POISON CENTER/doctor/physician.
If experiencing respiratory symptoms: Call a POISON CENTER/doctor/physician.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
Wash contaminated clothing before reuse.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Storage

Store locked up.

Disposal

Dispose of contents/container in accordance with local/national regulation.

Section 3. Composition/information on ingredients

Mixture/Substance selection:

Mixture

Ingredient name:Nickel(II) chloride

Content (%):ca. 0.2

Chemical formula:Cl₂Ni

CAS No.:7718-54-9

MW:129.60

ECNO:231-743-0

Ingredient name:hydrogen chloride

Content (%):ca. 3.6

Chemical formula:ClH

CAS No.:7647-01-0

MW:36.46

ECNO:231-595-7

Ingredient name:Water

Content (%):Residual quantity of the ingredient mentioned above.

Chemical formula:H₂O

CAS No.:7732-18-5

MW:18.02

ECNO:231-791-2

Note : The figures shown above are not the specifications of the product.

Section 4. First-aid measures**Descriptions of first-aid measures****General measures**

- Get medical advice/attention if you feel unwell.
- Immediately call a POISON CENTER/doctor/physician.
- Keep victim warm and quiet.
- Call emergency medical service.
- Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.
- Effects of exposure (inhalation, ingestion or skin contact) to substance may be delayed.

IF INHALED

- Remove person to fresh air and keep comfortable for breathing.
- Give artificial respiration if victim is not breathing.
- Administer oxygen if breathing is difficult.
- If experiencing respiratory symptoms: Call a POISON CENTER/doctor/physician.
- Call a POISON CENTER/doctor/physician if you feel unwell.

IF ON SKIN (or hair)

- Take off immediately all contaminated clothing. Rinse skin with water or shower.
- If skin irritation or rash occurs: Get medical advice/attention.
- Remove and isolate contaminated clothing and shoes.
- For minor skin contact, avoid spreading material on unaffected skin.

IF IN EYES

- Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- If eye irritation persists: Get medical advice/attention.

IF SWALLOWED

- Rinse mouth. Do NOT induce vomiting.
- Call a POISON CENTER/doctor/physician if you feel unwell.

Section 5. Fire-fighting measures**Extinguishing media****Suitable extinguishing media**

- Use appropriate extinguishing media suitable for surrounding facilities.
- The product is non-flammable.

Unsuitable extinguishing media

- Unsuitable extinguishing media data is not available.

Specific hazards arising from the substance or mixture

- Containers may explode when heated.
- Fire may produce irritating, corrosive and/or toxic gases.
- Runoff from fire control or dilution water may cause pollution.

Advice for firefighters**Specific fire-fighting measures**

- Evacuate non-essential personnel to safe area.
- Cool container with water spray.

Special protective equipment and precautions for fire-fighters

- Wear fire resistant or flame retardant clothing.
- Wear protective gloves/protective clothing/eye protection/face protection.
- Firefighters should wear self-contained breathing apparatus with full face piece operated positive pressure mode.

Section 6. Accidental release measures**Personnel precautions, protective equipment and emergency procedures**

Keep unauthorized personnel away.

In case of contact with substance, immediately flush skin or eyes with running water for at least 20 minutes.

Ventilate area until material pick up is complete.

Wear proper protective equipment.

PUBLIC SAFETY: Ventilate closed spaces before entering.

EVACUATION : Spill: See the Table of Initial Isolation and Protective Action Distances for highlighted substances. For non-highlighted substances, increase, in the downwind direction, as necessary, the isolation distance shown under "PUBLIC SAFETY".

Environmental precautions

Avoid release to headsprings, rivers, lakes, ocean and groundwater.

Methods and materials for containment and cleaning up

Absorb spill with inert material (dry sand, earth, et al), then place in a chemical waste container.

Preventive measures for secondary accident

Collect spillage.

Stop leak if you can do it without risk.

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

Prevent entry into waterways, sewers, basements or confined areas.

Do not get water inside containers.

Keep out of low areas.

Section 7. Handling and storage**Precautions for safe handling****Preventive measures**

(Exposure Control for handling personnel)

Do not breathe dust/mist.

(Protective measures against fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

(Exhaust/ventilator)

Exhaust/ventilator should be available.

(Safety treatments)

Avoid contact with skin.

Avoid contact with eyes.

Safety Measures

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Use personal protective equipment as required.

When using do not eat, drink or smoke.

Any incompatibilities

Bases, Oxidizing agents should not be mixed with the chemicals.

Advice on general occupational hygiene

Wash contaminated parts thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wash contaminated clothing before reuse.

Storage**Conditions for safe storage**

Store in a well-ventilated place. Keep container tightly closed.

Nickel, standard solution 1000mg/L ,
JUNSEI CHEMICAL CO., LTD.,53215jis_J_E2-2,29/Sep/2022

Keep cool. Protect from sunlight.
Store in accordance with local/national regulation.
Store locked up.

Container and packaging materials for safe handling data is not available.

Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See
Section 8 for exposure controls and personal protection recommendations.

Section 8. Exposure controls/personal protection

Control parameters

Control value

(Nickel(II) chloride)
Japan control value (2009) $\leq 0.1\text{mg-powder Ni/m}^3$

Adopted value

(Nickel(II) chloride)
JSOH(2011) 0.01mg-Ni/m^3 (soluble in water)
ACGIH(1998) TWA: $0.1\text{mg-Ni/m}^3(\text{I})$ (Lung dam; nasal cancer) (soluble compounds)
(hydrogen chloride)
JSOH(2014) (ceiling) 2ppm; 3.0mg/m^3
ACGIH(2002) STEL: C 2ppm (URT irr)

Exposure controls

Appropriate engineering controls

Do not use in areas without adequate ventilation.
Eye wash station should be available.
Washing facilities should be available.

Individual protection measures

Respiratory protection

Wear respiratory protection.

Hand protection

Wear protective gloves. Recommended material(s): neoprene, nitrile, butyl rubber, viton, PVC,
impermeable or chemical resistant rubber
Inspect before use and replace worn or damaged gloves.
Contact the glove manufacturer for specific advice on glove selection and breakthrough
times for your use conditions.

Eye protection

Wear chemical safety goggle.
Wear eye/face protection.

Skin and body protection

Wear impervious clothing and boots in case of repeated or prolonged treatment.

Section 9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state: Liquid
Color: Pale yellow green
Odor data is not available.
Odor threshold data is not available.
Melting point/Freezing point data is not available.
Boiling point or initial boiling point data is not available.
Boiling range data is not available.
Flammability (gases, liquids and solids): Non-flammable
Lower and upper explosion limit/flammability limit data is not available.
Flash point: Non-flammable

Nickel, standard solution 1000mg/L ,
JUNSEI CHEMICAL CO., LTD.,53215jis_J_E2-2,29/Sep/2022

Auto-ignition temperature data is not available.

Decomposition temperature data is not available.

Self-Accelerating Decomposition Temperature/SADT data is not available.

pH: pH ≤ 2(Strong acidic)

Dynamic viscosity data is not available.

Kinematic viscosity data is not available.

Solubility:

Solubility in water: Miscible

Solubility in solvent data is not available.

n-Octanol/water partition coefficient data is not available.

Vapor pressure data is not available.

Vapor density data is not available.

Density and/or relative density data is not available.

Relative vapor density (Air=1) data is not available.

Relative density of the Vapor/air – mixture at 20°C (Air = 1) data is not available.

Particle characteristics data is not available.

Other information

Critical temperature data is not available.

Evaporation rate data is not available.

VOC data is not available.

Section 10. Stability and Reactivity

Reactivity

Runaway polymerization will not occur.

Chemical stability

Stable under normal storage/handling conditions.

Possibility of hazardous reactions

Reacts with bases.

Reacts with oxidants. This produces toxic gas.

Conditions to avoid

Contact with incompatible materials.

Heating.

Incompatible materials

Bases, Oxidizing agents

Hazardous decomposition products

Nickel oxides, Chlorides

Section 11. Toxicological Information

The product has not been subjected to toxicological testing. Refer to the available data on the constituents.

Information on toxicological effects

Acute toxicity

Acute toxicity (Oral)

[Product]

Classification not possible (Insufficient data available or no data available).

[Product data]

No data available.

[Data for components of the product]

[GHS Cat. Japan, base data]

(Nickel(II) chloride)

male rat LD50(Nickel(II) Chloride Hexahydrate) =175mg/kg (as Nickel(II) Chloride: 95.4mg/kg)

(NITE Initial Risk Assessment Report, 2017)

Nickel, standard solution 1000mg/L ,
JUNSEI CHEMICAL CO., LTD.,53215jis_J_E2-2,29/Sep/2022

(hydrogen chloride)
rat LD50=238mg/kg (SIDS, 2009)

Acute toxicity (Dermal)

[Product]

Classification not possible (Insufficient data available or no data available).

[Product data]

No data available.

[Data for components of the product]

(hydrogen chloride)
rabbit LD50 > 5010 mg/kg (SIDS, 2009)

Acute toxicity (Inhalation)

[Product]

Category 4, Harmful if inhaled

[Product data]

No data available.

[Data for components of the product]

[GHS Cat. Japan, base data]

(Nickel(II) chloride)

dust: male rat LC50 (Nickel(II) Chloride Hexahydrate) =0.593mg/L/4hr (as Nickel(II) Chloride: 0.323mg)
(REACH Registration dossier, Accessed Jan. 2022)

(hydrogen chloride)

mist: rat LC50=0.42mg/L/4hr (SIDS, 2009)

Labor standard law, Japan; Toxic

hydrogen chloride; Nickel(II) chloride

Irritant properties

Skin corrosion/irritation

[Product]

Category 1, Causes severe skin burns and eye damage

[Product data]

[GHS Cat. based on pH]

pH <= 2, accordingly Skin corrosion/irritation: Category 1

[Data for components of the product]

[GHS Cat. Japan, base data]

(Nickel(II) chloride)

When aqueous solutions of nickel chloride were applied, the threshold concentrations for irritancy in humans were 1% with occlusion and 10% without occlusion (EHC No.108, 1991);

EU classification_Xi; R38

(hydrogen chloride)

rabbit/mouse/rat/human :corrosive (SIDS, 2009)

Serious eye damage/irritation

[Product]

Category 1, Causes serious eye damage

[Product data]

[GHS Cat. based on pH]

pH <= 2, accordingly Serious eye damage/eye irritation: Category 1

[Data for components of the product]

[GHS Cat. Japan, base data]

(hydrogen chloride)

rabbit corrosive (SIDS, 2002)

Sensitization

Respiratory sensitization

[Product]

Category 1, May cause allergy or asthma symptoms or breathing difficulties if inhaled

Nickel, standard solution 1000mg/L ,
JUNSEI CHEMICAL CO., LTD.,53215jis_J_E2-2,29/Sep/2022

[Product data]

No data available.

[Data for components of the product]

[GHS Cat. Japan, base data]

(Nickel(II) chloride)

cat. 1; MAK/BAT No43, 2007

(hydrogen chloride)

cat. 1; Occupational/Environmental Allergy Society, Japan

Skin sensitization

[Product]

Classification not possible (Insufficient data available or no data available).

[Product data]

No data available.

[Data for components of the product]

[GHS Cat. Japan, base data]

(Nickel(II) chloride)

cat. 1; MAK/BAT No43, 2007

Germ cell mutagenicity

[Product]

Classification not possible (Insufficient data available or no data available).

[Product data]

No data available.

[Data for components of the product]

No data available.

Carcinogenicity

[Product]

Category 1A, May cause cancer

[Product data]

No data available.

[Data for components of the product]

[GHS Cat. Japan, base data]

(Nickel(II) chloride)

cat.1A; IARC Gr. 1 (IARC 49, 1990 et al.)

[IARC]

(Nickel(II) chloride)

Group 1 : Carcinogenic to humans

(hydrogen chloride)

Group 3 : Not classifiable as to its carcinogenicity to humans

[ACGIH]

(Nickel(II) chloride)

A1(as Ni)(1998) : Confirmed Human Carcinogen

(hydrogen chloride)

A4(2002) : Not Classifiable as a Human Carcinogen

[JSOH]

(Nickel(II) chloride)

Group 2B: The agents which are probably or possibly carcinogenic to humans

[EU]

(Nickel(II) chloride)

Category 1A; Substances known to have carcinogenic potential for humans

Reproductive toxicity

[Product]

Classification not possible (Insufficient data available or no data available).

[Product data]

No data available.

Nickel, standard solution 1000mg/L ,
JUNSEI CHEMICAL CO., LTD.,53215jis_J_E2-2,29/Sep/2022

[Data for components of the product]

[GHS Cat. Japan, base data]

(Nickel(II) chloride)

cat. 1B; ATSDR, 2005

Specific target organ toxicity (STOT)

STOT-single exposure

[Product]

Category 2, May cause damage to organs

[Product data]

No data available.

[Data for components of the product]

[cat.1]

[GHS Cat. Japan, base data]

(hydrogen chloride)

respiratory system (ACGIH, 2003)

STOT-repeated exposure

[Product]

Category 2, May cause damage to organs through prolonged or repeated exposure

[Product data]

No data available.

[Data for components of the product]

[cat.1]

[GHS Cat. Japan, base data]

(hydrogen chloride)

teeth, respiratory system (SIDS, 2002)

Aspiration hazard

[Product]

Classification not possible (Insufficient data available or no data available).

[Product data]

No data available.

[Data for components of the product]

No data available.

Section 12. Ecological Information

The product has not been subjected to ecotoxicological testing. Refer to the available data on the constituents.

Toxicity

Aquatic toxicity

[Product]

Category 2, Toxic to aquatic life

Category 3, Harmful to aquatic life with long lasting effects

[Product data]

No data available.

[Data for components of the product]

Hazardous to the aquatic environment (Acute)

[GHS Cat. Japan, base data]

(Nickel(II) chloride)

Crustacea (Ceriodaphnia dubia) LC50=0.029mg/L/48hr (NITE Initial Risk Assessment Report, 2008)

(hydrogen chloride)

Crustacea (Daphnia magna) EC50=0.492mg/L/48hr (SIDS, 2005)

Nickel, standard solution 1000mg/L ,
JUNSEI CHEMICAL CO., LTD.,53215jis_J_E2-2,29/Sep/2022

Hazardous to the aquatic environment (Long-term)

[GHS Cat. Japan, base data]

(Nickel(II) chloride)

Crustacea (Ceriodaphnia quadrangular) NOEC=0.002mg/L/17days (EU RAR, 2008)

Water solubility

[Data for components of the product]

(hydrogen chloride)

67 g/100 ml (30°C) (ICSC, 2000)

Persistence and degradability

Persistence and degradability data is not available.

Bioaccumulative potential

[Data for components of the product]

(hydrogen chloride)

log Pow=0.25 (ICSC, 2000)

Mobility in soil

Mobility in soil data is not available.

Other adverse effects

Ozone depleting chemical data is not available.

Section 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Waste treatment methods

Avoid release to the environment.

Dispose of contents/container in accordance with local/national regulation.

Section 14. Transport Information

UN No., UN CLASS

UN No. or ID No.: 3264

UN Proper Shipping Name : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

Class or division (Transport hazard class) : 8

Packing group : II

ERG GUIDE No.: 154

IMDG Code (International Maritime Dangerous Goods Regulations)

UN No.: 3264

Proper Shipping Name : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

Class or division : 8

Packing group : II

IATA Dangerous Goods Regulations

UN No.: 3264

Proper Shipping Name : CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

Class or division : 8

Hazard labels : Corrosive

Packing group : II

Environmental hazards

MARPOL Annex III – Prevention of pollution by harmful substances

Marine pollutants (yes/no) : no

MARPOL Annex V – Prevention of pollution by garbage discharge

Carcinogenicity: cat.1, 1A, 1B

Nickel(II) chloride

Nickel, standard solution 1000mg/L ,
JUNSEI CHEMICAL CO., LTD.,53215jis_J_E2-2,29/Sep/2022

Maritime transport in bulk according to IMO instruments

Noxious Liquid ; Cat. Z
hydrogen chloride(Z-33)
Non Noxious Liquid ; Cat. OS
Water(OS-18)

Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Toxic Substances Control Act (TSCA) Inventory

Chemicals listed in TSCA Inventory

7647-01-0; 7718-54-9; 7732-18-5

All components are listed or exempted.

Superfund Amendments and Reauthorizations Act (SARA), Title III

SARA 313 (TRI)

Hydrogen chloride; Nickel(II) chloride

Other regulatory information

We are not able to check up the regulatory information with regard to the substances in your country or region, therefore, we request this matter would be filled by your responsibility.

Regulatory information with regard to this substance in your country or in your region should be examined by your own responsibility.

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

Regulatory information in this section are limited to intentional ingredient(s), but does not contain information on non-intentional ingredients or impurities which are not informed by supplier(s).

Chemical safety assessment

Advice on safe handling for this product can be found in sections 7 and 8 of this SDS.

Section 16. Other information

GHS classification and labelling

H332-Acute toxicity, Category 4: H332 Harmful if inhaled

H314-Skin corrosion/irritation, Category 1: H314 Causes severe skin burns and eye damage

H318-Serious eye damage/eye irritation, Category 1: H318 Causes serious eye damage

H334-Respiratory sensitization, Category 1: H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled

H350-Carcinogenicity, Category 1A: H350 May cause cancer

H371-STOT - single exposure, Category 2: H371 May cause damage to organs

H373-STOT - Repeated exposure, Category 2: H373 May cause damage to organs through prolonged or repeated exposure

H401-Hazardous to the aquatic environment, short-term (acute), Category 2: H401 Toxic to aquatic life

H412-Hazardous to the aquatic environment, long-term (chronic), Category 3: H412 Harmful to aquatic life with long lasting effects

References and sources for data

Globally Harmonized System of classification and labelling of chemicals, UN

Recommendations on the TRANSPORT OF DANGEROUS GOODS 21th edit., 2019 UN

IMDG Code, 2018 Edition (Incorporating Amendment 39-18)

IATA Dangerous Goods Regulations (62nd Edition) 2021

2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT)

2022 TLVs and BEIs. (ACGIH)

JIS Z 7252 : 2019

JIS Z 7253 : 2019

Nickel, standard solution 1000mg/L ,
JUNSEI CHEMICAL CO., LTD.,53215jis_J_E2-2,29/Sep/2022

2021 Recommendation on TLVs (JSOH)

Supplier's data/information

Chemicals safety data management system "GHS Assistant" Version 4.19 (<https://www.asahi-ghs.com/>)

NITE Chemical Risk Information Platform "NITE-CHRIP"

(https://www.nite.go.jp/en/chem/chrip/chrip_search/systemTop)

GHS Classification Guidance for Enterprises 2019 Revised Edition (Ver. 2.0) (Mar. 2020, METI)

Abbreviations and acronyms

SDS (Safety Data Sheet)

LD50 (Lethal Dose, 50%)

LC50 (Lethal Concentration, 50%)

IARC (International Agency for Research on Cancer)

ACGIH (American Conference of Governmental Industrial Hygienists)

EPA (US Environmental Protection Agency)

NTP (US National Toxicology Program)

JSOH (Japan Society for Occupational Health)

EU (European Union)

EC50 (Effective Concentration, 50%)

NOEC (No Observed Effect Concentration)

BOD (Biochemical Oxygen Demand)

COD (Chemical Oxygen Demand)

BCF (Bioconcentration Factor)

anh (anhydride)

General Disclaimer

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data (NITE published in 2021).