

## Safety Data Sheet

---

### Section 1. Identification of the substance/mixture and of the company/undertaking

**Product identifier:**

Product name: Isopropanol

Reference number(SDS): 64609jis\_E-1

**Product type:**

Quasi-drug raw materials

※This product conform to JSQI(Japanese Standards of Quasi-drug Ingredients).

**Relevant identified uses of the substance or mixture and uses advised against**Relevant identified uses of the product: Antifoaming agents, Fragrance ingredients, Solvents,  
Viscosity decreasing agents

Uses advised against: Do not use for other purposes.

**Details of the supplier of the safety data sheet**

Manufacturer/Supplier: JUNSEI CHEMICAL CO., LTD.

Address: 1-6, Ohmano-cho, Koshigaya-shi, Saitama 343-0844, Japan

Division: Quality Assurance Department

Telephone number: +81-48-986-6161

FAX: +81-48-989-2787

e-mail address: shiyaku-t@junsei.co.jp

---

### Section 2. Hazards identification

**GHS classification and label elements of the product****Classification of the substance or mixture****PHYSICAL AND CHEMICAL HAZARDS**

Flammable liquids: Category 2

**HEALTH HAZARDS**

Serious eye damage/eye irritation: Category 2

Reproductive toxicity: Category 2

Specific target organ toxicity – single exposure: Category 1 (central nervous system, systemic toxicity)

Specific target organ toxicity – single exposure: Category 3 (Respiratory tract irritation)

Specific target organ toxicity – repeated exposure: Category 1 (blood system)

Specific target organ toxicity – repeated exposure: Category 2 (respiratory system, liver, spleen)

(Note) GHS classification without description: Not classified/Classification not possible

**Label elements**

Signal word: Danger

**HAZARD STATEMENT**

H225-Highly flammable liquid and vapor

H319-Causes serious eye irritation

H361-Suspected of damaging fertility or the unborn child

H370-Causes damage to organs

H335-May cause respiratory irritation

H372-Causes damage to organs through prolonged or repeated exposure

H373-May cause damage to organs through prolonged or repeated exposure

**PRECAUTIONARY STATEMENT****Prevention**

- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Keep container tightly closed.
- Ground and bond container and receiving equipment.
- Use explosion-proof electrical/ventilating/lighting equipment.
- Use non-sparking tools.
- Take action to prevent static discharges.
- Do not breathe dust/fume/gas/mist/vapors/spray.
- Use only outdoors or in a well-ventilated area.
- Wash contaminated parts thoroughly after handling.
- Wear protective gloves/protective clothing/eye protection/face protection.
- Use personal protective equipment as required.
- Do not eat, drink or smoke when using this product.

**Response**

- In case of fire: Use water mist, alcohol-resistant foam, dry powder, CO<sub>2</sub> to extinguish.
- Get medical advice/attention if you feel unwell.
- IF exposed or concerned: Get medical advice/attention.
- Call a POISON CENTER/doctor/physician if you feel unwell.
- IF exposed or concerned: Call a POISON CENTER/doctor/physician.
- IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- If eye irritation persists: Get medical advice/attention.

**Storage**

- Store in a well-ventilated place. Keep container tightly closed. Keep cool.
- Store locked up.

**Disposal**

- Dispose of contents/container in accordance with local/national regulation.

**Specific Physical and Chemical hazards**

- Highly flammable liquid. Vapor/air mixture may explode.

---

**Section 3. Composition/information on ingredients****Mixture/Substance selection:****Substance**

Common name, synonyms: 2-Propanol, Isopropyl alcohol

Ingredient name: Isopropanol

Content (%): 95vol% (81~83°C) (by distillation test)

Chemical formula: C<sub>3</sub>H<sub>8</sub>O

Chemicals No, Japan: 2-207

CAS No.: 67-63-0

MW: 60.10

ECNO: 200-661-7

---

**Section 4. First-aid measures****Descriptions of first-aid measures****General measures**

- Get medical advice/attention if you feel unwell.
- Keep victim warm and quiet.

Call emergency medical service.

Effects of exposure (inhalation, ingestion or skin contact) to substance may be delayed.

#### IF INHALED

Remove person to fresh air and keep comfortable for breathing.

Give artificial respiration if victim is not breathing.

Administer oxygen if breathing is difficult.

Call a POISON CENTER/doctor/physician if you feel unwell.

#### IF ON SKIN (or hair)

Take off immediately all contaminated clothing. Rinse skin with water or shower.

If skin irritation or rash occurs: Get medical advice/attention.

Remove and isolate contaminated clothing and shoes.

In case of burns, immediately cool affected skin for as long as possible with child water.

Do not remove clothing if adhering to skin.

#### IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

#### IF SWALLOWED

Rinse mouth. Do NOT induce vomiting.

Do not give an unconscious person anything to drink.

Call a POISON CENTER/doctor/physician if you feel unwell.

Most important symptoms and effects, both acute and delayed

(Symptoms when inhalation or ingestion)

Nausea. Abdominal pain. Headache. Drowsiness. Cough. Dizziness. Dyspnea. Sore throat. Vomiting.

Ataxia. Convulsions. Low blood pressure. Cardiac dysrhythmia. Unconsciousness.

(Symptoms when skin and/or eye contact)

Dry skin. Conjunctival redness of the eyes. Pain of the eyes. Blurred vision. Burns of the eyes.

Indication of any immediate medical attention and special treatment needed

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

---

## Section 5. Fire-fighting measures

### Extinguishing media

#### Suitable extinguishing media

In case of fire, use water mist, alcohol-resistant foam, dry powder, CO<sub>2</sub> to extinguish.

#### Unsuitable extinguishing media

Unsuitable extinguishing media data is not available.

### Specific hazards arising from the substance or mixture

Containers may explode when heated.

Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution.

### Advice for firefighters

#### Specific fire-fighting measures

Evacuate non-essential personnel to safe area.

Cool container with water spray.

#### Special protective equipment and precautions for fire-fighters

Wear fire resistant or flame retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with full face piece operated positive pressure mode.

**Section 6. Accidental release measures**

## Personnel precautions, protective equipment and emergency procedures

- Keep unauthorized personnel away.
- In case of contact with substance, immediately flush skin or eyes with running water for at least 20 minutes.
- Ventilate area until material pick up is complete.
- Wear proper protective equipment.
- PUBLIC SAFETY: Ventilate closed spaces before entering.
- Do not touch or walk through spilled material.

## Environmental precautions

- Runoff to sewer may create fire or explosion hazard.
- Vapor explosion hazard indoors, outdoors or in sewers.
- Avoid release to headsprings, rivers, lakes, ocean and groundwater.

## Methods and materials for containment and cleaning up

- Absorb spill with inert material (dry sand, earth, et al), then place in a chemical waste container.
- Use clean non-sparking tools to collect absorbed material.
- All equipment used when handling the product must be grounded.

## Preventive measures for secondary accident

- Collect spillage.
- Stop leak if you can do it without risk.
- ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).
- Prevent entry into waterways, sewers, basements or confined areas.
- Keep out of low areas.

---

**Section 7. Handling and storage**

## Precautions for safe handling

## Preventive measures

(Exposure Control for handling personnel)

- Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Ground and bond container and receiving equipment.
- Use explosion-proof electrical/ventilating/lighting equipment.
- Use non-sparking tools.
- Take action to prevent static discharges.

(Exhaust/ventilator)

- Exhaust/ventilator should be available.

(Safety treatments)

- Avoid contact with skin.
- Avoid contact with eyes.

## Safety Measures

- Obtain special instructions before use.
- Do not handle until all safety precautions have been read and understood.
- Use only outdoors or in a well-ventilated area.
- Wear protective gloves/protective clothing/eye protection/face protection.
- Use personal protective equipment as required.
- When using do not eat, drink or smoke.

## Any incompatibilities

- Strong oxidizing agents should not be mixed with the chemicals.

## Advice on general occupational hygiene

- Wash contaminated parts thoroughly after handling.
- Do not eat, drink or smoke when using this product.

**Storage****Conditions for safe storage**

- Store in a well-ventilated place. Keep container tightly closed.
- Keep cool. Protect from sunlight.
- Store in accordance with local/national regulation.
- Store locked up.

Container and packaging materials for safe handling data is not available.

**Specific end use(s)**

- See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

---

**Section 8. Exposure controls/personal protection****Control parameters****Control value**

Japan control value (2004)  $\leq 200$ ppm

**Adopted value**

- JSOH(1987) (ceiling) 400ppm; 980mg/m<sup>3</sup>
- ACGIH(2001) TWA: 200ppm;
- STEL: 400ppm (Eye & URT irr; CNS impair)

**Exposure controls****Appropriate engineering controls**

- Do not use in areas without adequate ventilation.
- Eye wash station should be available.
- Washing facilities should be available.

**Individual protection measures****Respiratory protection**

- Wear respiratory protection.

**Hand protection**

- Wear protective gloves. Recommended material(s): nitrile, butyl rubber, viton
- Inspect before use and replace worn or damaged gloves.
- Contact the glove manufacturer for specific advice on glove selection and breakthrough times for your use conditions.

**Eye protection**

- Wear safety glasses with side-shields.
- Wear eye/face protection.

**Skin and body protection**

- Wear impervious clothing and boots in case of repeated or prolonged treatment.

---

## Section 9. Physical and Chemical Properties

### Information on basic physical and chemical properties

Physical state: Liquid

Color: Colorless

Odor: Characteristic odor

Odor threshold: 200ppm; 7.84~490mg/m<sup>3</sup>

Melting point/Freezing point: -90°C

Boiling point or initial boiling point: 83°C

Boiling range data is not available.

Flammability (gases, liquids and solids): Ignitable

Lower and upper explosion limit/flammability limit:

Lower explosion limit: 2vol %

Upper explosion limit: 12vol %

Flash point: (C.C.) 11.7°C

Auto-ignition temperature: 456°C

Decomposition temperature data is not available.

Self-Accelerating Decomposition Temperature/SADT data is not available.

pH data is not available.

Dynamic viscosity: 2.038mPa (25°C)

Kinematic viscosity: 2.596mm<sup>2</sup>/s(25°C)

Solubility:

Solubility in water: Miscible

Solubility in solvent: Miscible with ethanol, diethyl ether.

n-Octanol/water partition coefficient: log Pow0.05

Vapor pressure: 4.4 kPa (20°C)

Density and/or relative density: 0.785~0.795(20/20°C)

Relative vapor density (Air=1): 2.1

Relative density of the Vapor/air - mixture at 20°C (Air = 1): 1.05

Particle characteristics data is not available.

### Other information

Critical temperature : 508.3K

Evaporation rate data is not available.

VOC data is not available.

---

## Section 10. Stability and Reactivity

### Reactivity

Runaway polymerization will not occur.

### Chemical stability

Stable under normal storage/handling conditions.

Highly flammable.

### Possibility of hazardous reactions

The vapour mixes well with air, explosive mixtures are easily formed.

Reacts with strong oxidants.

Decomposes on heating. This produces irritating fumes and flammable and toxic gas.

Attacks some plastics (e.g. Polyvinyl chloride) and rubber (e.g. Natural rubber).

### Conditions to avoid

Contact with incompatible materials.

Open flames. Heating. Sparks.

### Incompatible materials

Strong oxidizing agents

### Hazardous decomposition products

Carbon oxides

---

**Section 11. Toxicological Information****Information on toxicological effects****Acute toxicity****Acute toxicity (Oral)****[Product]**

Based on available data, the classification criteria are not met.

**[Data for components of the product]**

[GHS Cat. Japan, base data]

rat LD50=5480mg/kg (EHC 103, 1990)

**Acute toxicity (Dermal)****[Product]**

Based on available data, the classification criteria are not met.

**[Data for components of the product]**

[GHS Cat. Japan, base data]

rabbit LD50=12870mg/kg (EHC 103, 1990)

**Acute toxicity (Inhalation)****[Product]**

Classification not possible (Insufficient data available or no data available).

**[Data for components of the product]**

[GHS Cat. Japan, base data]

vapor; rat LD50=72.6 mg/L/4hr(29512 ppmV) (EHC 103, 1990; SIDS, 2002)

**Irritant properties****Skin corrosion/irritation****[Product]**

Based on available data, the classification criteria are not met.

**[Data for components of the product]**

[GHS Cat. Japan, base data]

rabbit : slight irritant (PATTY 6th, 2012 et al.)

**Serious eye damage/irritation****[Product]**

Category 2, Causes serious eye irritation

**[Data for components of the product]**

[GHS Cat. Japan, base data]

rabbit : slight irritant (PATTY 6th, 2012 et al.)

**Sensitization****Respiratory sensitization****[Product]**

Classification not possible (Insufficient data available or no data available).

**[Data for components of the product]**

No data available.

**Skin sensitization****[Product]**

Classification not possible (Insufficient data available or no data available).

**[Data for components of the product]**

No data available.

**Germ cell mutagenicity****[Product]**

Classification not possible (Insufficient data available or no data available).

**[Data for components of the product]**

[GHS Cat. Japan, base data]

in vivo\_somatic cell mutagenicity tests : Negative (SIDS, 2002; EHC 103, 1990)

Reverse-mutation assay in bacteria (Ames test) :Negative(SIDS, 2002; EHC 103, 1990)

## Carcinogenicity

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

[IARC]

Group 3 : Not classifiable as to its carcinogenicity to humans

[ACGIH]

A4(2001) : Not Classifiable as a Human Carcinogen

## Reproductive toxicity

[Product]

Category 2, Suspected of damaging fertility or the unborn child

[Data for components of the product]

[GHS Cat. Japan, base data]

cat. 2; PATTY 6th, 2012

## Specific target organ toxicity (STOT)

## STOT-single exposure

[Product]

Category 1, Causes damage to organs

Category 3, May cause respiratory irritation

[Data for components of the product]

[cat.1]

[GHS Cat. Japan, base data]

central nervous system, systemic toxicity

(MOE Environmental Risk Assessment for Chemical Substances vol.6, 2005)

[cat.3 (respiratory tract irritation)]

[GHS Cat. Japan, base data]

respiratory tract irritation (MOE Environmental Risk Assessment for Chemical Substances vol.6, 2005)

## STOT-repeated exposure

[Product]

Category 1, Causes damage to organs through prolonged or repeated exposure

Category 2, May cause damage to organs through prolonged or repeated exposure

[Data for components of the product]

[cat.1]

[GHS Cat. Japan, base data]

blood system (EHC 103, 1990)

[cat.2]

[GHS Cat. Japan, base data]

spleen, liver, respiratory system (EHC 103, 1990)

## Aspiration hazard

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

---

**Section 12. Ecological Information**

## Toxicity

## Aquatic toxicity

[Product]

Based on available data, the classification criteria are not met.

[Data for components of the product]

Hazardous to the aquatic environment, short-term (acute)

[GHS Cat. Japan, base data]

Fish (Atheriniformes) LC50 &gt;100mg/L/96hr (MOE eco-toxicity tests of chemicals, 1997)



Hazardous to the aquatic environment, long-term (chronic)

[GHS Cat. Japan, base data]

Crustacea (Daphnia magna) NOEC >100mg/L/21days (MOE eco-toxicity tests of chemicals, 1997)

Water solubility

[Data for components of the product]

Infinitely soluble (25°C) (HSDB, 2013)

Persistence and degradability

[Data for components of the product]

Rapidly degradable [Degradation : 86% (METI existing chemical safety inspections, 1993)]

Bioaccumulative potential

[Data for components of the product]

log Pow=0.05 (ICSC, 2020)

Mobility in soil

Mobility in soil data is not available.

Other adverse effects

Ozone depleting chemical data is not available.

---

### Section 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Waste treatment methods

Dispose of contents/container in accordance with local/national regulation.

---

### Section 14. Transport Information

UN No., UN CLASS

UN Number or ID Number : 1219

UN Proper Shipping Name : ISOPROPANOL (ISOPROPYL ALCOHOL)

Class or division (Transport hazard class) : 3

Packing group : II

ERG GUIDE No.: 129

IMDG Code (International Maritime Dangerous Goods Regulations)

UN Number or ID Number : 1219

UN Proper Shipping Name : ISOPROPANOL (ISOPROPYL ALCOHOL)

Class or division (Transport hazard class) : 3

Packing group : II

IATA (Dangerous Goods Regulations)

UN Number or ID Number : 1219

UN Proper Shipping Name : ISOPROPANOL (ISOPROPYL ALCOHOL)

Class or division (Transport hazard class) : 3

Hazard labels : Flamm.liquid

Packing group : II

Environmental hazards

Marine pollutants (yes/no) : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Noxious Liquid Substances ; Cat. Z

Isopropanol

MARPOL Annex V – HME (Harmful to the Marine Environment)

Specific target organ toxicity – repeated exposure: cat.1

Isopropanol

---

**Section 15. Regulatory Information**

Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Toxic Substances Control Act (TSCA) Inventory

Chemicals listed in TSCA Inventory

67-63-0

All components are listed or exempted.

Superfund Amendments and Reauthorizations Act (SARA), Title III

SARA 313 (TRI)

Isopropanol

Other regulatory information

We are not able to check up the regulatory information with regard to the substances in your country or region, therefore, we request this matter would be filled by your responsibility.

Regulatory information with regard to this substance in your country or in your region should be examined by your own responsibility.

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

Regulatory information in this section are limited to intentional ingredient(s), but does not contain information on non-intentional ingredients or impurities which are not informed by supplier(s).

Chemical safety assessment

Advice on safe handling for this product can be found in sections 7 and 8 of this SDS.

---

**Section 16. Other information**

GHS classification and labelling

H225-Flammable liquids, Category 2: H225 Highly flammable liquid and vapour

H319-Serious eye damage/eye irritation, Category 2: H319 Causes serious eye irritation

H361-Reproductive toxicity, Category 2: H361 Suspected of damaging fertility or the unborn child

H370-STOT - single exposure, Category 1: H370 Causes damage to organs

H335-STOT - single exposure, Category 3, Respiratory tract irritation: H335 May cause respiratory irritation.

H372-STOT - Repeated exposure, Category 1: H372 Causes damage to organs through prolonged or repeated exposure

H373-STOT - Repeated exposure, Category 2: H373 May cause damage to organs through prolonged or repeated exposure

References and sources for data

Globally Harmonized System of classification and labelling of chemicals, UN

Recommendations on the TRANSPORT OF DANGEROUS GOODS 21th edit., 2019 UN

IMDG Code, 2020 Edition (Incorporating Amendment 40-20)

IATA Dangerous Goods Regulations (62nd Edition) 2021

2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT)

2022 TLVs and BEIs. (ACGIH)

JIS Z 7252 : 2019

JIS Z 7253 : 2019

2021 Recommendation on TLVs (JSOH)

Notification No. 0111-1 (January 11, 2022), Chemical Hazards Control Division, Industrial Safety and Health Department, Labour Standards Bureau, Ministry of Health, Labour and Welfare  
Supplier's data/information

Chemicals safety data management system "GHS Assistant" Version 4.20 (<https://www.asahi-ghs.com/>)

NITE Chemical Risk Information Platform "NITE-CHRIP"

([https://www.nite.go.jp/en/chem/chrip/chrip\\_search/systemTop](https://www.nite.go.jp/en/chem/chrip/chrip_search/systemTop))

GHS Classification Guidance for Enterprises 2019 Revised Edition (Ver. 2.0) (Mar. 2020, METI)

**Abbreviations and acronyms**

SDS (Safety Data Sheet)  
LD50 (Lethal Dose, 50%)  
LC50 (Lethal Concentration, 50%)  
IARC (International Agency for Research on Cancer)  
ACGIH (American Conference of Governmental Industrial Hygienists)  
EPA (US Environmental Protection Agency)  
NTP (US National Toxicology Program)  
JSOH (Japan Society for Occupational Health)  
EU (European Union)  
EC50 (Effective Concentration, 50%)  
NOEC (No Observed Effect Concentration)  
BOD (Biochemical Oxygen Demand)  
COD (Chemical Oxygen Demand)  
BCF (Bioconcentration Factor)  
anh (anhydride)

**General Disclaimer**

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data (NITE published in 2021).