

Safety Data Sheet

Section 1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: Zinc, sand

Reference number(SDS): 10025jis_J_E1-3

Product type:

Reagent

Recommended use of the chemical and restrictions on use

Recommended uses: Research and Development (For Arsenic Analysis)

Restrictions on uses: Do not use for other purposes.

Details of the supplier of the safety data sheet

Manufacturer/Supplier: JUNSEI CHEMICAL CO., LTD.

Address: 1-6, Ohmano-cho, Koshigaya-shi, Saitama 343-0844, Japan

Division: Quality Assurance Department

Telephone number: +81-48-986-6161

FAX: +81-48-989-2787

e-mail address: shiyaku-t@junsei.co.jp

Section 2. Hazards identification

Classification of the substance or mixture

HEALTH HAZARDS

Serious eye damage/eye irritation: Category 2B

ENVIRONMENT HAZARDS

Hazardous to the aquatic environment, short-term (acute): Category 1

Hazardous to the aquatic environment, long-term (chronic): Category 1

(Note) GHS classification without description: Not classified/Classification not possible

Label elements

Hazard pictograms:



Signal word: Warning

Hazard statements

H320-Causes eye irritation

H400-Very toxic to aquatic life

H410-Very toxic to aquatic life with long lasting effects

Precautionary statements

Prevention

Avoid release to the environment.

Wash hands thoroughly after handling. Do not touch eyes.

Response

Collect spillage.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical help.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Section 3. Composition/information on ingredients

Substance/mixture:

Substance

Ingredient name: Zinc

Content (%): ≤ 100

Chemical formula: Zn

CAS No.: 7440-66-6

AW: 65.409

EC No.: 231-175-3

Note : The figures shown above are not the specifications of the product.

Section 4. First aid measures

Descriptions of first aid measures

General measures

Call emergency medical service.

IF INHALED

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Give artificial respiration if victim is not breathing.

Administer oxygen if breathing is difficult.

IF INHALED: Get medical help.

IF ON SKIN

IF ON SKIN: Take off immediately all contaminated clothing. Immediately rinse with water for several minutes.

If skin irritation or rash occurs: Get medical help.

Remove and isolate contaminated clothing and shoes.

IF IN EYES

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical help.

IF SWALLOWED

Rinse mouth.

IF SWALLOWED: Get medical help.

Most important symptoms and effects, both acute and delayed

(Symptoms when inhalation or ingestion)

Metallic taste. Sore throat. Cough. Weakness. Fever. Abdominal pain. Nausea. Vomiting.

(Symptoms when skin and/or eye contact)

Conjunctival redness of the eyes

Indication of any immediate medical attention and special treatment needed

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

In case of fire, use dry powder, dry sand to extinguish.

Unsuitable extinguishing media

Do not use direct water jet.

Specific hazards arising from the substance or mixture

Containers may explode when heated.

Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution.

Advice for firefighters

Special extinguishing method

Evacuate non-essential personnel to safe area.

Special protective equipment and precautions for fire-fighters

Wear fire resistant or flame retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with a full facepiece operated in the positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unauthorized personnel away.

In case of contact with substance, immediately flush skin or eyes with running water for at least 20 minutes.

Ventilate area until material pick up is complete.

Wear proper protective equipment.

Do not touch or walk through spilled material.

Environmental precautions

Avoid release to headsprings, rivers, lakes, ocean and groundwater.

Methods and materials for containment and cleaning up

Sweep up, place in a bag and hold for waste disposal.

Preventive measures for secondary accident

Collect spillage.

Stop leak if you can do it without risk.

Prevent dust cloud.

Reference to other sections

Refer to section 8

Refer to section 13

Section 7. Handling and storage

Engineering measures

(Measures to prevent operator exposure)

Avoid breathing dust/fume/gas/mist/vapors/spray.

(Measures to prevent fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

(Local ventilation/general ventilation)

Exhaust/ventilator should be available.

(Precautions)

Avoid contact with skin.

Avoid contact with eyes.

Advice on safe handling

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

Use personal protective equipment as required.

When using do not eat, drink or smoke.

Avoidance of contact

See Section 10: Stability and Reactivity.

Advice on general occupational hygiene

Do not get in eyes, on skin, or on clothing.

Wash hands thoroughly after handling. Do not touch eyes.

Do not eat, drink or smoke when using this product.

Conditions for safe storage

Keep container tightly closed.

Keep cool.

Store in accordance with local/regional/national/international regulations regulation.

Protect from sunlight. Store in a well-ventilated place.

Incompatible substances

Refer to Section 10. Stability and reactivity.

Container and packaging materials for safe handling data is not available.

Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

Section 8. Exposure controls/personal protection**Permissible concentration**

Control value and Concentration standard value under ISHA

Not established

Occupational exposure limit values

JSOH

Not established

ACGIH

Not established

Exposure controls**Appropriate engineering controls**

Do not use in areas without adequate ventilation.

Eye wash station should be available.

Washing facilities should be available.

Individual protection measures, such as personal protective equipment

Respiratory protection

Select and wear respiratory protection in accordance with approved standards (e.g. JIS T8150).

Recommended respiratory protection: Dust mask

Hand protection

Wear protective gloves.

Inspect before use and replace worn or damaged gloves.

Contact the glove manufacturer for specific advice on glove selection and breakthrough times for your use conditions.

Chemical-resistant, impervious gloves complying with an approved standard (e.g. JIS T8116) should be used.

Eye/face protection

Wear safety glasses with side-shields.

Wear eye/face protection in accordance with approved standards (e.g. JIS T8147).

Skin and body protection

Wear impervious clothing and boots in case of repeated or prolonged treatment.

Personal protective equipment for the body and skin should be selected based on the task being performed and the risks involved.

Section 9. Physical and Chemical Properties**Information on basic physical and chemical properties**

Physical state: Sand

Color: Blue white

Odor: Odorless

Odor threshold data is not available.

Melting point/Freezing point: 419°C

Zinc, sand, JUNSEI CHEMICAL CO., LTD., 10025jis_J_E1-3, 07/Jul/2026

Boiling point or initial boiling point and boiling range: 907°C

Flammability data is not available.

Lower and upper explosion limit data is not available.

Flash point data is not available.

Auto-ignition temperature data is not available.

Decomposition temperature data is not available.

pH data is not available.

Kinematic viscosity data is not available.

Solubility:

Solubility in water: Insoluble

Solubility in solvent data is not available.

Partition coefficient n-octanol/water data is not available.

Vapor pressure: 0.1 kPa (487°C)

Density and/or relative density: 7.133g/cm³(25°C)

Relative vapor density (Air=1) data is not available.

Particle characteristics data is not available.

Section 10. Stability and Reactivity

Reactivity

Runaway polymerization will not occur.

Chemical stability

Stable under normal storage/handling conditions.

Possibility of hazardous reactions

Ignites in air when finely divided.

If dry, it can be charged electrostatically by swirling, pneumatic transport, pouring, etc.

On combustion forms zinc oxide fumes.

The substance is a strong reducing agent. It reacts violently with oxidants, acids and bases.

This produces flammable/explosive gas.

Conditions to avoid

Avoid direct sunlight, fire, flame, high temperature.

Contact with incompatible materials.

Incompatible materials

Acids, Bases, Oxidizing agents

Hazardous decomposition products

Hydrogen gas, Zinc oxides

Section 11. Toxicological Information

Information on toxicological effects

Acute toxicity

Acute toxicity (Oral)

[Product]

Based on available data, the classification criteria are not met.

[Data for components of the product]

[NITE-CHRIIP]

rat LD50: > 2000 mg/kg (source: NITE)

Acute toxicity (Dermal)

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Acute toxicity (Inhalation)

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

[NITE-CHRIP]

dust/mist: rat LC50: 5410 mg/m³ (OECD TG 403) (source: NITE)

Skin corrosion/irritation

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Serious eye damage/irritation

[Product]

Category 2B, Causes eye irritation

[Data for components of the product]

[NITE-CHRIP]

Category 2B (source: NITE)

Respiratory or skin sensitization

Respiratory sensitization

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Skin sensitization

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Germ cell mutagenicity

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Carcinogenicity

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

[EPA]

I; Data are inadequate for an assessment of human carcinogenic potential(1999)

Reproductive toxicity

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Specific target organ toxicity – single exposure

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Specific target organ toxicity – repeated exposure

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Aspiration hazard

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Section 12. Ecological Information

Ecotoxicity

Aquatic toxicity

[Product]

Category 1, Very toxic to aquatic life

Category 1, Very toxic to aquatic life with long lasting effects

[Data for components of the product]

Hazardous to the aquatic environment, short-term (acute)

[NITE-CHIRP]

Algae (*Pseudokirchneriella subcapitata*) 72-hour ErC50: 0.15 mg/L (source: NITE)

Water solubility

[Data for components of the product]

Insoluble (source: HSDB)

Persistence and degradability

[Data for components of the product]

Not rapidly degradable (source: NITE)

Bioaccumulative potential

Bioaccumulative potential data is not available.

Mobility in soil

Mobility in soil data is not available.

Other adverse effects

Ozone depleting chemical data is not available.

Section 13. Disposal considerations

Waste treatment methods

Waste from residues

Disposal should be in accordance with local, national, and international laws and regulations.

Comply with relevant laws and regulations as well as local municipal standards.

Avoid release to the environment.

Do not dump into sewers, on the ground or into any body of water.

Contaminated packing

Disposal should be in accordance with local, national, and international laws and regulations.

Comply with relevant laws and regulations as well as local municipal standards.

Dispose of container after using the contents completely.

Section 14. Transport Information

UNRTDG

UN number : UN3077

UN Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Transport hazard class(es) : 9

Packing group : III

Special provisions No.: 274; 331; 335; 375

IMDG Code (International Maritime Dangerous Goods Regulations)

UN number : UN3077

UN Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Zinc, sand, JUNSEI CHEMICAL CO., LTD., 10025jis_J_E1-3, 07/Jul/2026

Transport hazard class(es) : 9

Packing group : III

Special provisions No.: 274; 335; 375; 966; 967; 969

IATA (Dangerous Goods Regulations)

UN number : UN3077

UN Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Transport hazard class(es) : 9

Hazard labels : Miscellaneous & Environmentally hazardous

Packing group : III

Special provisions No.: A97; A158; A179; A197; A215

Marine pollutants (yes/no) : yes

Special precautions for user

No information available.

Maritime transport in bulk according to IMO instruments

Not applicable to Transport in bulk according to Annex II of MARPOL and the IBC Code

MARPOL Annex V – HME (Harmful to the Marine Environment)

Hazardous to the aquatic environment – short-term (acute): cat.1

Zinc

Hazardous to the aquatic environment – long-term (chronic): cat.1, 2

Zinc

ERG GUIDE No.: 171

Section 15. Regulatory Information

Labor Standards Act, Japan

Chemical substances or compounds (including alloys) causing disease (item (iv)-1 of Appended Table 1-2 of Regulation)

Metal fumes such as zinc

U.S. Toxic Substances Control Act (TSCA) Inventory

Chemicals listed in TSCA Inventory

7440-66-6

All components are listed or exempted.

Superfund Amendments and Reauthorizations Act (SARA), Title III

SARA 313 (TRI)

Zinc

Other regulatory information

We are not able to check up the regulatory information with regard to the substances in your country or region, therefore, we request this matter would be filled by your responsibility.

Regulatory information with regard to this substance in your country or in your region should be examined by your own responsibility.

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

Regulatory information in this section are limited to intentional ingredient(s), but does not contain information on non-intentional ingredients or impurities which are not informed by supplier(s).

Chemical safety assessment

Advice on safe handling for this product can be found in sections 7 and 8 of this SDS.

Section 16. Other information

GHS classification and labelling

H320-Serious eye damage/eye irritation, Category 2B: H320 Causes eye irritation

H400-Hazardous to the aquatic environment, short-term (acute), Category 1: H400 Very toxic

Zinc, sand, JUNSEI CHEMICAL CO., LTD., 10025jis_J_E1-3, 07/Jul/2026

to aquatic life

H410-Hazardous to the aquatic environment, long-term (chronic), Category 1: H410 Very toxic

to aquatic life with long lasting effects

References and sources for data

Globally Harmonized System of classification and labelling of chemicals, UN

Recommendations on the TRANSPORT OF DANGEROUS GOODS 23rd edit., 2023 UN

IMDG Code, 2024 Edition (Incorporating Amendment 42-24)

IATA Dangerous Goods Regulations (67th Edition) 2026

2024 EMERGENCY RESPONSE GUIDEBOOK (US DOT)

2026 TLVs and BEIs. (ACGIH)

JIS Z 7252 : 2025

JIS Z 7253 : 2025

Recommendation of occupational exposure limits (2024-2025) (JSOH)

Notification No. 0111-1 (January 11, 2022), Chemical Hazards Control Division, Industrial

Safety and Health Department, Labour Standards Bureau, MHLW in Japan

Supplier's data/information

Chemicals safety data management system "GHS Assistant" Version 4.39 (<https://www.asahi-ghs.com/>)

NITE Chemical Risk Information Platform "NITE-CHRIIP"

(https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/systemTop)

GHS Classification Guidance for Enterprises 2019 Revised Edition (Ver. 2.1) (May. 2024, METI)

Abbreviations and acronyms

ACGIH – American Conference of Governmental Industrial Hygienists;

anh – anhydride;

ATE – Acute Toxicity Estimate;

BCF – Bioconcentration Factor;

BOD – Biochemical Oxygen Demand;

Cat. – Category;

Ceiling-C – Ceiling value;

COD – Chemical Oxygen Demand;

CSCL – Chemical Substances Control Law in Japan;

DSEN – Dermal Sensitization;

EC No. – The European Community number;

EC50 – Effective Concentration 50;

ENCS – Existing and New Chemical Substances Inventory under CSCL

EPA – US Environmental Protection Agency;

EU – European Union;

GHS – Globally Harmonized System of Classification and Labelling of Chemicals;

IARC – International Agency for Research on Cancer;

IATA – International Air Transport Association;

IBC Code – International Code for the Construction and Equipment of Ships carrying
Dangerous Chemicals in Bulk;

IMDG Code – International Maritime Dangerous Goods Code;

ISHA – Industrial Safety and Health Act in Japan;

JSOH – Japan Society for Occupational Health;

LC50 – Lethal Concentration 50;

LD50 – Lethal Dose 50;

logPow – n-Octanol/water Partition Coefficient;

MARPOL – International Convention for the Prevention of Pollution from Ships;

METI – Ministry of Economy, Trade and Industry in Japan;

MHLW – Ministry of Health, Labour and Welfare in Japan;

MOE – Ministry of the Environment in Japan

NOEC – No Observed Effect Concentration;

NTP – US National Toxicology Program;

REACH – Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation

Zinc, sand, JUNSEI CHEMICAL CO., LTD., 10025jis_J_E1-3, 07/Jul/2026

(EC) No.1907/2006;

RSEN – Respiratory Sensitization;

Skin – Danger of cutaneous absorption;

STEL – Short-term Exposure Limit;

STOT – Specific target organ toxicity;

SVHC – Substance of Very High Concern under REACH;

TWA – time-weighted average;

UN – United Nations;

UNRTDG – United Nations Recommendations on the Transport of Dangerous Goods;

General Disclaimer

The information relates to this specific material. It may not be valid for this material, if used in combination with any other materials or in any process. It is the user's responsibility to satisfy him-selves as to the suitability and completeness of this information for his own particular use.

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Data published in Japan (National Institute of Technology and Evaluation (NITE) Chemical Risk Information Platform (NITE-CHRIP), up to FY2024).