

Aluminium, powder 200mesh

JUNSEI CHEMICAL CO., LTD., 13130jis_J_E1-2, 17/Oct/2025

Date of issue for the 1st edition : 06/Sep/2017

Date of revision : 17/Oct/2025

Safety Data Sheet

Section 1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: Aluminium, powder 200mesh

Reference number(SDS):13130jis_J_E1-2

Product type :

Reagent

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the product: Research and Development

Uses advised against: Do not use for other purposes.

Details of the supplier of the safety data sheet

Manufacturer/Supplier: JUNSEI CHEMICAL CO., LTD.

Address: 1-6, Ohmano-cho, Koshigaya-shi, Saitama 343-0844, Japan

Division: Quality Assurance Department

Telephone number: +81-48-986-6161

FAX: +81-48-989-2787

e-mail address: shiyaku-t@junsei.co.jp

Section 2. Hazards identification

GHS classification and label elements of the product

Classification of the substance or mixture

PHYSICAL AND CHEMICAL HAZARDS

Flammable solids: Category 2

HEALTH HAZARDS

Specific target organ toxicity – single exposure: Category 1 (respiratory organs)

Specific target organ toxicity – repeated exposure: Category 1 (respiratory organs)

(Note) GHS classification without description: Not classified/Classification not possible

Label elements



Signal word: Danger

HAZARD STATEMENT

H228-Flammable solid

H370-Causes damage to organs

H372-Causes damage to organs through prolonged or repeated exposure

PRECAUTIONARY STATEMENT

Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Ground and bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash contaminated parts thoroughly after handling.

Aluminium, powder 200mesh

JUNSEI CHEMICAL CO., LTD., 13130jis_J_E1-2, 17/Oct/2025

Wear protective gloves/protective clothing/eye protection/face protection.

Do not eat, drink or smoke when using this product.

Response

In case of fire: Use appropriate media to extinguish.

Specific treatment is required.

Get medical advice/attention if you feel unwell.

IF exposed or concerned: Call a POISON CENTER/doctor/physician.

Storage

Store locked up.

Disposal

Dispose of contents/container in accordance with local/national regulation.

Specific Physical and Chemical hazards

Flammable solid. Vapor/air mixture may explode.

Section 3. Composition/information on ingredients

Mixture/Substance selection:

Mixture

Ingredient name:Aluminium powder

Content (%):95 <

Chemical formula:Al

CAS No.:7429-90-5

MW:26.9815(AW)

EC No.:231-072-3

Ingredient name:Stearic acid

Content (%):< 3

Chemical formula:C18H36O2

ENCS:2-608

CAS No.:57-11-4

MW:284.48

EC No.:200-313-4

Note : The figures shown above are not the specifications of the product.

Section 4. First-aid measures

Descriptions of first-aid measures

General measures

Get medical advice/attention if you feel unwell.

Keep victim warm and quiet.

Call emergency medical service.

IF INHALED

Remove person to fresh air and keep comfortable for breathing.

Give artificial respiration if victim is not breathing.

Administer oxygen if breathing is difficult.

IF INHALED: Call a POISON CENTER/doctor/physician if you feel unwell.

IF ON SKIN (or hair)

Take off immediately all contaminated clothing. Rinse skin with water or shower.

If skin irritation or rash occurs: Get medical advice/attention.

Aluminium, powder 200mesh

JUNSEI CHEMICAL CO., LTD., 13130jis_J_E1-2, 17/Oct/2025

Remove and isolate contaminated clothing and shoes.

IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF SWALLOWED

Rinse mouth.

IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.

Most important symptoms and effects, both acute and delayed

Specific information on symptom and effect are unknown.

Indication of any immediate medical attention and special treatment needed

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

In case of fire, use dry sand, powder fire extinguisher for metals to extinguish.

Unsuitable extinguishing media

Water, Foam, Dry powder, CO2

Specific hazards arising from the substance or mixture

Containers may explode when heated.

Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution.

May re-ignite after fire is extinguished.

Advice for firefighters

Specific fire-fighting measures

Evacuate non-essential personnel to safe area.

Special protective equipment and precautions for fire-fighters

Wear fire resistant or flame retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with a full facepiece operated in the positive pressure mode.

Section 6. Accidental release measures

Personnel precautions, protective equipment and emergency procedures

Keep unauthorized personnel away.

In case of contact with substance, immediately flush skin or eyes with running water for at least 20 minutes.

Ventilate area until material pick up is complete.

Wear proper protective equipment.

Do not touch or walk through spilled material.

Environmental precautions

Avoid release to headsprings, rivers, lakes, ocean and groundwater.

Methods and materials for containment and cleaning up

Sweep up, place in a bag and hold for waste disposal.

Preventive measures for secondary accident

Aluminium, powder 200mesh

JUNSEI CHEMICAL CO., LTD., 13130jis_J_E1-2, 17/Oct/2025

Collect spillage.

Stop leak if you can do it without risk.

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

Prevent entry into waterways, sewers, basements or confined areas.

Section 7. Handling and storage

Precautions for safe handling

Preventive measures

(Exposure Control for handling personnel)

Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Ground and bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

(Exhaust/ventilator)

Exhaust/ventilator should be available.

(Precautions)

Avoid contact with skin.

Avoid contact with eyes.

Safety Measures

Wear protective gloves/protective clothing/eye protection/face protection.

Use personal protective equipment as required.

When using do not eat, drink or smoke.

Any incompatibilities

Strong acids, Strong bases, Oxidizing agents, Water, Alcohols, Chlorinated hydrocarbons, Halogens should not be mixed with the chemicals.

Advice on general occupational hygiene

Wash contaminated parts thoroughly after handling.

Do not eat, drink or smoke when using this product.

Storage

Conditions for safe storage

Store in a well-ventilated place. Keep container tightly closed.

Keep cool. Protect from sunlight.

Store in accordance with local/national regulation.

Container and packaging materials for safe handling data is not available.

Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See

Section 8 for exposure controls and personal protection recommendations.

Section 8. Exposure controls/personal protection

Control parameters

Control value and Concentration standard value under ISHA

(Aluminium powder)

Japan control value 3.0/1.19Q+1(Q : free silicate contents %)

Occupational Exposure Limit

JSOH

Aluminium, powder 200mesh

JUNSEI CHEMICAL CO., LTD., 13130jis_J_E1-2, 17/Oct/2025

(Aluminium powder)

Class 1 of dust: Respirable dust 0.5mg/m³; Total dust 2mg/m³

ACGIH

(Aluminium powder)

TWA: 1mg/m³(R) (Pneumoconiosis; LRT irr; neurotoxicity)

(Stearic acid)

TWA: 10mg/m³(I); TWA: 3mg/m³(R) (LRT irr)

Exposure controls

Appropriate engineering controls

Do not use in areas without adequate ventilation.

Eye wash station should be available.

Washing facilities should be available.

Individual protection measures

Respiratory protection

Select and wear respiratory protection in accordance with approved standards (e.g. JIS T8150).

Recommended respiratory protection: Dust mask

Hand protection

Wear protective gloves.

Inspect before use and replace worn or damaged gloves.

Contact the glove manufacturer for specific advice on glove selection and breakthrough times for your use conditions.

Chemical-resistant, impervious gloves complying with an approved standard (e.g. JIS T8116) should be used.

Eye protection

Wear safety glasses with side-shields.

Wear eye/face protection in accordance with approved standards (e.g. JIS T8147).

Skin and body protection

Wear impervious clothing and boots in case of repeated or prolonged treatment.

Personal protective equipment for the body and skin should be selected based on the task being performed and the risks involved.

Section 9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state: Powder

Color: Silver-white

Odor data is not available.

Odor threshold data is not available.

Melting point/Freezing point: 660°C

Boiling point or initial boiling point: 2327°C

Boiling range data is not available.

Flammability data is not available.

Lower and upper explosion limit/flammability limit data is not available.

Flash point: (Stearic acid)196°C

Auto-ignition temperature: (Stearic acid)395°C

Decomposition temperature data is not available.

Self-Accelerating Decomposition Temperature/SADT data is not available.

pH data is not available.

Aluminium, powder 200mesh

JUNSEI CHEMICAL CO., LTD., 13130jis_J_E1-2, 17/Oct/2025

Dynamic viscosity data is not available.

Kinematic viscosity data is not available.

Solubility:

Solubility in water: none, reaction

Solubility in solvent data is not available.

Partition coefficient n-octanol/water data is not available.

Vapor pressure data is not available.

Vapor density data is not available.

Density and/or relative density: 2.7

Relative vapor density (Air=1) data is not available.

Relative density of the Vapor/air – mixture at 20°C (Air = 1) data is not available.

Particle characteristics data is not available.

Other information

Critical temperature data is not available.

Evaporation rate data is not available.

VOC data is not available.

Section 10. Stability and Reactivity

Reactivity

React with water.

Chemical stability

Stable under normal storage/handling conditions.

Possibility of hazardous reactions

Dust explosion possible if in powder or granular form, mixed with air.

Reacts with water and alcohols.

Reacts violently with oxidants, strong acids, strong bases, chlorinated hydrocarbons and halogens.

This generates fire and explosion hazard.

Conditions to avoid

Contact with incompatible materials.

Open flames. Heating. Moisture.

Incompatible materials

Strong acids. Strong bases. Oxidizing agents. Water. Alcohols. Chlorinated hydrocarbons. Halogens.

Hazardous decomposition products

Aluminum oxides. Hydrogen gas.

Section 11. Toxicological Information

The product has not been subjected to toxicological testing. Refer to the available data on the constituents.

Information on toxicological effects

Acute toxicity

Acute toxicity (Oral)

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Aluminium, powder 200mesh

JUNSEI CHEMICAL CO., LTD., 13130jis_J_E1-2, 17/Oct/2025

Acute toxicity (Dermal)

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Acute toxicity (Inhalation)

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Irritant properties

Skin corrosion/irritation

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Serious eye damage/irritation

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Sensitization

Respiratory sensitization

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Skin sensitization

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Germ cell mutagenicity

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Carcinogenicity

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

[ACGIH]

(Aluminium powder)

A4: Not Classifiable as a Human Carcinogen

(Stearic acid)

A4: Not Classifiable as a Human Carcinogen

Reproductive toxicity

[Product]

Classification not possible (Insufficient data available or no data available).

Aluminium, powder 200mesh

JUNSEI CHEMICAL CO., LTD., 13130jis_J_E1-2, 17/Oct/2025

[Data for components of the product]

No data available.

Specific target organ toxicity (STOT)

STOT-single exposure

[Product]

Category 1, Causes damage to organs

[Data for components of the product]

[NITE-CHIRP]

(Aluminium powder)

Category 1 (respiratory organs) (source: NITE)

STOT-repeated exposure

[Product]

Category 1, Causes damage to organs through prolonged or repeated exposure

[Data for components of the product]

[NITE-CHIRP]

(Aluminium powder)

Category 1 (respiratory organs) (source: NITE)

Aspiration hazard

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Section 12. Ecological Information

Ecotoxicity

Aquatic toxicity

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Persistence and degradability

Persistence and degradability data is not available.

Bioaccumulative potential

Bioaccumulative potential data is not available.

Mobility in soil

Mobility in soil data is not available.

Other adverse effects

Ozone depleting chemical data is not available.

Section 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Waste treatment methods

Dispose of contents/container in accordance with local/national regulation.

Section 14. Transport Information**UN No., UN CLASS**

UN Number or ID Number : 1309

UN Proper Shipping Name :

ALUMINIUM POWDER, COATED

Class or division (Transport hazard class) : 4.1

Packing group : III

ERG GUIDE No.: 170

Special provisions No.: 223

IMDG Code (International Maritime Dangerous Goods Regulations)

UN Number or ID Number : 1309

UN Proper Shipping Name :

ALUMINIUM POWDER, COATED

Class or division (Transport hazard class) : 4.1

Packing group : III

Special provisions No.: 223

IATA (Dangerous Goods Regulations)

UN Number or ID Number : 1309

UN Proper Shipping Name :

ALUMINIUM POWDER, COATED

Class or division (Transport hazard class) : 4.1

Hazard labels : Flamm. solid

Packing group : III

Special provisions No.: A3; A803

Environmental hazards

Marine pollutants (yes/no) : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Noxious Liquid Substances ; Cat. Y

Stearic acid

MARPOL Annex V – HME (Harmful to the Marine Environment)

Specific target organ toxicity – repeated exposure: cat.1

Aluminium powder

Section 15. Regulatory Information**Safety, health and environmental regulations/legislation specific for the substance or mixture****U.S. Toxic Substances Control Act (TSCA) Inventory**

Chemicals listed in TSCA Inventory

57-11-4; 7429-90-5

All components are listed or exempted.

Superfund Amendments and Reauthorizations Act (SARA), Title III

SARA 313 (TRI)

Aluminium powder

Other regulatory information

We are not able to check up the regulatory information with regard to the substances in your country or region, therefore, we request this matter would be filled by your responsibility.

Regulatory information with regard to this substance in your country or in your region

Aluminium, powder 200mesh

JUNSEI CHEMICAL CO., LTD., 13130jis_J_E1-2, 17/Oct/2025

should be examined by your own responsibility.

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

Regulatory information in this section are limited to intentional ingredient(s), but does not contain information on non-intentional ingredients or impurities which are not informed by supplier(s).

Chemical safety assessment

Advice on safe handling for this product can be found in sections 7 and 8 of this SDS.

Section 16. Other information

GHS classification and labelling

H228-Flammable solids, Category 2: H228 Flammable solid

H370-STOT – single exposure, Category 1: H370 Causes damage to organs

H372-STOT – Repeated exposure, Category 1: H372 Causes damage to organs through prolonged or repeated exposure

References and sources for data

Globally Harmonized System of classification and labelling of chemicals, UN

Recommendations on the TRANSPORT OF DANGEROUS GOODS 23rd edit., 2023 UN

IMDG Code, 2024 Edition (Incorporating Amendment 42-24)

IATA Dangerous Goods Regulations (66th Edition) 2025

2024 EMERGENCY RESPONSE GUIDEBOOK (US DOT)

2025 TLVs and BEIs. (ACGIH)

JIS Z 7252 : 2019

JIS Z 7253 : 2019

Recommendation of occupational exposure limits (2023-2024) (JSOH)

Notification No. 0111-1 (January 11, 2022), Chemical Hazards Control Division, Industrial

Safety and Health Department, Labour Standards Bureau, MHLW in Japan

Supplier's data/information

Chemicals safety data management system "GHS Assistant" Version 4.35

(<https://www.asahi-ghs.com/>)

NITE Chemical Risk Information Platform "NITE-CHRIP"

(https://www.chem-info.nite.go.jp/chem/chrip/chrip_search/systemTop)

GHS Classification Guidance for Enterprises 2019 Revised Edition (Ver. 2.1) (May. 2024, METI)

Abbreviations and acronyms

SDS (Safety Data Sheet)

LD50 (Lethal Dose, 50%)

LC50 (Lethal Concentration, 50%)

IARC (International Agency for Research on Cancer)

ACGIH (American Conference of Governmental Industrial Hygienists)

EPA (US Environmental Protection Agency)

NTP (US National Toxicology Program)

METI (Ministry of Economy, Trade and Industry in Japan)

MHLW (Ministry of Health, Labour and Welfare in Japan)

MOE (Ministry of the Environment in Japan)

JSOH (Japan Society for Occupational Health)

ISHA (Industrial Safety and Health Act in Japan)

CSCL (Chemical Substances Control Law in Japan)

Aluminium, powder 200mesh

JUNSEI CHEMICAL CO., LTD., 13130jis_J_E1-2, 17/Oct/2025

EU (European Union)

EC50 (Effective Concentration, 50%)

NOEC (No Observed Effect Concentration)

BOD (Biochemical Oxygen Demand)

COD (Chemical Oxygen Demand)

BCF (Bioconcentration Factor)

anh (anhydride)

General Disclaimer

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Data published in Japan (National Institute of Technology and Evaluation (NITE) Chemical Risk Information Platform (NITE-CHRIPI), up to FY2023).