

Safety Data Sheet

1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: 2-Isopropoxyethanol

Reference number(SDS): 17355jis_J_E2-1

Product type:

Reagent

Details of the supplier of the safety data sheet

Manufacturer/Supplier: JUNSEI CHEMICAL CO., LTD.

Address: 1-6, Ohmano-cho, Koshigaya-shi, Saitama 343-0844, Japan

Division: Quality Assurance Department

Telephone number: +81-48-986-6161

FAX: +81-48-989-2787

e-mail address: shiyaku-t@junsei.co.jp

2. Hazards identification

GHS classification and label elements of the product

Classification of the substance or mixture

PHYSICAL AND CHEMICAL HAZARDS

Flammable liquids: Category 3

HEALTH HAZARDS

Acute toxicity (Dermal): Category 4

Acute toxicity (Inhalation): Category 4

Skin corrosion/irritation: Category 2

Serious eye damage/eye irritation: Category 2B

Specific target organ toxicity – single exposure: Category 1 (haemal system, kidney, liver, spleen)

Specific target organ toxicity – single exposure: Category 2 (central nervous system)

Specific target organ toxicity – repeated exposure: Category 1 (haemal system)

(Note) GHS classification without description: Not classified/Classification not possible

Label elements



Signal word: Danger

HAZARD STATEMENT

H226-Flammable liquid and vapor

H312-Harmful in contact with skin

H332-Harmful if inhaled

H315-Causes skin irritation

H320-Causes eye irritation

H370-Causes damage to organs

H371-May cause damage to organs

H372-Causes damage to organs through prolonged or repeated exposure

PRECAUTIONARY STATEMENT

Prevention

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed.

Ground and bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.
Use non-sparking tools.
Take action to prevent static discharges.
Do not breathe dust/fume/gas/mist/vapors/spray.
Use only outdoors or in a well-ventilated area.
Wash contaminated parts thoroughly after handling.
Wear protective gloves/protective clothing/eye protection/face protection.
Do not eat, drink or smoke when using this product.

Response

In case of fire: Use appropriate media other than water to extinguish.
Get medical advice/attention if you feel unwell.
Call a POISON CENTER/doctor/physician if you feel unwell.
IF exposed or concerned: Call a POISON CENTER/doctor/physician.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
IF ON SKIN: Wash with plenty of soap and water.
IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
If skin irritation occurs: Get medical advice/attention.
Take off contaminated clothing and wash it before reuse.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice/attention.

Storage

Store in a well-ventilated place. Keep cool.
Store locked up.

Disposal

Dispose of contents/container in accordance with local/national regulation.

Specific Physical and Chemical hazards

Flammable liquid. Vapor/air mixture may explode.

3. Composition/information on ingredients**Mixture/Substance selection:****Substance**

Common name, synonyms: Ethylene glycol monoisopropyl ether

Ingredient name: 2-Isopropoxyethanol

Content (%): 99.0 <

Chemical formula: C₅H₁₂O₂

Chemicals No, Japan: 2-410; 2-2424

CAS No.: 109-59-1

MW: 104.15

ECNO: 203-685-6

4. First-aid measures**Descriptions of first-aid measures****General measures**

Get medical advice/attention if you feel unwell.
Keep victim warm and quiet.
Call emergency medical service.

IF INHALED

Remove person to fresh air and keep comfortable for breathing.
Give artificial respiration if victim is not breathing.
Administer oxygen if breathing is difficult.
Call a POISON CENTER/doctor/physician if you feel unwell.

IF ON SKIN (or hair)

Take off immediately all contaminated clothing. Rinse skin with water or shower.

Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

If skin irritation occurs: Get medical advice/attention.

Remove and isolate contaminated clothing and shoes.

In case of burns, immediately cool affected skin for as long as possible with cold water.

Do not remove clothing if adhering to skin.

IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF SWALLOWED

Rinse mouth.

If victim is conscious, give 1 – 2 glasses of water.

Call a POISON CENTER/doctor/physician if you feel unwell.

Most important symptoms and effects, both acute and delayed

(Symptoms when inhalation or ingestion)

Nausea. Cough

(Symptoms when skin and/or eye contact)

Conjunctival redness of the eyes. Redness of the skin. Pain of the eyes

※May be absorbed into the skin.

5. Fire-fighting measures**Extinguishing media****Suitable extinguishing media**

In case of fire, use water mist, foam, dry powder, CO2 to extinguish.

Unsuitable extinguishing media

Unsuitable extinguishing media data is not available.

Specific hazards arising from the substance or mixture

Containers may explode when heated.

Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution.

Advice for firefighters**Specific fire-fighting measures**

Evacuate non-essential personnel to safe area.

Cool container with water spray.

Special protective equipment and precautions for fire-fighters

Wear fire resistant or flame retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with full face piece operated positive pressure mode.

6. Accidental release measures**Personnel precautions, protective equipment and emergency procedures**

Keep unauthorized personnel away.

In case of contact with substance, immediately flush skin or eyes with running water for at least 20 minutes.

Ventilate area until material pick up is complete.

Wear proper protective equipment.

PUBLIC SAFETY: Ventilate closed spaces before entering.

Do not touch or walk through spilled material.

Environmental precautions

- Runoff to sewer may create fire or explosion hazard.
- Vapor explosion hazard indoors, outdoors or in sewers.
- Avoid release to headsprings, rivers, lakes, ocean and groundwater.

Methods and materials for containment and cleaning up

- Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.
- Use clean non-sparking tools to collect absorbed material.
- All equipment used when handling the product must be grounded.

Preventive measures for secondary accident

- Collect spillage.
- Stop leak if you can do it without risk.
- ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).
- Prevent entry into waterways, sewers, basements or confined areas.
- Keep out of low areas.

7. Handling and storage**Precautions for safe handling****Preventive measures**

(Exposure Control for handling personnel)

- Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Ground and bond container and receiving equipment.
- Use explosion-proof electrical/ventilating/lighting equipment.
- Use non-sparking tools.
- Take action to prevent static discharges.

(Exhaust/ventilator)

- Exhaust/ventilator should be available.

(Safety treatments)

- Avoid contact with skin.
- Avoid contact with eyes.

Safety Measures

- Use only outdoors or in a well-ventilated area.
- Wear protective gloves/protective clothing/eye protection/face protection.
- Use personal protective equipment as required.
- When using do not eat, drink or smoke.

Any incompatibilities

- Strong oxidizing agents should not be mixed with the chemicals.

Advice on general occupational hygiene

- Wash contaminated parts thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Take off contaminated clothing and wash it before reuse.

Storage**Conditions for safe storage**

- Store in a well-ventilated place. Keep container tightly closed. Keep cool.
- Keep cool. Protect from sunlight.
- Store in accordance with local/national regulation.
- Store locked up.

Container and packaging materials for safe handling data is not available.

Specific end use(s)

- See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

8. Exposure controls/personal protection

Control parameters

Control value in MHLW is not available.

Adopted value

Adopted value in JSOH is not available.

ACGIH(1990) TWA: 25ppm (Hematologic eff)

Notation...Skin

Exposure controls

Appropriate engineering controls

Do not use in areas without adequate ventilation.

Eye wash station should be available.

Washing facilities should be available.

Individual protection measures

Respiratory protection

Wear respiratory protection.

Hand protection

Wear protective gloves. Recommended material(s): butyl rubber

Consult with your glove and/or personnel equipment manufacturer for selection of appropriate compatible materials.

Eye protection

Wear safety glasses with side-shields.

Wear eye/face protection.

Skin and body protection

Wear impervious clothing and boots in case of repeated or prolonged treatment.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state: Liquid

Color: Colorless

Odor: Characteristic odor

Odor threshold data is not available.

Melting point/Freezing point: -60°C

Boiling point or initial boiling point: 139.5~144.5°C (99kPa)

Boiling range data is not available.

Flammability (gases, liquids and solids): Ignitable

Lower and upper explosion limit/flammability limit:

Lower explosion limit: 1.6 vol %

Upper explosion limit: 13 vol %

Flash point: (c.c) 44°C

Auto-ignition temperature: 240°C

Decomposition temperature data is not available.

Self-Accelerating Decomposition Temperature/SADT data is not available.

pH data is not available.

Dynamic viscosity: 2.55mPas(20°C)

Kinematic viscosity: 2.7mm²/s(20°C)

Solubility:

Solubility in water: 100 g/100 ml (25°C)

Solubility in solvent: Soluble in acetone.

n-Octanol/water partition coefficient: log Pow0.05

Vapor pressure: 0.44 kPa (20°C)

Vapor density data is not available.

VOC data is not available.

Evaporation rate (n-butyl acetate) : 0.3

Density and/or relative density: 0.903~0.907 g/ml (20°C)

Relative vapor density (Air=1): 3.6

Relative density of the Vapor/air – mixture at 20°C (Air = 1): 1.01

Critical temperature data is not available.

Particle characteristics data is not available.

10. Stability and Reactivity

Reactivity

Reactivity data is not available.

Chemical stability

Stable under normal storage/handling conditions.

Flammable.

Possibility of hazardous reactions

May form explosive peroxides.

Reacts violently with strong oxidants.

Conditions to avoid

Contact with incompatible materials.

Open flames. Heat. Sparks.

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon oxides

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Acute toxicity (Oral)

[GHS Cat. Japan, base data]

rat LD50 >2000 mg/kg (JECDB, Access on June 2014; SIDS, 2011)

Acute toxicity (Dermal)

[GHS Cat. Japan, base data]

rabbit LD50=1080mg/kg (PATTY 6th, 2012)

Acute toxicity (Inhalation)

[GHS Cat. Japan, base data]

vapor: rat LC50=4000ppm (ECETOC TR64, 1995)

Irritant properties

Skin corrosion/irritation

[GHS Cat. Japan, base data]

rabbit : skin primary irritation score(PII)=4.8 (ECETOC TR95, 2005)

Serious eye damage/irritation

[GHS Cat. Japan, base data]

rabbit : iritis and corneal damage recover within 7 days (DFGOT vol.5, 1993)

Allergenic and sensitizing effects data is not available.

Germ cell mutagenicity

[GHS Cat. Japan, base data]

no in vivo data

Reverse-mutation assay in bacteria (Ames test) :Negative(JECDB, 2009)

Chromosome aberration test :Negative(JECDB, 2009)

Carcinogenic effects data is not available.

Reproductive toxicity data is not available.

STOT

STOT-single exposure

[cat.1]

[GHS Cat. Japan, base data]

blood system; kidney; liver; spleen (PATTY 6th, 2012)

[cat.2]

[GHS Cat. Japan, base data]

central nervous system (PATTY 6th, 2012)

STOT-repeated exposure

[cat.1]

[GHS Cat. Japan, base data]

blood system (SIDS, 2011; ECETOC TR95, 2005)

Aspiration hazard data is not available.

Information on other hazards

JECDB : Japan Existing Chemical Database

12. Ecological Information

Ecotoxicity

Aquatic toxicity

Hazardous to the aquatic environment (Acute)

[GHS Cat. Japan, base data]

Fish (Atheriniformes) LC50 >100mg/L/96hr

(Results of Aquatic Toxicity Tests of Chemicals conducted by MOE in Japan, 2001)

Hazardous to the aquatic environment (Long-term)

[GHS Cat. Japan, base data]

Crustacea (Daphnia magna) NOEC=98mg/L/21days

(Results of Aquatic Toxicity Tests of Chemicals conducted by MOE in Japan, 2001)

Water solubility

100 g/100 ml (25°C) (ICSC, 2004)

Persistence and degradability

Not degrade rapidly [BOD_Degradation : 8%/28days (Biodegradation and Bioconcentration Results conducted by METI in Japan, 1998)]

Bioaccumulative potential

log Pow=0.05 (ICSC, 2004)

Mobility in soil

Mobility in soil data is not available.

Other adverse effects

Ozone depleting chemical data is not available.

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Waste treatment methods

Dispose of contents/container in accordance with local/national regulation.

14. Transport Information

UN No., UN CLASS

UN No. or ID No.: 1993

UN Proper Shipping Name : FLAMMABLE LIQUID, N.O.S.

Class or division (Transport hazard class) : 3

Packing group : III

ERG GUIDE No.: 128

IMDG Code (International Maritime Dangerous Goods Regulations)

UN No.: 1993

Proper Shipping Name : FLAMMABLE LIQUID, N.O.S.

Class or division : 3

Packing group : III

IATA Dangerous Goods Regulations

UN No.: 1993

Proper Shipping Name : FLAMMABLE LIQUID, N.O.S.

Class or division : 3

Hazard labels : Flamm.liquid

Packing group : III

Environmental hazards

MARPOL Annex III – Prevention of pollution by harmful substances

Marine pollutants (yes/no) : no

MARPOL Annex V – Prevention of pollution by garbage discharge

Specific target organ toxicity – repeated exposure: cat.1

2-Isopropoxyethanol

Maritime transport in bulk according to IMO instruments

Not applicable to Maritime transport in bulk according to IMO instruments

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemicals listed in TSCA Inventory

2-Isopropoxyethanol

Other regulatory information

We are not able to check up the regulatory information with regard to the substances in your country or region, therefore, we request this matter would be filled by your responsibility.

Regulatory information with regard to this substance in your country or in your region should be examined by your own responsibility.

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

Regulatory information in this section are limited to intentional ingredient(s), but does not contain information on non-intentional ingredients or impurities which are not informed by supplier(s).

Chemical safety assessment

Advice on safe handling for this product can be found in sections 7 and 8 of this SDS.

16. Other information

GHS classification and labelling

H226-Flam. Liq. 3: H226 Flammable liquid and vapor

H312-Acute Tox. 4: H312 Harmful in contact with skin

H332-Acute Tox. 4: H332 Harmful if inhaled

H315-Skin Irrit. 2: H315 Causes skin irritation

H320-Eye Irrit. 2B: H320 Causes eye irritation

H370-STOT SE 1: H370 Causes damage to organs

H371-STOT SE 2: H371 May cause damage to organs

H372-STOT RE 1: H372 Causes damage to organs through prolonged or repeated exposure

Reference Book

Globally Harmonized System of classification and labelling of chemicals, UN

Recommendations on the TRANSPORT OF DANGEROUS GOODS 21th edit., 2019 UN

IMDG Code, 2018 Edition (Incorporating Amendment 39-18)

2-Isopropoxyethanol, JUNSEI CHEMICAL CO., LTD., 17355jis_J_E2-1, 2021/09/17

IATA Dangerous Goods Regulations (62nd Edition) 2021

2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT)

2021 TLVs and BEIs. (ACGIH)

JIS Z 7252 : 2019

JIS Z 7253 : 2019

2020 Recommendation on TLVs (JSOH)

Supplier's data/information

Chemicals safety data management system "GHS Assistant" Version 4.13 (<https://www.asahi-ghs.com/>)

NITE Chemical Risk Information Platform "NITE-CHRIIP"

(https://www.nite.go.jp/en/chem/chrip/chrip_search/systemTop)

GHS Classification Guidance for Enterprises 2019 Revised Edition (Ver. 2.0) (Mar. 2020, METI)

Definitions and Abbreviations

SDS (Safety Data Sheet)

LD50 (Lethal Dose, 50%)

LC50 (Lethal Concentration, 50%)

IARC (International Agency for Research on Cancer)

ACGIH (American Conference of Governmental Industrial Hygienists)

EPA (US Environmental Protection Agency)

NTP (US National Toxicology Program)

JSOH (Japan Society for Occupational Health)

EU (European Union)

EC50 (Effective Concentration, 50%)

NOEC (No Observed Effect Concentration)

BOD (Biochemical Oxygen Demand)

COD (Chemical Oxygen Demand)

BCF (Bioconcentration Factor)

anh (anhydride)

General Disclaimer

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data (NITE published in 2020).