

Ethylenediaminetetraacetic acid,
JUNSEI CHEMICAL CO., LTD.,17385jis_E-3,13/Jun/2023

Date of issue for the 1st edition : 19/Feb/2015

Date of revision : 13/Jun/2023

Safety Data Sheet

Section 1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: Ethylenediaminetetraacetic acid

Reference number(SDS):17385jis_E-3

Product type:

Reagent

Details of the supplier of the safety data sheet

Manufacturer/Supplier: JUNSEI CHEMICAL CO., LTD.

Address: 1-6, Ohmano-cho, Koshigaya-shi, Saitama 343-0844, Japan

Division: Quality Assurance Department

Telephone number: +81-48-986-6161

FAX: +81-48-989-2787

e-mail address: shiyaku-t@junsei.co.jp

Section 2. Hazards identification

GHS classification and label elements of the product

Classification of the substance or mixture

HEALTH HAZARDS

Serious eye damage/eye irritation: Category 2B

Reproductive toxicity: Category 2

Specific target organ toxicity – repeated exposure: Category 1 (kidney)

ENVIRONMENT HAZARDS

Hazardous to the aquatic environment, short-term (acute): Category 3

Hazardous to the aquatic environment, long-term (chronic): Category 3

(Note) GHS classification without description: Not classified/Classification not possible

Label elements



Signal word: Danger

HAZARD STATEMENT

H320–Causes eye irritation

H361–Suspected of damaging fertility or the unborn child

H372–Causes damage to organs through prolonged or repeated exposure

H402–Harmful to aquatic life

H412–Harmful to aquatic life with long lasting effects

PRECAUTIONARY STATEMENT

Prevention

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Avoid release to the environment.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash contaminated parts thoroughly after handling.

Use personal protective equipment as required.

Do not eat, drink or smoke when using this product.

Response

Get medical advice/attention if you feel unwell.

Ethylenediaminetetraacetic acid,
JUNSEI CHEMICAL CO., LTD.,17385jis_E-3,13/Jun/2023

IF exposed or concerned: Get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Storage

Store locked up.

Disposal

Dispose of contents/container in accordance with local/national regulation.

Section 3. Composition/information on ingredients

Mixture/Substance selection:

Substance

Common name, synonyms: (Ethylenedinitrilo)tetraacetic acid; EDTA

Ingredient name: Ethylenediaminetetraacetic acid

Content (%): 99.0 <

Chemical formula: C₁₀H₁₆N₂O₈

Chemicals No, Japan: 2-1263; 2-1296

CAS No.: 60-00-4

MW: 292.25

ECNO: 200-449-4

Note : The figures shown above are not the specifications of the product.

Section 4. First-aid measures

Descriptions of first-aid measures

General measures

Get medical advice/attention if you feel unwell.

IF INHALED

Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF ON SKIN (or hair)

Take off immediately all contaminated clothing. Rinse skin with water or shower.

If skin irritation or rash occurs: Get medical advice/attention.

IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF SWALLOWED

Rinse mouth.

If victim is conscious, give 1 – 2 glasses of water.

Call a POISON CENTER/doctor/physician if you feel unwell.

Most important symptoms and effects, both acute and delayed

(Symptoms when inhalation or ingestion)

Abdominal pain. Diarrhoea. Cough

(Symptoms when skin and/or eye contact)

Conjunctival redness of the eyes. Pain of the eyes.

Indication of any immediate medical attention and special treatment needed

Information on indication of any immediate medical attention and special treatment needed is not available.

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

In case of fire, use water mist, foam, dry powder, CO2 to extinguish.

Unsuitable extinguishing media

Unsuitable extinguishing media data is not available.

Specific hazards arising from the substance or mixture

Containers may explode when heated.

Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution.

Advice for firefighters

Specific fire-fighting measures

Evacuate non-essential personnel to safe area.

Special protective equipment and precautions for fire-fighters

Wear fire resistant or flame retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with a full facepiece operated in the positive pressure mode.

Section 6. Accidental release measures

Personnel precautions, protective equipment and emergency procedures

Ventilate area until material pick up is complete.

Wear proper protective equipment.

Environmental precautions

Avoid release to headsprings, rivers, lakes, ocean and groundwater.

Methods and materials for containment and cleaning up

Sweep spilled substance into covered non-metallic containers.

Carefully collect remainder.

Preventive measures for secondary accident

Collect spillage.

Section 7. Handling and storage

Precautions for safe handling

Preventive measures

(Exposure Control for handling personnel)

Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

(Exhaust/ventilator)

Exhaust/ventilator should be available.

(Safety treatments)

Avoid contact with skin.

Avoid contact with eyes.

Safety Measures

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/protective clothing/eye protection/face protection.

Use personal protective equipment as required.

When using do not eat, drink or smoke.

Any incompatibilities

Strong bases, Strong oxidizing agents should not be mixed with the chemicals.

Ethylenediaminetetraacetic acid,
JUNSEI CHEMICAL CO., LTD.,17385jis_E-3,13/Jun/2023

Advice on general occupational hygiene
Wash contaminated parts thoroughly after handling.
Do not eat, drink or smoke when using this product.

Storage

Conditions for safe storage
Store in a well-ventilated place. Keep container tightly closed.
Keep cool. Protect from sunlight.
Store in accordance with local/national regulation.
Store locked up.
Container and packaging materials for safe handling data is not available.

Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

Section 8. Exposure controls/personal protection

Control parameters

Control value in MHLW is not available.

Adopted value

Adopted value in JSOH is not available.
Adopted value in ACGIH is not available.

Exposure controls

Appropriate engineering controls

Do not use in areas without adequate ventilation.
Eye wash station should be available.
Washing facilities should be available.

Individual protection measures

Respiratory protection

Wear respiratory protection.

Hand protection

Wear protective gloves.
Inspect before use and replace worn or damaged gloves.
Contact the glove manufacturer for specific advice on glove selection and breakthrough times for your use conditions.

Eye protection

Wear safety glasses with side-shields.
Wear eye/face protection.

Skin and body protection

Wear impervious clothing and boots in case of repeated or prolonged treatment.

Section 9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state: Crystals or powder

Color: Colorless(crystals) or white(powder)

Odor: None

Odor threshold data is not available.

Melting point/Freezing point: 220~245°C

Boiling point or initial boiling point data is not available.

Boiling range data is not available.

Flammability (gases, liquids and solids) data is not available.

Lower and upper explosion limit/flammability limit data is not available.

Flash point data is not available.

Auto-ignition temperature: 350°C

Ethylenediaminetetraacetic acid,
JUNSEI CHEMICAL CO., LTD.,17385jis_E-3,13/Jun/2023

Decomposition temperature: 220~245°C

Self-Accelerating Decomposition Temperature/SADT data is not available.

pH data is not available.

Dynamic viscosity data is not available.

Kinematic viscosity data is not available.

Solubility:

Solubility in water: 0.05 g/100 ml(20°C) (Soluble in solution of alkali hydroxides.)

Solubility in solvent: Insoluble in common organic solvents.

n-Octanol/water partition coefficient data is not available.

Vapor pressure data is not available.

Vapor density data is not available.

Density and/or relative density: 0.86

Relative vapor density (Air=1) data is not available.

Relative density of the Vapor/air - mixture at 20°C (Air = 1) data is not available.

Particle characteristics data is not available.

Other information

Critical temperature data is not available.

Evaporation rate data is not available.

VOC data is not available.

Other information is not available.

Section 10. Stability and Reactivity

Reactivity

Reactivity data is not available.

Chemical stability

Stable under normal storage/handling conditions.

Possibility of hazardous reactions

Dust explosion possible if in powder or granular form, mixed with air.

Reacts with strong oxidants.

Attacks some forms of metals (e.g. Copper, Nickel etc.) and rubber.

Conditions to avoid

Contact with incompatible materials.

Open flames. Heating.

Incompatible materials

Strong bases, Strong oxidizing agents

Hazardous decomposition products

Carbon oxides, Nitrogen oxides

Section 11. Toxicological Information

Information on toxicological effects

Acute toxicity

Acute toxicity (Oral)

[Product]

Based on available data, the classification criteria are not met.

[Data for components of the product]

[GHS Cat. Japan, base data]

rat LD50 > 2000mg/kg (EU-RAR 49, 2004)

Acute toxicity (Dermal)

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Ethylenediaminetetraacetic acid,
JUNSEI CHEMICAL CO., LTD.,17385jis_E-3,13/Jun/2023

Acute toxicity (Inhalation)

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Irritant properties

Skin corrosion/irritation

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Serious eye damage/irritation

[Product]

Category 2B, Causes eye irritation

[Data for components of the product]

[GHS Cat. Japan, base data]

rabbit : Strong irritation, mild edema and strong corneal opacity disappear after 8 days.(EU-RAR 49, 2004)

Sensitization

Respiratory sensitization

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Skin sensitization

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Germ cell mutagenicity

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Carcinogenicity

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Reproductive toxicity

[Product]

Category 2, Suspected of damaging fertility or the unborn child

[Data for components of the product]

[GHS Cat. Japan, base data]

cat. 2; Teratogenic 12th, 2007

Specific target organ toxicity (STOT)

STOT-single exposure

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

STOT-repeated exposure

[Product]

Category 1, Causes damage to organs through prolonged or repeated exposure

Ethylenediaminetetraacetic acid,
JUNSEI CHEMICAL CO., LTD.,17385jis_E-3,13/Jun/2023

[Data for components of the product]

[cat.1]

[GHS Cat. Japan, base data]

(Ethylenediaminetetraacetic acid)

kidneys (NITE Initial Risk Assessment Report Ver.1.1, 14 , 2007)

Aspiration hazard

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Section 12. Ecological Information

Toxicity

Aquatic toxicity

[Product]

Category 3, Harmful to aquatic life

Category 3, Harmful to aquatic life with long lasting effects

[Data for components of the product]

Hazardous to the aquatic environment, short-term (acute)

[GHS Cat. Japan, base data]

Fish (bluegill) LC50=41mg/L/96hr (EU-RAR, 2005)

Water solubility

[Data for components of the product]

0.05 g/100 ml (20°C) (ICSC, 2008)

Persistence and degradability

[Data for components of the product]

BOD_Degradation : 0% (Existing chemical safety inspections by METI)

Bioaccumulative potential

[Data for components of the product]

BCF=123 (Existing chemical safety inspections by METI)

Mobility in soil

Mobility in soil data is not available.

Other adverse effects

Ozone depleting chemical data is not available.

Section 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Waste treatment methods

Avoid release to the environment.

Dispose of contents/container in accordance with local/national regulation.

Section 14. Transport Information

UN No., UN CLASS

UN Number or ID Number : Not applicable

UN Proper Shipping Name : Not applicable

Class or division (Transport hazard class) : Not applicable

Packing group : Not applicable

IMDG Code (International Maritime Dangerous Goods Regulations)

UN Number or ID Number : Not applicable

UN Proper Shipping Name : Not applicable

Ethylenediaminetetraacetic acid,
JUNSEI CHEMICAL CO., LTD.,17385jis_E-3,13/Jun/2023

Class or division (Transport hazard class) : Not applicable

Packing group : Not applicable

IATA (Dangerous Goods Regulations)

UN Number or ID Number : Not applicable

UN Proper Shipping Name : Not applicable

Class or division (Transport hazard class) : Not applicable

Packing group : Not applicable

Environmental hazards

Marine pollutants (yes/no) : no

MARPOL Annex V – HME (Harmful to the Marine Environment)

Specific target organ toxicity – repeated exposure: cat.1

Ethylenediaminetetraacetic acid

Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Toxic Substances Control Act (TSCA) Inventory

Chemicals listed in TSCA Inventory

60-00-4

All components are listed or exempted.

Other regulatory information

We are not able to check up the regulatory information with regard to the substances in your country or region, therefore, we request this matter would be filled by your responsibility.

Regulatory information with regard to this substance in your country or in your region should be examined by your own responsibility.

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

Regulatory information in this section are limited to intentional ingredient(s), but does not contain information on non-intentional ingredients or impurities which are not informed by supplier(s).

Chemical safety assessment

Advice on safe handling for this product can be found in sections 7 and 8 of this SDS.

Section 16. Other information

GHS classification and labelling

H320–Serious eye damage/eye irritation, Category 2B: H320 Causes eye irritation

H361–Reproductive toxicity, Category 2: H361 Suspected of damaging fertility or the unborn child

H372–STOT – Repeated exposure, Category 1: H372 Causes damage to organs through prolonged or repeated exposure

H402–Hazardous to the aquatic environment, short-term (acute), Category 3: H402 Harmful to aquatic life

H412–Hazardous to the aquatic environment, long-term (chronic), Category 3: H412 Harmful to aquatic life with long lasting effects

References and sources for data

Globally Harmonized System of classification and labelling of chemicals, UN

Recommendations on the TRANSPORT OF DANGEROUS GOODS 22nd edit., 2021 UN

IMDG Code, 2020 Edition (Incorporating Amendment 40-20)

IATA Dangerous Goods Regulations (64th Edition) 2023

2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT)

2022 TLVs and BEIs. (ACGIH)

JIS Z 7252 : 2019

JIS Z 7253 : 2019

2022 Recommendation on TLVs (JSOH)

Notification No. 0111-1 (January 11, 2022), Chemical Hazards Control Division, Industrial Safety and Health Department, Labour Standards Bureau, MHLW in Japan

Ethylenediaminetetraacetic acid,
JUNSEI CHEMICAL CO., LTD.,17385jis_E-3,13/Jun/2023

Supplier's data/information

Chemicals safety data management system "GHS Assistant" Version 4.22 (<https://www.asahi-ghs.com/>)

NITE Chemical Risk Information Platform "NITE-CHRIP"

(https://www.nite.go.jp/en/chem/chrip/chrip_search/systemTop)

GHS Classification Guidance for Enterprises 2019 Revised Edition (Ver. 2.0) (Mar. 2020, METI)

Abbreviations and acronyms

SDS (Safety Data Sheet)

LD50 (Lethal Dose, 50%)

LC50 (Lethal Concentration, 50%)

IARC (International Agency for Research on Cancer)

ACGIH (American Conference of Governmental Industrial Hygienists)

EPA (US Environmental Protection Agency)

NTP (US National Toxicology Program)

JSOH (Japan Society for Occupational Health)

EU (European Union)

EC50 (Effective Concentration, 50%)

NOEC (No Observed Effect Concentration)

BOD (Biochemical Oxygen Demand)

COD (Chemical Oxygen Demand)

BCF (Bioconcentration Factor)

anh (anhydride)

General Disclaimer

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data (NITE published in 2021).