

Benzalkonium chloride solution 50%,

JUNSEI CHEMICAL CO., LTD., 19232jis_J_E1-4, 13/Jun/2025

Date of issue for the 1st edition : 31/Oct/2013

Date of revision : 13/Jun/2025

Safety Data Sheet

Section 1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: Benzalkonium chloride solution 50%

Reference number(SDS): 19232jis_J_E1-4

Product type:

Reagent

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the product: Research and Development

Uses advised against: Do not use for other purposes.

Details of the supplier of the safety data sheet

Manufacturer/Supplier: JUNSEI CHEMICAL CO., LTD.

Address: 1-6, Ohmano-cho, Koshigaya-shi, Saitama 343-0844, Japan

Division: Quality Assurance Department

Telephone number: +81-48-986-6161

FAX: +81-48-989-2787

e-mail address: shiyaku-t@junsei.co.jp

Section 2. Hazards identification

GHS classification and label elements of the product

Classification of the substance or mixture

HEALTH HAZARDS

Acute toxicity (Oral): Category 3

Acute toxicity (Dermal): Category 3

Acute toxicity (Inhalation): Category 2

Skin corrosion/irritation: Category 1

Serious eye damage/eye irritation: Category 1

Respiratory sensitization: Category 1

Skin sensitization: Category 1

Specific target organ toxicity – single exposure: Category 2 (respiratory organs)

Aspiration hazard: Category 1

ENVIRONMENT HAZARDS

Hazardous to the aquatic environment, short-term (acute): Category 1

Hazardous to the aquatic environment, long-term (chronic): Category 1

(Note) GHS classification without description: Not classified/Classification not possible

Label elements



Signal word: Danger

HAZARD STATEMENT

H301-Toxic if swallowed

H311-Toxic in contact with skin

H330-Fatal if inhaled

H314-Causes severe skin burns and eye damage

H318-Causes serious eye damage

H334-May cause allergy or asthma symptoms or breathing difficulties if inhaled

H317-May cause an allergic skin reaction

Benzalkonium chloride solution 50%,

JUNSEI CHEMICAL CO., LTD., 19232jis_J_E1-4,13/Jun/2025

H371-May cause damage to organs

H304-May be fatal if swallowed and enters airways

H400-Very toxic to aquatic life

H410-Very toxic to aquatic life with long lasting effects

PRECAUTIONARY STATEMENT

Prevention

Avoid release to the environment.

Do not breathe dust/mist.

In case of inadequate ventilation wear respiratory protection.

Use only outdoors or in a well-ventilated area.

Wash contaminated parts thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

Do not eat, drink or smoke when using this product.

Response

Collect spillage.

Immediately call a POISON CENTER/doctor/physician.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF exposed or concerned: Call a POISON CENTER/doctor/physician.

If experiencing respiratory symptoms: Call a POISON CENTER/doctor/physician.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF ON SKIN: Wash with plenty of soap and water.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

If skin irritation or rash occurs: Get medical advice/attention.

Take off immediately all contaminated clothing and wash it before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF SWALLOWED: Immediately call a POISON CENTER/doctor/physician.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Storage

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Disposal

Dispose of contents/container in accordance with local/national regulation.

Section 3. Composition/information on ingredients

Mixture/Substance selection:

Mixture

Common name, synonyms: Alkyldimethylbenzylammonium chloride solution, 50%

Ingredient name: Benzalkonium chloride

Content (%): (as C₂₂H₄₀ClN) 50.0 ~ 55.0

Chemical formula: C₆H₅CH₂N(CH₃)₂RCl R = C₈H₁₇ ~ C₁₈H₃₇

ENCS: 3-326

CAS No.: 8001-54-5

Ingredient name: Water

Content (%): Residual quantity of the ingredient mentioned above.

Chemical formula: H₂O

ENCS: Existing Chemical Substances under CSCL

CAS No.: 7732-18-5

MW: 18.02

EC No.: 231-791-2

Note : The figures shown above are not the specifications of the product.

Section 4. First-aid measures

Descriptions of first-aid measures

General measures

- Immediately call a POISON CENTER/doctor/physician.
- Keep victim warm and quiet.
- Call emergency medical service.
- Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.
- Effects of exposure (inhalation, ingestion or skin contact) to substance may be delayed.

IF INHALED

- Remove person to fresh air and keep comfortable for breathing.
- Give artificial respiration if victim is not breathing.
- Administer oxygen if breathing is difficult.
- Immediately call a POISON CENTER/doctor/physician.
- IF INHALED: Call a POISON CENTER/doctor/physician if you feel unwell.

IF ON SKIN (or hair)

- Take off immediately all contaminated clothing. Rinse skin with water or shower.
- Wash with plenty of soap and water.
- Immediately call a POISON CENTER/doctor/physician.
- If skin irritation or rash occurs: Get medical advice/attention.
- Remove and isolate contaminated clothing and shoes.
- For minor skin contact, avoid spreading material on unaffected skin.

IF IN EYES

- Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- Immediately call a POISON CENTER/doctor/physician.
- If eye irritation persists: Get medical advice/attention.

IF SWALLOWED

- Rinse mouth. Do NOT induce vomiting.
- Immediately call a POISON CENTER/doctor/physician.
- IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.

Most important symptoms and effects, both acute and delayed

- Specific information on symptom and effect are unknown.

Indication of any immediate medical attention and special treatment needed

- Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.
- Specific treatment is urgent.

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

- Use appropriate extinguishing media suitable for surrounding facilities.
- The product is non-flammable.

Unsuitable extinguishing media

- Unsuitable extinguishing media data is not available.

Specific hazards arising from the substance or mixture

- Containers may explode when heated.
- Fire may produce irritating, corrosive and/or toxic gases.
- Runoff from fire control or dilution water may cause pollution.

Benzalkonium chloride solution 50%,
JUNSEI CHEMICAL CO., LTD., 19232jis_J_E1-4,13/Jun/2025

Advice for firefighters

Specific fire-fighting measures

Evacuate non-essential personnel to safe area.

Special protective equipment and precautions for fire-fighters

Wear fire resistant or flame retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with a full facepiece operated in the positive pressure mode.

Section 6. Accidental release measures

Personnel precautions, protective equipment and emergency procedures

Keep unauthorized personnel away.

In case of contact with substance, immediately flush skin or eyes with running water for at least 20 minutes.

Ventilate area until material pick up is complete.

Wear proper protective equipment.

PUBLIC SAFETY: Ventilate closed spaces before entering.

Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

EVACUATION : Spill: See the Table of Initial Isolation and Protective Action Distances for highlighted substances. For non-highlighted substances, increase, in the downwind direction, as necessary, the isolation distance shown under "PUBLIC SAFETY".

Environmental precautions

Avoid release to headsprings, rivers, lakes, ocean and groundwater.

Methods and materials for containment and cleaning up

Absorb spill with inert material (dry sand, earth, et al), then place in a chemical waste container.

Preventive measures for secondary accident

Collect spillage.

Stop leak if you can do it without risk.

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

Prevent entry into waterways, sewers, basements or confined areas.

Do not get water inside containers.

Keep out of low areas.

Section 7. Handling and storage

Precautions for safe handling

Preventive measures

(Exposure Control for handling personnel)

Do not breathe dust/mist.

(Protective measures against fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

(Exhaust/ventilator)

Exhaust/ventilator should be available.

(Safety treatments)

Avoid contact with skin.

Avoid contact with eyes.

Safety Measures

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Use personal protective equipment as required.

When using do not eat, drink or smoke.

Benzalkonium chloride solution 50%,

JUNSEI CHEMICAL CO., LTD., 19232jis_J_E1-4,13/Jun/2025

Any incompatibilities

Strong oxidizing agents should not be mixed with the chemicals.

Advice on general occupational hygiene

Wash contaminated parts thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing should not be allowed out of the workplace.

Take off immediately all contaminated clothing and wash it before reuse.

Storage

Conditions for safe storage

Store in a well-ventilated place. Keep container tightly closed.

Keep cool. Protect from sunlight.

Store in accordance with local/national regulation.

Store locked up.

Container and packaging materials for safe handling data is not available.

Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See

Section 8 for exposure controls and personal protection recommendations.

Section 8. Exposure controls/personal protection

Control parameters

Control value and Concentration standard value under ISHA

Not established

Occupational Exposure Limit

JSOH

Not established

ACGIH

Not established

Exposure controls

Appropriate engineering controls

Do not use in areas without adequate ventilation.

Eye wash station should be available.

Washing facilities should be available.

Individual protection measures

Respiratory protection

Select and wear respiratory protection in accordance with approved standards (e.g. JIS T8150).

Hand protection

Wear protective gloves. Recommended material(s): neoprene, nitrile, butyl rubber, viton, PVC, impermeable or chemical resistant rubber

Inspect before use and replace worn or damaged gloves.

Contact the glove manufacturer for specific advice on glove selection and breakthrough times for your use conditions.

Chemical-resistant, impervious gloves complying with an approved standard (e.g. JIS T8116) should be used.

Eye protection

Wear chemical safety goggle.

Wear eye/face protection in accordance with approved standards (e.g. JIS T8147).

Skin and body protection

Wear impervious clothing and boots in case of repeated or prolonged treatment.

Personal protective equipment for the body and skin should be selected based on the task being performed and the risks involved.

Section 9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state: Liquid~Viscous liquid.

Color: Colorless~Pale yellow

Odor data is not available.

Odor threshold data is not available.

Melting point/Freezing point data is not available.

Boiling point or initial boiling point data is not available.

Boiling range data is not available.

Flammability (gases, liquids and solids): Non-flammable

Lower and upper explosion limit/flammability limit data is not available.

Flash point: Non-flammable

Auto-ignition temperature data is not available.

Decomposition temperature data is not available.

pH data is not available.

Kinematic viscosity data is not available.

Solubility:

Solubility in water: Soluble

Solubility in solvent: Soluble in ethanol; practically insoluble in diethyl ether.

n-Octanol/water partition coefficient data is not available.

Vapor pressure data is not available.

Density and/or relative density data is not available.

Relative vapor density (Air=1) data is not available.

Particle characteristics data is not available.

Section 10. Stability and Reactivity

Reactivity

Reactivity data is not available.

Chemical stability

Stable under normal storage/handling conditions.

Possibility of hazardous reactions

Possibility of hazardous reactions data is not available.

Conditions to avoid

Contact with incompatible materials.

Heating.

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Carbon oxides, Nitrogen oxides, Hydrogen chloride.

Section 11. Toxicological Information

The product has not been subjected to toxicological testing. Refer to the available data on the constituents.

Information on toxicological effects

Acute toxicity

Acute toxicity (Oral)

[Product]

Category 3, Toxic if swallowed

Benzalkonium chloride solution 50%,
JUNSEI CHEMICAL CO., LTD., 19232jis_J_E1-4,13/Jun/2025
[Data for components of the product]

[NITE-CHRIP]

(Benzalkonium chloride)

rat LD50: 240 mg/kg (source: NITE)

Acute toxicity (Dermal)

[Product]

Category 3, Toxic in contact with skin

[Data for components of the product]

[NITE-CHRIP]

(Benzalkonium chloride)

rat LD50: 930 mg/kg (test substance: 82.26% Formulation)

(a converted value equivalent to 100%: 765 mg/kg) (source: NITE)

Acute toxicity (Inhalation)

[Product]

Category 2, Fatal if inhaled

[Data for components of the product]

[NITE-CHRIP]

(Benzalkonium chloride)

aerosol: rat LC50: 0.053 mg/L (4-hour) (source: NITE)

Irritant properties

Skin corrosion/irritation

[Product]

Category 1, Causes severe skin burns and eye damage

[Data for components of the product]

[NITE-CHRIP]

(Benzalkonium chloride)

Category 1 (source: NITE)

Serious eye damage/irritation

[Product]

Category 1, Causes serious eye damage

[Data for components of the product]

[NITE-CHRIP]

(Benzalkonium chloride)

Category 1 (source: NITE)

Sensitization

Respiratory sensitization

[Product]

Category 1, May cause allergy or asthma symptoms or breathing difficulties if inhaled

[Data for components of the product]

[NITE-CHRIP]

(Benzalkonium chloride)

Category 1 (source: NITE)

Skin sensitization

[Product]

Category 1, May cause an allergic skin reaction

[Data for components of the product]

[NITE-CHRIP]

(Benzalkonium chloride)

Category 1 (source: NITE)

Germ cell mutagenicity

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Benzalkonium chloride solution 50%,
JUNSEI CHEMICAL CO., LTD., 19232jis_J_E1-4,13/Jun/2025

Carcinogenicity

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Reproductive toxicity

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Specific target organ toxicity (STOT)

STOT-single exposure

[Product]

Category 2, May cause damage to organs

[Data for components of the product]

[NITE-CHRIP]

(Benzalkonium chloride)

Category 2 (respiratory system) (source: NITE)

STOT-repeated exposure

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Aspiration hazard

[Product]

Category 1, May be fatal if swallowed and enters airways

[Data for components of the product]

[NITE-CHRIP]

(Benzalkonium chloride)

Category 1 (source: NITE)

Section 12. Ecological Information

The product has not been subjected to ecotoxicological testing. Refer to the available data on the constituents.

Ecotoxicity

Aquatic toxicity

[Product]

Category 1, Very toxic to aquatic life

Category 1, Very toxic to aquatic life with long lasting effects

[Data for components of the product]

Hazardous to the aquatic environment, short-term (acute)

[NITE-CHRIP]

(Benzalkonium chloride)

Crustacea (Daphnia magna) 24-hour EC50: 0.036 mg/L (converted value 0.018 mg/L (purity 50%))

(source: NITE)

Persistence and degradability

[Data for components of the product]

(Benzalkonium chloride)

Not rapidly degradable (BIOWIN) (source: NITE)

Bioaccumulative potential

Bioaccumulative potential data is not available.

Mobility in soil

Mobility in soil data is not available.

Benzalkonium chloride solution 50%,

JUNSEI CHEMICAL CO., LTD., 19232jis_J_E1-4,13/Jun/2025

Other adverse effects

Ozone depleting chemical data is not available.

Section 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Waste treatment methods

Avoid release to the environment.

Dispose of contents/container in accordance with local/national regulation.

Section 14. Transport Information

UN No., UN CLASS

UN Number or ID Number : 2927

UN Proper Shipping Name : TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S.

Class or division (Transport hazard class) : 6.1

Subsidiary hazard(s) : 8

Packing group : II

ERG GUIDE No.: 154

Special provisions No.: 274

IMDG Code (International Maritime Dangerous Goods Regulations)

UN Number or ID Number : 2927

UN Proper Shipping Name : TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S.

Class or division (Transport hazard class) : 6.1

Subsidiary hazard(s) : 8

Packing group : II

Special provisions No.: 274

IATA (Dangerous Goods Regulations)

UN Number or ID Number : 2927

UN Proper Shipping Name : TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S.

Class or division (Transport hazard class) : 6.1

Subsidiary hazard(s) : 8

Hazard labels : Toxic & Corrosive

Packing group : II

Special provisions No.: A4; A137

Environmental hazards

Marine pollutants (yes/no) : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Non Noxious Liquid Substances ; Cat. OS

Water

MARPOL Annex V – HME (Harmful to the Marine Environment)

Hazardous to the aquatic environment – short-term (acute): cat.1

Benzalkonium chloride

Hazardous to the aquatic environment – long-term (chronic): cat.1, 2

Benzalkonium chloride

Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Toxic Substances Control Act (TSCA) Inventory

Chemicals listed in TSCA Inventory

7732-18-5

All components are listed or exempted.

Benzalkonium chloride solution 50%,
JUNSEI CHEMICAL CO., LTD., 19232jis_J_E1-4,13/Jun/2025

Other regulatory information

We are not able to check up the regulatory information with regard to the substances in your country or region, therefore, we request this matter would be filled by your responsibility.

Regulatory information with regard to this substance in your country or in your region should be examined by your own responsibility.

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

Regulatory information in this section are limited to intentional ingredient(s), but does not contain information on non-intentional ingredients or impurities which are not informed by supplier(s).

Chemical safety assessment

Advice on safe handling for this product can be found in sections 7 and 8 of this SDS.

Section 16. Other information

GHS classification and labelling

H301-Acute toxicity, Category 3: H301 Toxic if swallowed

H311-Acute toxicity, Category 3: H311 Toxic in contact with skin

H330-Acute toxicity, Category 2: H330 Fatal if inhaled

H314-Skin corrosion/irritation, Category 1: H314 Causes severe skin burns and eye damage

H318-Serious eye damage/eye irritation, Category 1: H318 Causes serious eye damage

H334-Respiratory sensitization, Category 1: H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled

H317-Skin sensitization, Category 1: H317 May cause an allergic skin reaction

H371-STOT - single exposure, Category 2: H371 May cause damage to organs

H304-Aspiration hazard, Category 1: H304 May be fatal if swallowed and enters airways

H400-Hazardous to the aquatic environment, short-term (acute), Category 1: H400 Very toxic to aquatic life

H410-Hazardous to the aquatic environment, long-term (chronic), Category 1: H410 Very toxic to aquatic life with long lasting effects

References and sources for data

Globally Harmonized System of classification and labelling of chemicals, UN

Recommendations on the TRANSPORT OF DANGEROUS GOODS 23rd edit., 2023 UN

IMDG Code, 2024 Edition (Incorporating Amendment 42-24)

IATA Dangerous Goods Regulations (66th Edition) 2025

2024 EMERGENCY RESPONSE GUIDEBOOK (US DOT)

2025 TLVs and BEIs. (ACGIH)

JIS Z 7252 : 2019

JIS Z 7253 : 2019

2024 Recommendation on TLVs (JSOH)

Notification No. 0111-1 (January 11, 2022), Chemical Hazards Control Division, Industrial

Safety and Health Department, Labour Standards Bureau, MHLW in Japan

Supplier's data/information

Chemicals safety data management system "GHS Assistant" Version 4.33 (<https://www.asahi-ghs.com/>)

NITE Chemical Risk Information Platform "NITE-CHRIIP"

(https://www.chem-info.nite.go.jp/chem/chrip/chrip_search/systemTop)

GHS Classification Guidance for Enterprises 2019 Revised Edition (Ver. 2.1) (May. 2024, METI)

Abbreviations and acronyms

SDS (Safety Data Sheet)

LD50 (Lethal Dose, 50%)

LC50 (Lethal Concentration, 50%)

IARC (International Agency for Research on Cancer)

ACGIH (American Conference of Governmental Industrial Hygienists)

Benzalkonium chloride solution 50%,

JUNSEI CHEMICAL CO., LTD., 19232jis_J_E1-4,13/Jun/2025

EPA (US Environmental Protection Agency)

NTP (US National Toxicology Program)

METI (Ministry of Economy, Trade and Industry in Japan)

MHLW (Ministry of Health, Labour and Welfare in Japan)

MOE (Ministry of the Environment in Japan)

JSOH (Japan Society for Occupational Health)

ISHA (Industrial Safety and Health Act in Japan)

CSCL (Chemical Substances Control Law in Japan)

EU (European Union)

EC50 (Effective Concentration, 50%)

NOEC (No Observed Effect Concentration)

BOD (Biochemical Oxygen Demand)

COD (Chemical Oxygen Demand)

BCF (Bioconcentration Factor)

anh (anhydride)

General Disclaimer

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Data published in Japan (National Institute of Technology and Evaluation (NITE) Chemical Risk Information Platform (NITE-CHRIP), up to FY2023).