

Safety Data Sheet

1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: Cobalt carbonate, basic

Product code(SDS NO): 19430jis_E-2

Details of the supplier of the safety data sheet

Manufacturer/Supplier: JUNSEI CHEMICAL CO., LTD.

Address: 1-6, Ohmano-Cho, Koshigaya, Saitama 343-0844, Japan

Division: Quality Assurance Department

Telephone number: +81-48-986-6161

FAX: +81-48-989-2787

e-mail address: shiyaku-t@junsei.co.jp

2. Hazards identification

GHS classification and label elements of the product

Classification of the substance or mixture

HEALTH HAZARDS

Acute toxicity Oral: Category 4

Respiratory sensitization: Category 1

Skin sensitization: Category 1

Germ cell mutagenicity: Category 2

Carcinogenicity: Category 1B

Reproductive toxicity: Category 1B

ENVIRONMENT HAZARDS

Hazardous to the aquatic environment – acute hazard: Category 1

Hazardous to the aquatic environment – long-term hazard: Category 1

(Note) GHS classification without description: Not applicable/Out of classification/Not classifiable

Label elements



Signal word: Danger

HAZARD STATEMENT

Harmful if swallowed

May cause allergy or asthma symptoms or breathing difficulties if inhaled

May cause an allergic skin reaction

Suspected of causing genetic defects

May cause cancer

May damage fertility or the unborn child

Very toxic to aquatic life

Very toxic to aquatic life with long lasting effects

PRECAUTIONARY STATEMENT

Prevention

Do not handle until all safety precautions have been read and understood.

Avoid release to the environment.

Avoid breathing dust/mist.

In case of inadequate ventilation wear respiratory protection. (as specified by the

Cobalt carbonate, basic, JUNSEI CHEMICAL CO., LTD., 19430jis_E-2, 17/05/2017

manufacturer/supplier or the competent authority.)

Wash contaminated parts thoroughly after handling.

Wear protective gloves.

Contaminated work clothing should not be allowed out of the workplace.

Use personal protective equipment as required.

Do not eat, drink or smoke when using this product.

Response

Collect spillage.

IF exposed or concerned: Get medical advice/attention.

If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

IF SWALLOWED: Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.

Storage

Store locked up.

Disposal

Dispose of contents/container in accordance with local/national regulation.

3. Composition/information on ingredients

Mixture/Substance selection:

Substance

Ingredient name: Cobalt carbonate, basic

Content(%):(as Co) 45-50

Chemical formula: approx. $2\text{CoCO}_3 \cdot 3\text{Co(OH)}_2$

Chemicals No, Japan: 1-126

CAS No.: 513-79-1

MW: approx. 516.73

ECNO: 208-169-4

4. First-aid measures

Descriptions of first-aid measures

General measures

IF exposed or concerned: Get medical attention/advice.

IF INHALED

Remove person to fresh air and keep comfortable for breathing.

If experiencing respiratory symptoms: Call a POISON CENTER or doctor/physician.

Call a POISON CENTER or doctor/physician if you feel unwell.

IF ON SKIN (or hair)

Take off immediately all contaminated clothing. Rinse skin with water/shower.

Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF SWALLOWED

Rinse mouth.

Call a POISON CENTER or doctor/physician if you feel unwell.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

Use appropriate extinguishing media suitable for surrounding facilities.

The product is non-flammable.

Specific hazards arising from the substance or mixture

Containers may explode when heated.

Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution.

Advice for firefighters

Specific fire-fighting measures

Evacuate non-essential personnel to safe area.

Special protective equipment and precautions for fire-fighters

Wear fire/flamm resistant/retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with full face piece operated positive pressure mode.

6. Accidental release measures

Personnel precautions, protective equipment and emergency procedures

Keep unauthorized personnel away.

In case of contact with substance, immediately flush skin or eyes with running water for at least 20 minutes.

Ventilate area after material pick up is complete.

Wear proper protective equipment.

Environmental precautions

Avoid release to the rivers, lakes, ocean and groundwater.

Methods and materials for containment and cleaning up

Sweep up, place in a bag and hold for waste disposal.

Preventive measures for secondary accident

Collect spillage.

Stop leak if you can do it without risk.

Prevent dust cloud.

7. Handling and storage

Precautions for safe handling

Preventive measures

(Exposure Control for handling personnel)

Avoid breathing dust/mist.

(Protective measures against fire & explosion)

Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

Exhaust/ventilator

Exhaust/ventilator should be available.

Safety treatments

Avoid contact with skin.

Avoid contact with eyes.

Avoid breathing dust or mist.

Safety Measures/Incompatibility

Do not handle until all safety precautions have been read and understood.

Wear protective gloves, protective clothing or face protection.

Wear protective gloves.

Use personal protective equipment as required.

When using do not eat, drink or smoke.

Conditions for safe storage, including any incompatibilities

Recommendation for storage

Store in a well-ventilated place. Keep container tightly closed.

Keep cool. Protect from sunlight.

Store locked up.

8. Exposure controls/personal protection

Control parameters

Control value

Japan control value (2012) $\leq 0.02 \text{ mg-Co/m}^3$

Adopted value

JSOH(1992) 0.05 mg-Co/m^3

ACGIH(1993) TWA: $0.02 \text{ mg-inorganic Co/m}^3$ (Asthema; pulm func; myocardial eff)

Exposure controls

Appropriate engineering controls

Do not use in areas without adequate ventilation.

Eye wash station should be available.

Washing facilities should be available.

Individual protection measures

Respiratory protection

Wear respiratory protection.

Hand protection

Wear protective gloves.

Consult with your glove and/or personnel equipment manufacturer for selection of appropriate compatible materials.

Eye protection

Wear safety glasses with side-shields.

Wear eye/face protection.

Safety and Health measures

Wash ... thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash it before reuse.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical properties

Appearance: Crystals or crystalline powder

Color: Pale red

Odor: None

pH data N.A.

Phase change temperature

Initial Boiling Point/Boiling point data N.A.

Melting point/Freezing point: 280°C

Decomposition temperature: 280°C

Flash point data N.A.

Auto-ignition temperature data N.A.

Explosive properties data N.A.

Vapor pressure data N.A.

Vapor density data N.A.

Specific gravity/Density: $4.13 \text{ g/cm}^3(20)$

Solubility

Solubility in water: Practically insoluble

n-Octanol /water partition coefficient data N.A.

10. Stability and Reactivity

Reactivity

Runaway polymerization will not occur.

Chemical stability

Stable under normal storage/handling conditions.

Conditions to avoid

Contact with incompatible materials.

Heat.

Incompatible materials

Strong acids, Oxidizing agents

Hazardous decomposition products

Carbon oxides, Cobalt oxides.

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Acute toxicity (Oral), Product

rat LD50 = 640 mg/kg (HSDB)

Labor standard law, Japan; Toxic

Cobalt carbonate, basic

No Irritant properties data available

Sensitization

MOHL_J Notice

Cobalt carbonate, basic

Respiratory sensitization

[GHS Cat. Japan, base data]

JSOH-1: substances which induce allergic reactions in humans

Skin sensitization

[GHS Cat. Japan, base data]

JSOH-1: substances which induce allergic reactions in humans

No Mutagenic effects data available

Carcinogenicity

[GHS Cat. Japan, base data]

cat. 1B; EU-Category 1B

EU-REACH SVHC (15/12/2010)

※Reason for inclusion : Carcinogenic, Toxic for reproduction

IARC-Gr.2B : Possibly carcinogenic to humans

ACGIH-A3(1993) : Confirmed Animal Carcinogen with Unknown Relevance to Humans

JSOH-2B: Insufficient Evidence of Carcinogenicity for Humans

EU-Category 1B; Substances presumed to have carcinogenic potential for humans

NTP-Reasonably Anticipated To Be Human Carcinogen

Reproductive toxicity

[GHS Cat. Japan, base data]

cat. 1B; EU-REACH SVHC (15/12/2010)

※Reason for inclusion : Carcinogenic, Toxic for reproduction

No STOT-single/repeated exposure data available

No Aspiration hazard data available

12. Ecological Information

Toxicity

Aquatic toxicity

Very toxic to aquatic life

Very toxic to aquatic life with long lasting effects

Aquatic acute toxicity component(s) data

[GHS Cat. Japan, base data]

Aquatic plants (*Spirodela polyrhiza*) EC50=136µg-Co/L/96hr(EPA_ JP risk assessment vol.11, 2013)

Aquatic chronic toxicity component(s) data

[GHS Cat. Japan, base data]

Algae (*Chlorella pyrenoidosa*) NOEC=38µg-Co/L/96hr(EPA_ JP risk assessment vol.11, 2013)

Water solubility

Practically insoluble. (HSDB)

No Persistence and degradability data available

No Bioaccumulative potential data available

13. Disposal considerations

Waste treatment methods

Avoid release to the environment (– if this is not the intended use).

Dispose of contents/container in accordance with local/national regulation.

14. Transport Information

UN No, UN CLASS

UN number: 3077

UN proper shipping name: ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Transport hazard class(es): 9

Packing group: III

ERG GUIDE NO.: 171

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

US major regulations

TSCA

Cobalt carbonate, basic

Other regulatory information

We are not able to check up the regulatory information in regard to the substances in your country or region, therefore, we request this matter would be filled by your responsibility.

Regulatory information with regard to this substance in your country or in your region should be examined by your own responsibility.

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

16. Other information

GHS classification and labelling

Acute Tox. 4: H302 Harmful if swallowed

Resp. Sens. 1: H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled

Skin Sens. 1: H317 May cause an allergic skin reaction

Muta. 2: H341 Suspected of causing genetic defects

Cobalt carbonate, basic, JUNSEI CHEMICAL CO., LTD., 19430jis_E-2, 17/05/2017

Carc. 1B: H350 May cause cancer

Repr. 1B: H360 May damage fertility or the unborn child

Aquatic Acute 1: H400 Very toxic to aquatic life

Aquatic Chronic 1: H410 Very toxic to aquatic life with long lasting effects

Reference Book

Globally Harmonized System of classification and labelling of chemicals, (5th ed., 2013), UN

Recommendations on the TRANSPORT OF DANGEROUS GOODS 19th edit., 2015 UN

Classification, labelling and packaging of substances and mixtures (table 3-1 ECNO 6182012)

2012 EMERGENCY RESPONSE GUIDEBOOK (US DOT)

2017 TLVs and BEIs. (ACGIH)

<http://monographs.iarc.fr/ENG/Classification/index.php>

Supplier's data/information

Chemical Risk Information Platform (CHRIP) (NITE) <http://www.safe.nite.go.jp/japan/db.html>

GHS Classification Guidance for Enterprises 2013 Revised Edition (August, 2013, METI)

General Disclaimer

This information contained in this data sheet represents the best information currently available to us. However, no warranty is made with respect to its completeness and we assume no liability resulting from its use. It is advised to make their own tests to determine the safety and suitability of each such product or combination for their own purposes.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data (NITE published in 2015).