

Safety Data Sheet

1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: Silicon, powder

Product code(SDS NO): 29085jis_J_E1-1

Details of the supplier of the safety data sheet

Manufacturer/Supplier: JUNSEI CHEMICAL CO., LTD.

Address: 1-6, Ohmano-Cho, Koshigaya, Saitama 343-0844, Japan

Competent section: Quality Assurance Department

Telephone number: +81-48-986-6161

FAX: +81-48-989-2787

e-mail address: shiyaku-t@junsei.co.jp

2. Hazards identification

GHS classification and label elements of the product

Classification of the substance or mixture

PHYSICAL HAZARDS

Flammable solids: Category 2

HEALTH HAZARDS

Serious eye damage/eye irritation: Category 2B

(Note) GHS classification without description: Not applicable/Out of classification/Not classifiable

Label elements



Signal word: Warning

HAZARD STATEMENT

Flammable solid

Causes eye irritation

PRECAUTIONARY STATEMENT

Prevention

Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Wash contaminated parts thoroughly after handling.

Wear protective gloves and face protection.

Response

In case of fire: Use appropriate media other than water for extinction.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Physical and Chemical hazards

Flammable solid. Vapor/air mixture may explode.

3. Composition/information on ingredients

Substance/Mixture:

Substance

Ingredient name: Silicon

Content(%): 98.0 <

Chemical formula: Si

Chemicals No, Japan: -

CAS No.: 7440-21-3

MW: 28.0855 (A.W.)

ECNO: 231-130-8

4. First-aid measures

Descriptions of first-aid measures

IF INHALED

Remove person to fresh air and keep comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell.

IF ON SKIN (or hair)

Take off immediately all contaminated clothing. Rinse skin with water/shower.

If skin irritation or rash occurs: Get medical advice/attention.

IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF SWALLOWED

Rinse mouth.

Call a POISON CENTER or doctor/physician if you feel unwell.

5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

In case of fire, use dry powder, dry sand.

Unsuitable extinguishing media

Never use water.

Specific hazards arising from the substance or mixture

Containers may explode when heated.

Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution.

Advice for firefighters

Specific fire-fighting measures

Evacuate non-essential personnel to safe area.

Special protective equipment and precautions for fire-fighters

Wear fire/ flame resistant/retardant clothing.

Wear cold insulating gloves/face shield/eye protection.

Firefighters should wear self-contained breathing apparatus with full face piece operated positive pressure mode.

6. Accidental release measures

Personnel precautions, protective equipment and emergency procedures

Ventilate area after material pick up is complete.

Wear proper protective equipment.

Environmental precautions

Avoid release to the rivers, lakes, ocean, groundwater.

Methods and materials for containment and cleaning up

Sweep up, place in a bag and hold for waste disposal.

Preventive measures for secondary accident

Collect spillage.

7. Handling and storage

Precautions for safe handling

Preventive measures

(Protective measures against fire & explosion)

Keep away from heat/sparks/open flames/hot surfaces. – No smoking.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Exhaust/ventilator

Exhaust/ventilator should be available.

Safety treatments

Avoid contact with skin.

Avoid contact with eyes.

Avoid breathing dust, vapor, mist, or gas.

Safety Measures/Incompatibility

Wear protective gloves, protective clothing or face protection.

Wear protective gloves and face protection.

Use personal protective equipment as required.

When using do not eat, drink or smoke.

Conditions for safe storage, including any incompatibilities

Recommendation for storage

Store in a well-ventilated place. Keep container tightly closed.

Keep cool. Protect from sunlight.

8. Exposure controls/personal protection

Control parameters

Adopted value

ACGIH(1997) TWA: 10mg/m³

OSHA-PEL

TWA 5mg/m³(resp); 15mg/m³(total)

Exposure controls

Appropriate engineering controls

Do not use in areas without adequate ventilation.

Eye wash station should be available.

Washing facilities should be available.

Individual protection measures

Respiratory protection

Wear positive pressure self-contained breathing apparatus (SCBA).

Hand protection

Wear protective gloves.

Eye protection

Wear eye/face protection.

Safety and Health measures

Wash ... thoroughly after handling.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical properties

Appearance: POWDER

Color: BLACK ~ BROWN

Odor data N.A.

pH data N.A.

Phase change temperature

Initial Boiling Point/Boiling point: 2355°C

Melting point/Freezing point: 1410°C

Decomposition temperature data N.A.

Flash point data N.A.

Auto-ignition temperature data N.A.

Explosive properties data N.A.

Vapor pressure data N.A.

Vapor density data N.A.

Specific gravity/Density: 2.33g/cm³

Solubility

Solubility in water: none

n-Octanol /water partition coefficient data N.A.

10. Stability and Reactivity

Reactivity

Runaway polymerization will not occur.

Chemical stability

Stable under normal storage/handling conditions.

Possibility of hazardous reactions

May form explosive dust-air mixtures.

If dry, it can be charged electrostatically by swirling, pneumatic transport, pouring, etc.

Risk of fire and explosion on contact with halogens or oxidizing agents.

Reacts violently with oxidants, halogens, metal carbonates and metal acetylides. This generates fire hazard.

Reacts violently with metal hexafluorides. This generates fire and explosion hazard.

Reacts on heating with water. This produces flammable/explosive gas.

Conditions to avoid

Contact with incompatible materials.

Open flames. Heat.

Incompatible materials

Oxidizing agents, Halogens, Metals.

Hazardous decomposition products

Hydrogen

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Acute toxicity (Oral)

[GHS Cat. Japan, base data]

rat LD50=3160 mg/kg (IUCLID, 2000)

Irritant properties

Serious eye damage /irritation

[GHS Cat. Japan, base data]

rabbit: slightly irritating (IUCLID, 2000)

No Allergenic and sensitizing effects data available

No Mutagenic effects data available

No Teratogenic effects data available

No Carcinogenic effects data available
No reproductive toxicity data available
No STOT-single/repeated exposure data available
No Aspiration hazard data available

12. Ecological Information

Toxicity
No Aquatic toxicity data available
No Persistence and degradability data available
No Bioaccumulative potential data available

13. Disposal considerations

Waste treatment methods
Dispose of contents/container in accordance with local/national regulation.

14. Transport Information

UN No, UN CLASS
UN number: 1346
UN proper shipping name: SILICON POWDER, AMORPHOUS
Transport hazard class(es): 4.1
Packing group: III
ERG GUIDE NO.: 170

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture
US major regulations
TSCA
Silicon
Other regulatory information
We are not able to check up the regulatory information in regard to the substances in your country or region, therefore, we request this matter would be filled by your responsibility.
Regulatory information with regard to this substance in your country or in your region should be examined by your own responsibility.
Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

16. Other information

GHS classification and labelling
Flam. Sol. 2: H228 Flammable solid
Eye Irrit. 2B: H320 Causes eye irritation
Reference Book
Globally Harmonized System of classification and labelling of chemicals, (4th ed., 2011), UN
Recommendations on the TRANSPORT OF DANGEROUS GOODS 18th edit., 2013 UN
Classification, labelling and packaging of substances and mixtures (table 3-1 ECNO 6182012)
2012 EMERGENCY RESPONSE GUIDEBOOK (US DOT)
2014 TLVs and BEIs. (ACGIH)
<http://monographs.iarc.fr/ENG/Classification/index.php>
Supplier's data/information
Chemical Risk Information Platform (CHRIP)(NITE) <http://www.safe.nite.go.jp/japan/db.html>

Silicon, powder, JUNSEI CHEMICAL CO., LTD., 29085jis_J_E1-1, 23/03/2015

GHS Classification Guidance for Enterprises 2013 Revised Edition (August, 2013, METI)

Other information

This information contained in this data sheet represents the best information currently available to us. However, no warranty is made with respect to its completeness and we assume no liability resulting from its use. It is advised to make their own tests to determine the safety and suitability of each such product or combination for their own purposes.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data.