

Safety Data Sheet

1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: Chromium(III) oxide

Reference number(SDS):32105jis_E-3

Product type:

Reagent

Details of the supplier of the safety data sheet

Manufacturer/Supplier: JUNSEI CHEMICAL CO., LTD.

Address: 1-6, Ohmano-cho, Koshigaya-shi, Saitama 343-0844, Japan

Division: Quality Assurance Department

Telephone number: +81-48-986-6161

FAX: +81-48-989-2787

e-mail address: shiyaku-t@junsei.co.jp

2. Hazards identification

GHS classification and label elements of the product

Classification of the substance or mixture

HEALTH HAZARDS

Respiratory sensitization: Category 1

Skin sensitization: Category 1

Specific target organ toxicity – repeated exposure: Category 1(respiratory system)

(Note) GHS classification without description: Not classified/Classification not possible

Label elements



Signal word: Danger

HAZARD STATEMENT

H334-May cause allergy or asthma symptoms or breathing difficulties if inhaled

H317-May cause an allergic skin reaction

H372-Causes damage to organs through prolonged or repeated exposure

PRECAUTIONARY STATEMENT

Prevention

Do not breathe dust/fume/gas/mist/vapors/spray.

Wear respiratory protection.

Wash contaminated parts thoroughly after handling.

Wear protective gloves.

Contaminated work clothing should not be allowed out of the workplace.

Do not eat, drink or smoke when using this product.

Response

Get medical advice/attention if you feel unwell.

If experiencing respiratory symptoms: Call a POISON CENTER/doctor/physician.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Disposal

Dispose of contents/container in accordance with local/national regulation.

3. Composition/information on ingredients**Mixture/Substance selection:****Substance**

Common name, synonyms: Chromic oxide

Ingredient name:Chromium(III) oxide

Content (%):99.0 <

Chemical formula:Cr₂O₃

Chemicals No, Japan:1-284

CAS No.:1308-38-9

MW:151.99

ECNO:215-160-9

4. First-aid measures**Descriptions of first-aid measures****General measures**

Get medical advice/attention if you feel unwell.

IF INHALED

Remove person to fresh air and keep comfortable for breathing.

If experiencing respiratory symptoms: Call a POISON CENTER/doctor/physician.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF ON SKIN (or hair)

Take off immediately all contaminated clothing. Rinse skin with water or shower.

Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF SWALLOWED

Rinse mouth.

Call a POISON CENTER/doctor/physician if you feel unwell.

Most important symptoms and effects, both acute and delayed

(Symptoms when inhalation or ingestion)

Cough

(Symptoms when skin and/or eye contact)

Conjunctival redness of the eyes

5. Fire-fighting measures**Extinguishing media****Suitable extinguishing media**

Use appropriate extinguishing media suitable for surrounding facilities.

The product is non-flammable.

Unsuitable extinguishing media

Unsuitable extinguishing media data is not available.

Specific hazards arising from the substance or mixture

Containers may explode when heated.

Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution.

Advice for firefighters**Specific fire-fighting measures**

Evacuate non-essential personnel to safe area.

Special protective equipment and precautions for fire-fighters

Wear fire resistant or flame retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with full face piece operated positive pressure mode.

6. Accidental release measures**Personnel precautions, protective equipment and emergency procedures**

Ventilate area until material pick up is complete.

Wear proper protective equipment.

Environmental precautions

Avoid release to headsprings, rivers, lakes, ocean and groundwater.

Methods and materials for containment and cleaning up

Sweep up, place in a bag and hold for waste disposal.

If appropriate, moisten first to prevent dusting.

Preventive measures for secondary accident

Collect spillage.

7. Handling and storage**Precautions for safe handling****Preventive measures**

(Exposure Control for handling personnel)

Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

(Exhaust/ventilator)

Exhaust/ventilator should be available.

(Safety treatments)

Avoid contact with skin.

Avoid contact with eyes.

Safety Measures

Wear protective gloves/protective clothing/eye protection/face protection.

Use personal protective equipment as required.

When using do not eat, drink or smoke.

Any incompatibilities

Strong oxidizing agents should not be mixed with the chemicals.

Advice on general occupational hygiene

Wash contaminated parts thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash it before reuse.

Storage**Conditions for safe storage**

Store in a well-ventilated place. Keep container tightly closed.

Keep cool. Protect from sunlight.

Store in accordance with local/national regulation.

Container and packaging materials for safe handling data is not available.

Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

8. Exposure controls/personal protection

Control parameters

Control value in MHLW is not available.

Adopted value

JSOH(1989) 0.5mg-Cr(III)/m³

ACGIH(2018) TWA: 0.003mg-Cr(III)/m³(I) (Resp tract irr; asthma)

Notation...DSEN; RSEN

Exposure controls

Appropriate engineering controls

Do not use in areas without adequate ventilation.

Eye wash station should be available.

Washing facilities should be available.

Individual protection measures

Respiratory protection

Wear respiratory protection.

Hand protection

Wear protective gloves.

Consult with your glove and/or personnel equipment manufacturer for selection of appropriate compatible materials.

Eye protection

Wear safety glasses with side-shields.

Wear eye/face protection.

Skin and body protection

Wear impervious clothing and boots in case of repeated or prolonged treatment.

9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state: Powder

Color: Light green~Dark green

Odor: None

Odor threshold data is not available.

Melting point/Freezing point: 2435°C

Boiling point or initial boiling point: 4000°C

Boiling range data is not available.

Flammability (gases, liquids and solids): Non-flammable

Lower and upper explosion limit/flammability limit data is not available.

Flash point: Non-flammable

Auto-ignition temperature data is not available.

Decomposition temperature data is not available.

Self-Accelerating Decomposition Temperature/SADT data is not available.

pH data is not available.

Dynamic viscosity data is not available.

Kinematic viscosity data is not available.

Solubility:

Solubility in water: Practically insoluble (Slightly soluble in acids, alkalies.)

Solubility in solvent: Practically insoluble in alcohol, acetone.

n-Octanol/water partition coefficient data is not available.

Vapor pressure data is not available.

Vapor density data is not available.

Density and/or relative density: 5.22g/cm³(20°C)

Relative vapor density (Air=1) data is not available.

Relative density of the Vapor/air – mixture at 20°C (Air = 1) data is not available.

Particle characteristics data is not available.

Other information

Critical temperature data is not available.

Evaporation rate data is not available.

VOC data is not available.

10. Stability and Reactivity

Reactivity

Runaway polymerization will not occur.

Chemical stability

Stable under normal storage/handling conditions.

Possibility of hazardous reactions

Possibility of hazardous reactions data is not available.

Conditions to avoid

Contact with incompatible materials.

Heat.

Incompatible materials

Strong oxidizing agents

Hazardous decomposition products

Chromium oxides

11. Toxicological Information

Information on toxicological effects

Acute toxicity

Acute toxicity (Oral)

[GHS Cat. Japan, base data]

rat LD50 >5000 mg/kg (CICAD 76, 2009)

Irritant properties

Skin corrosion/irritation

[GHS Cat. Japan, base data]

rabbit : No irritation (CICAD 76, 2009)

Serious eye damage/irritation

[GHS Cat. Japan, base data]

rabbit : No irritation (CICAD 76, 2009)

Sensitization

Respiratory sensitization

[GHS Cat. Japan, base data]

cat. 1; JSOH, 1989

Skin sensitization

[GHS Cat. Japan, base data]

cat. 1; JSOH, 1989

Mutagenic effects data is not available.

Carcinogenicity

[IARC]

Group 3 : Not classifiable as to its carcinogenicity to humans

[ACGIH]

A4(as Cr(III))(2018) : Not Classifiable as a Human Carcinogen

Reproductive toxicity data is not available.

STOT

STOT-single exposure data is not available.

STOT-repeated exposure

[cat.1]

[GHS Cat. Japan, base data]

respiratory system (MOE risk assessment vol.8, 2010; CICAD 76, 2009)

Aspiration hazard data is not available.

12. Ecological Information**Ecotoxicity**

Ecotoxicity data is not available.

Persistence and degradability

Persistence and degradability data is not available.

Bioaccumulative potential

Bioaccumulative potential data is not available.

Mobility in soil

Mobility in soil data is not available.

Other adverse effects

Ozone depleting chemical data is not available.

13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Waste treatment methods

Dispose of contents/container in accordance with local/national regulation.

14. Transport Information**UN No., UN CLASS**

UN No. or ID No.: Not applicable

UN Proper Shipping Name : Not applicable

Class or division (Transport hazard class) : Not applicable

Packing group : Not applicable

Not applicable to IMDG Code

Not applicable to IATA Dangerous Goods Regulations

Environmental hazards

MARPOL Annex III – Prevention of pollution by harmful substances

Marine pollutants (yes/no) : no

MARPOL Annex V – Prevention of pollution by garbage discharge

Specific target organ toxicity – repeated exposure: cat.1

Chromium(III) oxide

Maritime transport in bulk according to IMO instruments

Not applicable to Maritime transport in bulk according to IMO instruments

15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemicals listed in TSCA Inventory

Chromium(III) oxide

Other regulatory information

We are not able to check up the regulatory information with regard to the substances in your country or region, therefore, we request this matter would be filled by your responsibility.

Regulatory information with regard to this substance in your country or in your region should be examined by your own responsibility.

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

Regulatory information in this section are limited to intentional ingredient(s), but does not contain information on non-intentional ingredients or impurities which are not informed by supplier(s).

Chemical safety assessment

Advice on safe handling for this product can be found in sections 7 and 8 of this SDS.

16. Other information

GHS classification and labelling

H334-Resp. Sens. 1: H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled

H317-Skin Sens. 1: H317 May cause an allergic skin reaction

H372-STOT RE 1: H372 Causes damage to organs through prolonged or repeated exposure

Reference Book

Globally Harmonized System of classification and labelling of chemicals, UN

Recommendations on the TRANSPORT OF DANGEROUS GOODS 21th edit., 2019 UN

IMDG Code, 2018 Edition (Incorporating Amendment 39-18)

IATA Dangerous Goods Regulations (62nd Edition) 2021

2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT)

2021 TLVs and BEIs. (ACGIH)

JIS Z 7252 : 2019

JIS Z 7253 : 2019

2021 Recommendation on TLVs (JSOH)

Supplier's data/information

Chemicals safety data management system "GHS Assistant" Version 4.17 (<https://www.asahi-ghs.com/>)

NITE Chemical Risk Information Platform "NITE-CHRIP"

(https://www.nite.go.jp/en/chem/chrip/chrip_search/systemTop)

GHS Classification Guidance for Enterprises 2019 Revised Edition (Ver. 2.0) (Mar. 2020, METI)

Definitions and Abbreviations

SDS (Safety Data Sheet)

LD50 (Lethal Dose, 50%)

LC50 (Lethal Concentration, 50%)

IARC (International Agency for Research on Cancer)

ACGIH (American Conference of Governmental Industrial Hygienists)

EPA (US Environmental Protection Agency)

NTP (US National Toxicology Program)

JSOH (Japan Society for Occupational Health)

EU (European Union)

EC50 (Effective Concentration, 50%)

NOEC (No Observed Effect Concentration)

BOD (Biochemical Oxygen Demand)

COD (Chemical Oxygen Demand)

BCF (Bioconcentration Factor)

anh (anhydride)

General Disclaimer

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling,

Chromium(III) oxide ,JUNSEI CHEMICAL CO., LTD.,32105jis_E-3,17/May/2022

and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data (NITE published in 2020).