

Nickel(II) nitrate hexahydrate,
JUNSEI CHEMICAL CO., LTD.,37525jis_J_E1-2,31/Jul/2024

Date of issue for the 1st edition : 21/Oct/2019

Date of revision : 31/Jul/2024

Safety Data Sheet

Section 1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: Nickel(II) nitrate hexahydrate

Reference number(SDS):37525jis_J_E1-2

Product type:

Reagent

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the product: Research and Development

Uses advised against: Do not use for other purposes.

Details of the supplier of the safety data sheet

Manufacturer/Supplier: JUNSEI CHEMICAL CO., LTD.

Address: 1-6, Ohmano-cho, Koshigaya-shi, Saitama 343-0844, Japan

Division: Quality Assurance Department

Telephone number: +81-48-986-6161

FAX: +81-48-989-2787

e-mail address: shiyaku-t@junsei.co.jp

Section 2. Hazards identification

GHS classification and label elements of the product

Classification of the substance or mixture

PHYSICAL AND CHEMICAL HAZARDS

Oxidizing solids: Category 3

HEALTH HAZARDS

Respiratory sensitization: Category 1A

Skin sensitization: Category 1A

Carcinogenicity: Category 1A

Reproductive toxicity: Category 2

Specific target organ toxicity – repeated exposure: Category 1 (respiratory organs)

Specific target organ toxicity – repeated exposure: Category 2 (central nervous system, liver,
genetic organs (men))

(Note) GHS classification without description: Not classified/Classification not possible

Label elements



Signal word: Danger

HAZARD STATEMENT

H272-May intensify fire; oxidizer

H334-May cause allergy or asthma symptoms or breathing difficulties if inhaled

H317-May cause an allergic skin reaction

H350-May cause cancer

H361-Suspected of damaging fertility or the unborn child

H372-Causes damage to organs through prolonged or repeated exposure

H373-May cause damage to organs through prolonged or repeated exposure

PRECAUTIONARY STATEMENT

Prevention

Obtain special instructions before use.

Nickel(II) nitrate hexahydrate,

JUNSEI CHEMICAL CO., LTD.,37525jis_J_E1-2,31/Jul/2024

Do not handle until all safety precautions have been read and understood.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep away from clothing and other combustible materials.

Do not breathe dust/fume/gas/mist/vapors/spray.

In case of inadequate ventilation wear respiratory protection.

Wash contaminated parts thoroughly after handling.

Contaminated work clothing should not be allowed out of the workplace.

Wear protective gloves/protective clothing/eye protection/face protection.

Use personal protective equipment as required.

Do not eat, drink or smoke when using this product.

Response

In case of fire: Use water in large amounts to extinguish.

Get medical advice/attention if you feel unwell.

IF exposed or concerned: Get medical advice/attention.

If experiencing respiratory symptoms: Call a POISON CENTER/doctor/physician.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Storage

Store locked up.

Disposal

Dispose of contents/container in accordance with local/national regulation.

Specific Physical and Chemical hazards

Oxidizing material. Organic or combustible material may catch fire in contact with it.

Section 3. Composition/information on ingredients

Mixture/Substance selection:

Substance

Ingredient name:Nickel (II) nitrate hexahydrate

Content (%):100

Chemical formula:N₂NiO₆•6H₂O

Chemicals No, Japan:1-485

CAS No.:13478-00-7 [13138-45-9(anh)]

MW:290.79

EC No.:238-076-4(anh)

Note : The figures shown above are not the specifications of the product.

Section 4. First-aid measures

Descriptions of first-aid measures

General measures

Get medical advice/attention if you feel unwell.

Keep victim warm and quiet.

Call emergency medical service.

IF INHALED

Remove person to fresh air and keep comfortable for breathing.

Give artificial respiration if victim is not breathing.

Administer oxygen if breathing is difficult.

If experiencing respiratory symptoms: Call a POISON CENTER/doctor/physician.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF ON SKIN (or hair)

Take off immediately all contaminated clothing. Rinse skin with water or shower.

Nickel(II) nitrate hexahydrate,
JUNSEI CHEMICAL CO., LTD.,37525jis_J_E1-2,31/Jul/2024

Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

Remove and isolate contaminated clothing and shoes.

IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF SWALLOWED

Rinse mouth.

Call a POISON CENTER/doctor/physician if you feel unwell.

Most important symptoms and effects, both acute and delayed

Specific information on symptom and effect are unknown.

Indication of any immediate medical attention and special treatment needed

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

In case of fire, use water in large amounts to extinguish.

Not combustible but enhances combustion of other substances.

Unsuitable extinguishing media

Dry chemicals. Foams.

Specific hazards arising from the substance or mixture

Containers may explode when heated.

Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution.

This product will accelerate burning when involved in a fire.

Advice for firefighters

Specific fire-fighting measures

Evacuate non-essential personnel to safe area.

Special protective equipment and precautions for fire-fighters

Wear fire resistant or flame retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with a full facepiece operated in the positive pressure mode.

Section 6. Accidental release measures

Personnel precautions, protective equipment and emergency procedures

Keep unauthorized personnel away.

In case of contact with substance, immediately flush skin or eyes with running water for at least 20 minutes.

Ventilate area until material pick up is complete.

Wear proper protective equipment.

PUBLIC SAFETY: Ventilate closed spaces before entering.

Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Environmental precautions

Avoid release to headsprings, rivers, lakes, ocean and groundwater.

Runoff may create fire or explosion hazard.

Methods and materials for containment and cleaning up

With clean shovel place material into clean, dry container and cover loosely; move containers from spill area.

Nickel(II) nitrate hexahydrate,
JUNSEI CHEMICAL CO., LTD.,37525jis_J_E1-2,31/Jul/2024

Preventive measures for secondary accident

- Collect spillage.
- Stop leak if you can do it without risk.
- Keep combustibles (wood, paper, oil, etc.) away from spilled material.
- Do not get water inside containers.
- Keep out of low areas.

Section 7. Handling and storage

Precautions for safe handling

Preventive measures

(Exposure Control for handling personnel)

Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep away from clothing and other combustible materials.

(Exhaust/ventilator)

Exhaust/ventilator should be available.

(Safety treatments)

Avoid contact with skin.

Avoid contact with eyes.

Safety Measures

Obtain special instructions before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/protective clothing/eye protection/face protection.

Use personal protective equipment as required.

When using do not eat, drink or smoke.

May ignite combustibles (wood, paper, oil, clothing, etc.).

Contaminated clothing may be a fire risk when dry.

Any incompatibilities

Strong acids, Reducing agents, Combustible substances should not be mixed with the chemicals.

Advice on general occupational hygiene

Wash contaminated parts thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash it before reuse.

Storage

Conditions for safe storage

Store in a well-ventilated place.

Keep container tightly closed.

Keep cool. Protect from sunlight.

Store in accordance with local/national regulation.

Store locked up.

Container and packaging materials for safe handling

Keep only in original packaging.

Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

Section 8. Exposure controls/personal protection

Control parameters

Control value and Concentration standard value

Japan control value 0.1mg–powder Ni/m³

Adopted value

JSOH(2011) 0.01mg–Ni/m³ (as Nickel compounds, soluble)

ACGIH(1998) TWA: 0.1mg–Ni/m³(I) (Lung dam; nasal cancer) (as soluble compounds)

Exposure controls

Appropriate engineering controls

Do not use in areas without adequate ventilation.

Eye wash station should be available.

Washing facilities should be available.

Individual protection measures

Respiratory protection

Select and wear respiratory protection in accordance with approved standards (e.g. JIS T8150).

Recommended respiratory protection: Dust mask

Hand protection

Wear protective gloves.

Inspect before use and replace worn or damaged gloves.

Contact the glove manufacturer for specific advice on glove selection and breakthrough times for your use conditions.

Chemical-resistant, impervious gloves complying with an approved standard (e.g. JIS T8116) should be used.

Eye protection

Wear chemical safety goggle.

Wear eye/face protection in accordance with approved standards (e.g. JIS T8147).

Skin and body protection

Wear impervious clothing and boots in case of repeated or prolonged treatment.

Personal protective equipment for the body and skin should be selected based on the task being performed and the risks involved.

Section 9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state: Crystals

Color: Green

Odor data is not available.

Odor threshold data is not available.

Melting point/Freezing point: 56.7°C

Boiling point or initial boiling point: 137°C

Boiling range data is not available.

Flammability (gases, liquids and solids) data is not available.

Lower and upper explosion limit/flammability limit data is not available.

Flash point data is not available.

Auto-ignition temperature data is not available.

Decomposition temperature data is not available.

Self-Accelerating Decomposition Temperature/SADT data is not available.

pH data is not available.

Dynamic viscosity data is not available.

Kinematic viscosity data is not available.

Solubility:

Solubility in water: 238.5 g/100ml (0°C)

Solubility in solvent: Soluble in alcohol.

Nickel(II) nitrate hexahydrate,
JUNSEI CHEMICAL CO., LTD.,37525jis_J_E1-2,31/Jul/2024

n-Octanol/water partition coefficient data is not available.

Vapor pressure data is not available.

Density and/or relative density: 2.05

Relative vapor density (Air=1) data is not available.

Relative density of the Vapor/air – mixture at 20°C (Air = 1) data is not available.

Particle characteristics data is not available.

Other information

Critical temperature data is not available.

Evaporation rate data is not available.

VOC data is not available.

Section 10. Stability and Reactivity

Reactivity

Reactivity data is not available.

Chemical stability

Stable under normal storage/handling conditions.

Deliquescence

Possibility of hazardous reactions

Possibility of hazardous reactions data is not available.

Conditions to avoid

Contact with incompatible materials.

Heating.

Incompatible materials

Strong acids, Reducing agents, Combustible substances

Hazardous decomposition products

Nitrogen oxides, Nickel oxides

Section 11. Toxicological Information

Information on toxicological effects

Acute toxicity

Acute toxicity (Oral)

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Acute toxicity (Dermal)

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Acute toxicity (Inhalation)

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Irritant properties

Skin corrosion/irritation

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Nickel(II) nitrate hexahydrate,
JUNSEI CHEMICAL CO., LTD.,37525jis_J_E1-2,31/Jul/2024

Serious eye damage/irritation

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Sensitization

Respiratory sensitization

[Product]

Category 1A, May cause allergy or asthma symptoms or breathing difficulties if inhaled

[Data for components of the product]

[GHS Cat. Japan, base data]

(Nickel (II) nitrate hexahydrate)

cat. 1A; JSOH, 2016

Skin sensitization

[Product]

Category 1A, May cause an allergic skin reaction

[Data for components of the product]

[GHS Cat. Japan, base data]

cat. 1A; JSOH, 2016

Germ cell mutagenicity

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Carcinogenicity

[Product]

Category 1A, May cause cancer

[Data for components of the product]

[GHS Cat. Japan, base data]

cat.1A; IARC Gr. 1 (IARC 100C, 2012)

[IARC]

Group 1 : Carcinogenic to humans

[ACGIH]

(Nickel (II) nitrate hexahydrate)

A1(as Ni)(1998) : Confirmed Human Carcinogen

[JSOH]

(Nickel (II) nitrate hexahydrate)

Group 2B: The agents which are probably or possibly carcinogenic to humans

[EU]

(Nickel (II) nitrate hexahydrate)

Category 1A; Substances known to have carcinogenic potential for humans

Reproductive toxicity

[Product]

Category 2, Suspected of damaging fertility or the unborn child

[Data for components of the product]

[GHS Cat. Japan, base data]

cat. 2; rat (Nickel sulfate hexahydrate) : NITE Initial Risk Assessment Report, 2008

Specific target organ toxicity (STOT)

STOT-single exposure

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Nickel(II) nitrate hexahydrate,
JUNSEI CHEMICAL CO., LTD.,37525jis_J_E1-2,31/Jul/2024

STOT-repeated exposure

[Product]

Category 1, Causes damage to organs through prolonged or repeated exposure

Category 2, May cause damage to organs through prolonged or repeated exposure

[Data for components of the product]

[cat.1]

[GHS Cat. Japan, base data]

respiratory system (NITE Initial Risk Assessment Report, 2008)

[cat.2]

[GHS Cat. Japan, base data]

male genitalia, liver, central nervous system (NITE Initial Risk Assessment Report, 2008)

Aspiration hazard

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Section 12. Ecological Information

Toxicity

Aquatic toxicity

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

Toxicity data is not available.

Persistence and degradability

Persistence and degradability data is not available.

Bioaccumulative potential

Bioaccumulative potential data is not available.

Mobility in soil

Mobility in soil data is not available.

Other adverse effects

Ozone depleting chemical data is not available.

Section 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Waste treatment methods

Dispose of contents/container in accordance with local/national regulation.

Section 14. Transport Information

UN No., UN CLASS

UN Number or ID Number : 2725

UN Proper Shipping Name : NICKEL NITRATE

Class or division (Transport hazard class) : 5.1

Packing group : III

ERG GUIDE No.: 140

IMDG Code (International Maritime Dangerous Goods Regulations)

UN Number or ID Number : 2725

UN Proper Shipping Name : NICKEL NITRATE

Class or division (Transport hazard class) : 5.1

Packing group : III

Nickel(II) nitrate hexahydrate,
JUNSEI CHEMICAL CO., LTD.,37525jis_J_E1-2,31/Jul/2024

IATA (Dangerous Goods Regulations)

UN Number or ID Number : 2725
UN Proper Shipping Name : NICKEL NITRATE
Class or division (Transport hazard class) : 5.1
Hazard labels : Oxidizer
Packing group : III

Environmental hazards

Marine pollutants (yes/no) : no

MARPOL Annex V – HME (Harmful to the Marine Environment)

Carcinogenicity: cat.1, 1A, 1B
Nickel (II) nitrate hexahydrate
Specific target organ toxicity – repeated exposure: cat.1
Nickel (II) nitrate hexahydrate

Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Labor Standards Act, Japan

Chemical substances or compounds (including alloys) causing disease (Regulation, Appended Table1-2-4-1)

Nickel (II) nitrate hexahydrate

Superfund Amendments and Reauthorizations Act (SARA), Title III

SARA 313 (TRI)

Nickel (II) nitrate hexahydrate

Other regulatory information

We are not able to check up the regulatory information with regard to the substances in your country or region, therefore, we request this matter would be filled by your responsibility.

Regulatory information with regard to this substance in your country or in your region should be examined by your own responsibility.

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

Regulatory information in this section are limited to intentional ingredient(s), but does not contain information on non-intentional ingredients or impurities which are not informed by supplier(s).

Chemical safety assessment

Advice on safe handling for this product can be found in sections 7 and 8 of this SDS.

Section 16. Other information

GHS classification and labelling

H272–Oxidising Solids, Category 3: H272 May intensify fire; oxidiser

H334–Respiratory sensitization, Category 1A: H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled

H317–Skin sensitization, Category 1A: H317 May cause an allergic skin reaction

H350–Carcinogenicity, Category 1A: H350 May cause cancer

H361–Reproductive toxicity, Category 2: H361 Suspected of damaging fertility or the unborn child

H372–STOT – Repeated exposure, Category 1: H372 Causes damage to organs through prolonged or repeated exposure

H373–STOT – Repeated exposure, Category 2: H373 May cause damage to organs through prolonged or repeated exposure

References and sources for data

Globally Harmonized System of classification and labelling of chemicals, UN

Recommendations on the TRANSPORT OF DANGEROUS GOODS 22nd edit., 2021 UN

Nickel(II) nitrate hexahydrate,
JUNSEI CHEMICAL CO., LTD.,37525jis_J_E1-2,31/Jul/2024

IMDG Code, 2022 Edition (Incorporating Amendment 41-22)
IATA Dangerous Goods Regulations (65th Edition) 2024
2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT)
2024 TLVs and BEIs. (ACGIH)
JIS Z 7252 : 2019
JIS Z 7253 : 2019
2023 Recommendation on TLVs (JSOH)
Notification No. 0111-1 (January 11, 2022), Chemical Hazards Control Division, Industrial Safety and Health Department, Labour Standards Bureau, MHLW in Japan
Supplier's data/information
Chemicals safety data management system "GHS Assistant" Version 4.29 (<https://www.asahi-ghs.com/>)
NITE Chemical Risk Information Platform "NITE-CHRIP"
(https://www.chem-info.nite.go.jp/chem/chrip/chrip_search/systemTop)
GHS Classification Guidance for Enterprises 2019 Revised Edition (Ver. 2.1) (May. 2024, METI)

Abbreviations and acronyms

SDS (Safety Data Sheet)
LD50 (Lethal Dose, 50%)
LC50 (Lethal Concentration, 50%)
IARC (International Agency for Research on Cancer)
ACGIH (American Conference of Governmental Industrial Hygienists)
EPA (US Environmental Protection Agency)
NTP (US National Toxicology Program)
METI (Ministry of Economy, Trade and Industry in Japan)
MHLW (Ministry of Health, Labour and Welfare in Japan)
MOE (Ministry of the Environment in Japan)
JSOH (Japan Society for Occupational Health)
ISHA (Industrial Safety and Health Act in Japan)
CSCL (Chemical Substances Control Law in Japan)
EU (European Union)
EC50 (Effective Concentration, 50%)
NOEC (No Observed Effect Concentration)
BOD (Biochemical Oxygen Demand)
COD (Chemical Oxygen Demand)
BCF (Bioconcentration Factor)
anh (anhydride)

General Disclaimer

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data (NITE published in 2022).