

Safety Data Sheet

Section 1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: Diallyl phthalate

Reference number(SDS): 63200jis_E-3

Product type:

Reagent

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the product: Research and Development

Uses advised against: Do not use for other purposes.

Details of the supplier of the safety data sheet

Manufacturer/Supplier: JUNSEI CHEMICAL CO., LTD.

Address: 1-6, Ohmano-cho, Koshigaya-shi, Saitama 343-0844, Japan

Division: Quality Assurance Department

Telephone number: +81-48-986-6161

FAX: +81-48-989-2787

e-mail address: shiyaku-t@junsei.co.jp

Section 2. Hazards identification

GHS classification and label elements of the product

Classification of the substance or mixture

HEALTH HAZARDS

Acute toxicity (Oral): Category 4

Acute toxicity (Inhalation): Category 4

Skin sensitization: Category 1

Specific target organ toxicity – single exposure: Category 2 (liver)

Specific target organ toxicity – repeated exposure: Category 2 (liver)

ENVIRONMENT HAZARDS

Hazardous to the aquatic environment, short-term (acute): Category 1

(Note) GHS classification without description: Not classified/Classification not possible

Label elements



Signal word: Warning

HAZARD STATEMENT

H302-Harmful if swallowed

H332-Harmful if inhaled

H317-May cause an allergic skin reaction

H371-May cause damage to organs

H373-May cause damage to organs through prolonged or repeated exposure

H400-Very toxic to aquatic life

PRECAUTIONARY STATEMENT

Prevention

Avoid release to the environment.

Do not breathe dust/mist.

Use only outdoors or in a well-ventilated area.

Wash contaminated parts thoroughly after handling.

Diallyl phthalate, JUNSEI CHEMICAL CO., LTD., 63200jis_E-3,05/Aug/2025

Wear protective gloves.

Contaminated work clothing should not be allowed out of the workplace.

Do not eat, drink or smoke when using this product.

Response

Collect spillage.

Get medical advice/attention if you feel unwell.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF exposed or concerned: Call a POISON CENTER/doctor/physician.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF ON SKIN: Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

IF SWALLOWED: Rinse mouth. Call a POISON CENTER/doctor/physician if you feel unwell.

Storage

Store locked up.

Disposal

Dispose of contents/container in accordance with local/national regulation.

Section 3. Composition/information on ingredients

Mixture/Substance selection:

Substance

Ingredient name: Diallyl phthalate

Content (%): 98.0 <

Chemical formula: C₁₄H₁₄O₄

ENCS: 3-1325

CAS No.: 131-17-9

MW: 246.26

EC No.: 205-016-3

Note : The figures shown above are not the specifications of the product.

Section 4. First-aid measures

Descriptions of first-aid measures

General measures

Get medical advice/attention if you feel unwell.

Call emergency medical service.

IF INHALED

Remove person to fresh air and keep comfortable for breathing.

Give artificial respiration if victim is not breathing.

Administer oxygen if breathing is difficult.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF INHALED: Call a POISON CENTER/doctor/physician if you feel unwell.

IF ON SKIN (or hair)

Take off immediately all contaminated clothing. Rinse skin with water or shower.

Wash with plenty of soap and water.

If skin irritation or rash occurs: Get medical advice/attention.

Remove and isolate contaminated clothing and shoes.

IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF SWALLOWED

Rinse mouth.

IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.

Most important symptoms and effects, both acute and delayed

(Symptoms when skin and/or eye contact)

Conjunctival redness of the eyes

Indication of any immediate medical attention and special treatment needed

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Specific treatment is required.

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

In case of fire, use foam, dry powder, CO2 to extinguish.

Unsuitable extinguishing media

Water may be effective for cooling, but may not effect extinguishment.

Do not scatter spilled material with high pressure water streams.

Specific hazards arising from the substance or mixture

Containers may explode when heated.

Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution.

Advice for firefighters

Specific fire-fighting measures

Evacuate non-essential personnel to safe area.

Special protective equipment and precautions for fire-fighters

Wear fire resistant or flame retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with a full facepiece operated in the positive pressure mode.

Section 6. Accidental release measures

Personnel precautions, protective equipment and emergency procedures

Keep unauthorized personnel away.

In case of contact with substance, immediately flush skin or eyes with running water for at least 20 minutes.

Ventilate area until material pick up is complete.

Wear proper protective equipment.

Do not touch or walk through spilled material.

Environmental precautions

Avoid release to headsprings, rivers, lakes, ocean and groundwater.

Methods and materials for containment and cleaning up

Absorb spill with inert material (dry sand, earth, etc.), then place in a chemical waste container.

Preventive measures for secondary accident

Collect spillage.

Stop leak if you can do it without risk.

Prevent entry into waterways, sewers, basements or confined areas.

Section 7. Handling and storage

Precautions for safe handling

Preventive measures

(Exposure Control for handling personnel)

Do not breathe dust/mist.

Diallyl phthalate, JUNSEI CHEMICAL CO., LTD., 63200jis_E-3,05/Aug/2025

(Protective measures against fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

(Exhaust/ventilator)

Exhaust/ventilator should be available.

(Precautions)

Avoid contact with skin.

Avoid contact with eyes.

Safety Measures

Use only outdoors or in a well-ventilated area.

Wear protective gloves/protective clothing/eye protection/face protection.

Use personal protective equipment as required.

When using do not eat, drink or smoke.

Any incompatibilities

Acids, Bases, Strong oxidizing agents should not be mixed with the chemicals.

Advice on general occupational hygiene

Wash contaminated parts thoroughly after handling.

Do not eat, drink or smoke when using this product.

Contaminated work clothing should not be allowed out of the workplace.

Take off contaminated clothing and wash it before reuse.

Storage

Conditions for safe storage

Store in a well-ventilated place. Keep container tightly closed.

Keep cool. Protect from sunlight.

Store in accordance with local/national regulation.

Store locked up.

Container and packaging materials for safe handling

Keep only in original packaging.

Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See

Section 8 for exposure controls and personal protection recommendations.

Section 8. Exposure controls/personal protection

Control parameters

Control value and Concentration standard value under ISHA

Not established

Occupational Exposure Limit

JSOH

Not established

ACGIH

Not established

Exposure controls

Appropriate engineering controls

Do not use in areas without adequate ventilation.

Eye wash station should be available.

Washing facilities should be available.

Individual protection measures

Respiratory protection

Select and wear respiratory protection in accordance with approved standards (e.g. JIS T8150).

Hand protection

Wear protective gloves. Recommended material(s): butyl rubber, viton

Inspect before use and replace worn or damaged gloves.

Contact the glove manufacturer for specific advice on glove selection and breakthrough times for your use conditions.

Diallyl phthalate, JUNSEI CHEMICAL CO., LTD., 63200jis_E-3,05/Aug/2025

Chemical-resistant, impervious gloves complying with an approved standard (e.g. JIS T8116) should be used.

Eye protection

Wear safety glasses with side-shields.

Wear eye/face protection in accordance with approved standards (e.g. JIS T8147).

Skin and body protection

Wear impervious clothing and boots in case of repeated or prolonged treatment.

Personal protective equipment for the body and skin should be selected based on the task being performed and the risks involved.

Section 9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state: Oily liquid

Color: Colorless

Odor data is not available.

Odor threshold data is not available.

Melting point/Freezing point: -70°C

Boiling point or initial boiling point: 290°C

Boiling range data is not available.

Flammability data is not available.

Lower and upper explosion limit/flammability limit data is not available.

Flash point: 166°C (Closed cup)

Auto-ignition temperature: 385°C

Decomposition temperature: $<300^{\circ}\text{C}$

pH data is not available.

Dynamic viscosity: $13\text{mPa}\cdot\text{s}(20^{\circ}\text{C})$

Kinematic viscosity: $12\text{mm}^2/\text{s}(20^{\circ}\text{C})$

Solubility:

Solubility in water: $0.015\text{g}/100\text{mL}(20^{\circ}\text{C})$

Solubility in solvent: Soluble in most organic liquids.

Partition coefficient n-octanol/water: $\log P_{ow} 3.23$

Vapor pressure: $0.02\text{Pa}(25^{\circ}\text{C})$

Density and/or relative density: $1.118\sim 1.124\text{g}/\text{mL}(20^{\circ}\text{C})$

Relative vapor density (Air=1): 8.3

Relative density of the Vapor/air – mixture at 20°C (Air = 1): 1.00

Particle characteristics data is not available.

Section 10. Stability and Reactivity

Reactivity

Runaway polymerization may occur without stabilizer/inhibitor or when heated.

Chemical stability

Stable under normal storage/handling conditions.

Possibility of hazardous reactions

The substance polymerizes due to heating or in the presence of a catalyst, if not inhibited.

On combustion, forms toxic gases.

Reacts with strong oxidants, acids and bases.

Conditions to avoid

Contact with incompatible materials.

Open flames. Heating. Sunlight.

Incompatible materials

Acids, Bases, Strong oxidizing agents

Hazardous decomposition products
Carbon oxides

Section 11. Toxicological Information

Information on toxicological effects

Acute toxicity

Acute toxicity (Oral)

[Product]

Category 4, Harmful if swallowed

[Data for components of the product]

[NITE-CHRIP]

female rat LD50: 656 mg/kg (source: NITE)

Acute toxicity (Dermal)

[Product]

Based on available data, the classification criteria are not met.

[Data for components of the product]

[NITE-CHRIP]

rabbit LD50: > 3300 mg/kg (source: NITE)

Acute toxicity (Inhalation)

[Product]

Category 4, Harmful if inhaled

[Data for components of the product]

[NITE-CHRIP]

mist: rat LC50: 8.3 mg/L (1-hour) (converted 4-hour equivalent value: 2.1 mg/L) (source: NITE)

Irritant properties

Skin corrosion/irritation

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Serious eye damage/irritation

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Sensitization

Respiratory sensitization

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Skin sensitization

[Product]

Category 1, May cause an allergic skin reaction

[Data for components of the product]

[NITE-CHRIP]

Category 1 (source: NITE)

Germ cell mutagenicity

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Carcinogenicity

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Reproductive toxicity

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Specific target organ toxicity (STOT)

STOT-single exposure

[Product]

Category 2, May cause damage to organs

[Data for components of the product]

[NITE-CHRIP]

Category 2 (liver) (source: NITE)

STOT-repeated exposure

[Product]

Category 2, May cause damage to organs through prolonged or repeated exposure

[Data for components of the product]

[NITE-CHRIP]

Category 2 (liver) (source: NITE)

Aspiration hazard

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Section 12. Ecological Information

Ecotoxicity

Aquatic toxicity

[Product]

Category 1, Very toxic to aquatic life

[Data for components of the product]

Hazardous to the aquatic environment, short-term (acute)

[NITE-CHRIP]

Fish (*Oncorhynchus mykiss*) 96-hour LC50: 0.23 mg/L (source: NITE)

Hazardous to the aquatic environment, long-term (chronic)

[NITE-CHRIP]

Algae (*Pseudokirchneriella subcapitata*) 72-hour NOEC: 2.38 mg/L (source: NITE)

Water solubility

[Data for components of the product]

0.015 g/100 mL (20°C) (source: ICSC, 2006)

Persistence and degradability

[Data for components of the product]

Rapidly degradable (Degradation rate: 92, 79, 76% (by BOD)) (source: NITE)

Bioaccumulative potential

[Data for components of the product]

log Pow: 3.23 (source: ICSC, 2006)

Mobility in soil

Mobility in soil data is not available.

Other adverse effects

Ozone depleting chemical data is not available.

Section 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Waste treatment methods

Avoid release to the environment.

Dispose of contents/container in accordance with local/national regulation.

Section 14. Transport Information

UN No., UN CLASS

UN Number or ID Number : 3082

UN Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Class or division (Transport hazard class) : 9

Packing group : III

ERG GUIDE No.: 171

Special provisions No.: 274; 331; 335; 375

IMDG Code (International Maritime Dangerous Goods Regulations)

UN Number or ID Number : 3082

UN Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Class or division (Transport hazard class) : 9

Packing group : III

Special provisions No.: 274; 335; 375; 969

IATA (Dangerous Goods Regulations)

UN Number or ID Number : 3082

UN Proper Shipping Name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

Class or division (Transport hazard class) : 9

Hazard labels : Miscellaneous & Environmentally hazardous

Packing group : III

Special provisions No.: A97; A158; A197; A215

Environmental hazards

Marine pollutants (yes/no) : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable to Transport in bulk according to Annex II of MARPOL and the IBC Code

MARPOL Annex V – HME (Harmful to the Marine Environment)

Hazardous to the aquatic environment – short-term (acute): cat.1

Diallyl phthalate

Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Toxic Substances Control Act (TSCA) Inventory

Chemicals listed in TSCA Inventory

131-17-9

All components are listed or exempted.

Other regulatory information

We are not able to check up the regulatory information with regard to the substances in your country or region, therefore, we request this matter would be filled by your responsibility.

Regulatory information with regard to this substance in your country or in your region should be examined by your own responsibility.

Diallyl phthalate, JUNSEI CHEMICAL CO., LTD., 63200jis_E-3,05/Aug/2025

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

Regulatory information in this section are limited to intentional ingredient(s), but does not contain information on non-intentional ingredients or impurities which are not informed by supplier(s).

Chemical safety assessment

Advice on safe handling for this product can be found in sections 7 and 8 of this SDS.

Section 16. Other information

GHS classification and labelling

H302–Acute toxicity, Category 4: H302 Harmful if swallowed
H332–Acute toxicity, Category 4: H332 Harmful if inhaled
H317–Skin sensitization, Category 1: H317 May cause an allergic skin reaction
H371–STOT – single exposure, Category 2: H371 May cause damage to organs
H373–STOT – Repeated exposure, Category 2: H373 May cause damage to organs through prolonged or repeated exposure
H400–Hazardous to the aquatic environment, short-term (acute), Category 1: H400 Very toxic to aquatic life

References and sources for data

Globally Harmonized System of classification and labelling of chemicals, UN
Recommendations on the TRANSPORT OF DANGEROUS GOODS 23rd edit., 2023 UN
IMDG Code, 2024 Edition (Incorporating Amendment 42–24)
IATA Dangerous Goods Regulations (66th Edition) 2025
2024 EMERGENCY RESPONSE GUIDEBOOK (US DOT)
2025 TLVs and BEIs. (ACGIH)
JIS Z 7252 : 2019
JIS Z 7253 : 2019
Recommendation of occupational exposure limits (2023–2024) (JSOH)
Notification No. 0111–1 (January 11, 2022), Chemical Hazards Control Division, Industrial Safety and Health Department, Labour Standards Bureau, MHLW in Japan
Supplier's data/information
Chemicals safety data management system "GHS Assistant" Version 4.34 (<https://www.asahi-ghs.com/>)
NITE Chemical Risk Information Platform "NITE-CHRIP"
(https://www.chem-info.nite.go.jp/chem/chrip/chrip_search/systemTop)
GHS Classification Guidance for Enterprises 2019 Revised Edition (Ver. 2.1) (May. 2024, METI)

Abbreviations and acronyms

SDS (Safety Data Sheet)
LD50 (Lethal Dose, 50%)
LC50 (Lethal Concentration, 50%)
IARC (International Agency for Research on Cancer)
ACGIH (American Conference of Governmental Industrial Hygienists)
EPA (US Environmental Protection Agency)
NTP (US National Toxicology Program)
METI (Ministry of Economy, Trade and Industry in Japan)
MHLW (Ministry of Health, Labour and Welfare in Japan)
MOE (Ministry of the Environment in Japan)
JSOH (Japan Society for Occupational Health)
ISHA (Industrial Safety and Health Act in Japan)
CSCL (Chemical Substances Control Law in Japan)
EU (European Union)
EC50 (Effective Concentration, 50%)
NOEC (No Observed Effect Concentration)
BOD (Biochemical Oxygen Demand)

Diallyl phthalate, JUNSEI CHEMICAL CO., LTD., 63200jis_E-3, 05/Aug/2025

COD (Chemical Oxygen Demand)

BCF (Bioconcentration Factor)

anh (anhydride)

General Disclaimer

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Data published in Japan (National Institute of Technology and Evaluation (NITE) Chemical Risk Information Platform (NITE-CHRIP), up to FY2023).