

Safety Data Sheet

Section 1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: Hexane

Reference number(SDS):67150jis_J_E1-4

Product type:

Reagent

Recommended use of the chemical and restrictions on use

Recommended uses: Research and Development

Restrictions on uses: Do not use for other purposes.

Details of the supplier of the safety data sheet

Manufacturer/Supplier: JUNSEI CHEMICAL CO., LTD.

Address: 1-6, Ohmano-cho, Koshigaya-shi, Saitama 343-0844, Japan

Division: Quality Assurance Department

Telephone number: +81-48-986-6161

FAX: +81-48-989-2787

e-mail address: shiyaku-t@junsei.co.jp

Section 2. Hazards identification

Classification of the substance or mixture**PHYSICAL AND CHEMICAL HAZARDS**

Flammable liquids: Category 2

HEALTH HAZARDS

Skin corrosion/irritation: Category 2

Reproductive toxicity: Category 2

Specific target organ toxicity – single exposure: Category 3 (Respiratory tract irritation)

Specific target organ toxicity – single exposure: Category 3 (Narcotic effects)

Specific target organ toxicity – repeated exposure: Category 1 (nervous system)

Aspiration hazard: Category 1

ENVIRONMENT HAZARDS

Hazardous to the aquatic environment, short-term (acute): Category 2

Hazardous to the aquatic environment, long-term (chronic): Category 2

(Note) GHS classification without description: Not classified/Classification not possible

Label elements**Hazard pictograms:**

Signal word: Danger

Hazard statements

H225-Highly flammable liquid and vapor

H315-Causes skin irritation

H361-Suspected of damaging fertility or the unborn child

H335-May cause respiratory irritation

H336–May cause drowsiness or dizziness

H372–Causes damage to organs through prolonged or repeated exposure

H304–May be fatal if swallowed and enters airways

H401–Toxic to aquatic life

H411–Toxic to aquatic life with long lasting effects

Precautionary statements

Prevention

Obtain, read and follow all safety instructions before use.

Avoid release to the environment.

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Keep container tightly closed.

Ground and bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting equipment.

Use non-sparking tools.

Take action to prevent static discharges.

Do not breathe dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Wash hands thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

Do not eat, drink or smoke when using this product.

Response

In case of fire: Use foam, dry powder, CO2 to extinguish.

Collect spillage.

Specific treatment.

IF exposed or concerned, get medical advice.

Get medical help if you feel unwell.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF ON SKIN: Wash with plenty of water.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse affected areas with water or shower.

If skin irritation occurs: Get medical help.

Take off contaminated clothing and wash it before reuse.

Do NOT induce vomiting.

IF SWALLOWED: Get emergency medical help immediately.

Storage

Store in a well-ventilated place. Keep container tightly closed. Keep cool.

Store locked up.

Disposal

Dispose of contents/container in accordance with local/regional/national/international regulations.

Specific danger/hazard

Physical and Chemical hazards

Highly flammable liquid. Vapor/air mixture may explode.

Section 3. Composition/information on ingredients

Substance/mixture:

Substance

Ingredient name:Hexane

Content Guaranteed Reagent; Low moisture Reagent; For HPLC; For Preparative Chromato. (%):96.0

Extra Pure; For Precision Analysis (%):95.0

For spectroscopy (%):-

Chemical formula:C6H14

ENCS:2-6

CAS No.:110-54-3

MW:86.18

EC No.:203-777-6

Note : The figures shown above are not the specifications of the product.

Components contributing to the hazard

Specific target organ toxicity after repeated exposure (Article 57(f) – human health) in REACH

SVHC candidate list

Hexane

Section 4. First aid measures

Descriptions of first aid measures

General measures

IF exposed or concerned, get medical advice.

Get medical help if you feel unwell.

Keep victim warm and quiet.

Call emergency medical service.

IF INHALED

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Give artificial respiration if victim is not breathing.

Administer oxygen if breathing is difficult.

IF INHALED: Get medical help.

IF ON SKIN

IF ON SKIN: Take off immediately all contaminated clothing. Immediately rinse with water for several minutes.

IF ON SKIN: Wash with plenty of water.

In case of burns, immediately cool affected skin for as long as possible with cold water.

Do not remove clothing if adhering to skin.

If skin irritation or rash occurs: Get medical help.

Remove and isolate contaminated clothing and shoes.

IF IN EYES

IF IN EYES: Immediately rinse with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical help.

IF SWALLOWED

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

IF SWALLOWED: Get emergency medical help immediately.

Most important symptoms and effects, both acute and delayed

(Symptoms when inhalation or ingestion)

Cough. Shortness of breath. Euphoria. Headache. Dizziness. Drowsiness. Unconsciousness.

Sore throat. Nausea. Vomiting. Abdominal pain.

✕Aspiration hazard.

(Symptoms when skin and/or eye contact)

Redness. Dry skin.

Indication of any immediate medical attention and special treatment needed

Ingestion of this substance, regardless of the amount ingested, can cause aspiration and thus risk of chemical pneumonitis.

The symptoms of chemical pneumonitis do not become manifest until a few hours or even a few days have passed.

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

In case of fire, use foam, dry powder, CO₂ to extinguish.

Unsuitable extinguishing media

Unsuitable extinguishing media data is not available.

Specific hazards arising from the substance or mixture

Containers may explode when heated.

Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution.

Advice for firefighters

Special extinguishing method

Evacuate non-essential personnel to safe area.

Cool container with water spray.

Special protective equipment and precautions for fire-fighters

Wear fire resistant or flame retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with a full facepiece operated in the positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unauthorized personnel away.

In case of contact with substance, immediately flush skin or eyes with running water for at least 20 minutes.

Ventilate area until material pick up is complete.

Wear proper protective equipment.

PUBLIC SAFETY: Ventilate closed spaces before entering.

Do not touch or walk through spilled material.

Environmental precautions

Runoff to sewer may create fire or explosion hazard.

Vapor explosion hazard indoors, outdoors or in sewers.

Avoid release to headsprings, rivers, lakes, ocean and groundwater.

Methods and materials for containment and cleaning up

Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.

Use clean non-sparking tools to collect absorbed material.

All equipment used when handling the product must be grounded.

Collect leaking liquid in sealable containers.

Preventive measures for secondary accident

- Collect spillage.
- Stop leak if you can do it without risk.
- ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).
- Prevent entry into waterways, sewers, basements or confined areas.
- Keep out of low areas.

Reference to other sections

- Refer to section 8
- Refer to section 13

Section 7. Handling and storage

Engineering measures

(Measures to prevent operator exposure)

- Do not breathe dust/fume/gas/mist/vapors/spray.

(Measures to prevent fire and explosion)

- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Ground and bond container and receiving equipment.
- Use explosion-proof electrical/ventilating/lighting equipment.
- Use non-sparking tools.
- Take action to prevent static discharges.

(Local ventilation/general ventilation)

- Exhaust/ventilator should be available.

(Precautions)

- Avoid contact with skin.
- Avoid contact with eyes.

Advice on safe handling

- Obtain, read and follow all safety instructions before use.
- Use only outdoors or in a well-ventilated area.
- Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
- Use personal protective equipment as required.
- When using do not eat, drink or smoke.

Avoidance of contact

- See Section 10: Stability and Reactivity.

Advice on general occupational hygiene

- Do not get in eyes, on skin, or on clothing.
- Wash hands thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Take off contaminated clothing and wash it before reuse.

Conditions for safe storage

- Keep container tightly closed. Keep cool.
- Store in accordance with local/regional/national/international regulations regulation.
- Store locked up.
- Protect from sunlight. Store in a well-ventilated place.

Incompatible substances

- Refer to Section 10. Stability and reactivity.

Container and packaging materials for safe handling data is not available.

Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

Section 8. Exposure controls/personal protection

Permissible concentration

Control value and Concentration standard value under ISHA

Japan control value 40ppm

Occupational exposure limit values

JSOH

40ppm; 140mg/m³ (skin)

ACGIH

TWA: 50ppm (CNS impair; peripheral neuropathy; eye irr)

Notation

Skin

Exposure controls

Appropriate engineering controls

Do not use in areas without adequate ventilation.

Eye wash station should be available.

Washing facilities should be available.

Individual protection measures, such as personal protective equipment

Respiratory protection

Select and wear respiratory protection in accordance with approved standards (e.g. JIS T8150).

Recommended respiratory protection: Gas mask

Hand protection

Wear protective gloves. Recommended material(s): nitrile, viton

Inspect before use and replace worn or damaged gloves.

Contact the glove manufacturer for specific advice on glove selection and breakthrough times for your use conditions.

Chemical-resistant, impervious gloves complying with an approved standard (e.g. JIS T8116) should be used.

Eye/face protection

Wear safety glasses with side-shields.

Wear eye/face protection in accordance with approved standards (e.g. JIS T8147).

Skin and body protection

Wear impervious clothing and boots in case of repeated or prolonged treatment.

Personal protective equipment for the body and skin should be selected based on the task being performed and the risks involved.

Section 9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state: Volatile liquid

Color: Colorless, Clear

Odor: Characteristic odor

Odor threshold data is not available.

Melting point/Freezing point: -95°C

Boiling point or initial boiling point and boiling range: 69°C

Flammability: Ignitable

Lower and upper explosion limit:

Lower explosion limit: 1.1 vol %

Upper explosion limit: 7.5 vol %

Flash point: -22°C(C.C.)

Auto-ignition temperature: 225°C

Decomposition temperature data is not available.

Self-Accelerating Decomposition Temperature/SADT data is not available.

pH data is not available.

Dynamic viscosity data is not available.

Kinematic viscosity: 1.4mm²/s

Solubility:

Solubility in water: 0.0013 g/100 mL (20°C)

Solubility in solvent: Very soluble in ethanol and diethyl ether.

Partition coefficient n-octanol/water (log value): 3.9

Vapor pressure: 17 kPa (20°C)

Vapor density data is not available.

Density and/or relative density: ca. 0.66 g/mL(20°C)

Relative vapor density (Air=1): 3.0

Relative density of the Vapor/air - mixture at 20°C (Air = 1): 1.3

Particle characteristics data is not available.

Other information

Critical temperature data is not available.

Evaporation rate data is not available.

VOC data is not available.

Section 10. Stability and Reactivity

Reactivity

Reactivity data is not available.

Chemical stability

Stable under normal storage/handling conditions.

Highly flammable.

Possibility of hazardous reactions

The vapour is heavier than air and may travel along the ground; distant ignition possible.

Reacts with strong oxidants. This generates fire and explosion hazard.

Attacks some plastics, rubber and coatings.

Conditions to avoid

Avoid direct sunlight, fire, flame, high temperature.

Contact with incompatible materials.

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition products

Carbon oxides.

Section 11. Toxicological Information**Information on toxicological effects****Acute toxicity****Acute toxicity (Oral)****[Product]**

Based on available data, the classification criteria are not met.

[Data for components of the product]**[NITE-CHRIP]**

rat LD50: 15840 mg/kg (source: NITE)

Acute toxicity (Dermal)**[Product]**

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Acute toxicity (Inhalation)**[Product]**

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]**[NITE-CHRIP]**

vapor: rat LC50: 48000 ppm (4-hour) (source: NITE)

Skin corrosion/irritation**[Product]**

Category 2, Causes skin irritation

[Data for components of the product]**[NITE-CHRIP]**

Category 2 (source: NITE)

Serious eye damage/irritation**[Product]**

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Respiratory or skin sensitization**Respiratory sensitization****[Product]**

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Skin sensitization**[Product]**

Based on available data, the classification criteria are not met.

[Data for components of the product]**[NITE-CHRIP]**

Not classified (source: NITE)

Germ cell mutagenicity**[Product]**

Based on available data, the classification criteria are not met.

[Data for components of the product]

[NITE-CHRIP]

Not classified (source: NITE)

Carcinogenicity

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

[EPA]

I; Inadequate information to assess carcinogenic potential(2005)

Reproductive toxicity

[Product]

Category 2, Suspected of damaging fertility or the unborn child

[Data for components of the product]

[NITE-CHRIP]

Category 2 (source: NITE)

Specific target organ toxicity – single exposure

[Product]

Category 3, May cause respiratory irritation

Category 3, May cause drowsiness or dizziness

[Data for components of the product]

[NITE-CHRIP]

Category 3 (Respiratory tract irritation), Category 3 (Narcotic effects) (source: NITE)

Specific target organ toxicity – repeated exposure

[Product]

Category 1, Causes damage to organs through prolonged or repeated exposure

[Data for components of the product]

[NITE-CHRIP]

Category 1 (nervous system) (source: NITE)

Aspiration hazard

[Product]

Category 1, May be fatal if swallowed and enters airways

[Data for components of the product]

[NITE-CHRIP]

Category 1 (source: NITE)

Section 12. Ecological Information

Ecotoxicity

Aquatic toxicity

[Product]

Category 2, Toxic to aquatic life

Category 2, Toxic to aquatic life with long lasting effects

[Data for components of the product]

Hazardous to the aquatic environment, short-term (acute)

[NITE-CHRIP]

Fish (*Pimephales promelas*) 96-hour LC50: 2.5 mg/L (source: NITE)

Crustacea (*Daphnia magna*) 48-hour EC50: 3.9 mg/L (source: NITE)

Water solubility

[Data for components of the product]

0.0013 g/100 mL (20°C) (source: ICSC, 2024)

Persistence and degradability

[Data for components of the product]

Rapidly degradable (Degradation rate: 100% (by BOD)) (OECD TG 301C, GLP) (source: NITE)

Bioaccumulative potential

[Data for components of the product]

log Kow: 4 (source: NITE)

log Pow: 3.9 (source: ICSC, 2024)

Mobility in soil

Mobility in soil data is not available.

Other adverse effects

Ozone depleting chemical data is not available.

Section 13. Disposal considerations

Waste treatment methods

Waste from residues

Disposal should be in accordance with local, national, and international laws and regulations.

Comply with relevant laws and regulations as well as local municipal standards.

Avoid release to the environment.

Do not dump into sewers, on the ground or into any body of water.

Contaminated packing

Disposal should be in accordance with local, national, and international laws and regulations.

Comply with relevant laws and regulations as well as local municipal standards.

Dispose of container after using the contents completely.

Section 14. Transport Information

UNRTDG

UN number : UN1208

UN Proper Shipping Name : HEXANES

Transport hazard class(es) : 3

Packing group : II

IMDG Code (International Maritime Dangerous Goods Regulations)

UN number : UN1208

UN Proper Shipping Name : HEXANES

Transport hazard class(es) : 3

Packing group : II

IATA (Dangerous Goods Regulations)

UN number : UN1208

UN Proper Shipping Name : HEXANES

Transport hazard class(es) : 3

Hexane, JUNSEI CHEMICAL CO., LTD., 67150jis_J_E1-4, 23/Apr/2026

Hazard labels : Flamm. liquid

Packing group : II

Environmental hazards

Marine pollutants (yes/no) : yes

Environmentally hazardous substance/mixture (yes/no) : yes

Maritime transport in bulk according to IMO instruments

MARPOL Annex II – Noxious Liquid Substances

Noxious Liquid Substances ; Cat. Y

Hexane

Flammable Liquid

Hexane

MARPOL Annex V – HME (Harmful to the Marine Environment)

Specific target organ toxicity – repeated exposure: cat.1

Hexane

Hazardous to the aquatic environment – long-term (chronic): cat.1, 2

Hexane

ERG GUIDE No.: 128

Section 15. Regulatory Information

Labor Standards Act, Japan

Chemical substances or compounds (including alloys) causing disease (item (iv)-1 of Appended Table 1-2 of Regulation)

Hexane

List of substances subject to authorisation (REACH, Annex XIV)/SVHC – candidate list

Specific target organ toxicity after repeated exposure (Article 57(f) – human health)

Hexane

U.S. Toxic Substances Control Act (TSCA) Inventory

Chemicals listed in TSCA Inventory

110-54-3

All components are listed or exempted.

Superfund Amendments and Reauthorizations Act (SARA), Title III

SARA 313 (TRI)

Hexane

Other regulatory information

We are not able to check up the regulatory information with regard to the substances in your country or region, therefore, we request this matter would be filled by your responsibility.

Regulatory information with regard to this substance in your country or in your region should be examined by your own responsibility.

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

Regulatory information in this section are limited to intentional ingredient(s), but does not contain information on non-intentional ingredients or impurities which are not informed by supplier(s).

Chemical safety assessment

Advice on safe handling for this product can be found in sections 7 and 8 of this SDS.

Section 16. Other information**GHS classification and labelling**

H225–Flammable liquids, Category 2: H225 Highly flammable liquid and vapor

H315–Skin corrosion/irritation, Category 2: H315 Causes skin irritation

H361–Reproductive toxicity, Category 2: H361 Suspected of damaging fertility or the unborn child

H335–Specific target organ toxicity – single exposure, Category 3, Respiratory tract irritation: H335 May cause respiratory irritation

H336–Specific target organ toxicity – single exposure, Category 3, Narcotic effects: H336 May cause drowsiness or dizziness

H372–Specific target organ toxicity – Repeated exposure, Category 1: H372 Causes damage to organs through prolonged or repeated exposure

H304–Aspiration hazard, Category 1: H304 May be fatal if swallowed and enters airways

H401–Hazardous to the aquatic environment, short-term (acute), Category 2: H401 Toxic to aquatic life

H411–Hazardous to the aquatic environment, long-term (chronic), Category 2: H411 Toxic to aquatic life with long lasting effects

References and sources for data

Globally Harmonized System of classification and labelling of chemicals, UN

Recommendations on the TRANSPORT OF DANGEROUS GOODS 23rd edit., 2023 UN

IMDG Code, 2024 Edition (Incorporating Amendment 42–24)

IATA Dangerous Goods Regulations (67th Edition) 2026

2024 EMERGENCY RESPONSE GUIDEBOOK (US DOT)

2026 TLVs and BEIs. (ACGIH)

JIS Z 7252 : 2025

JIS Z 7253 : 2025

Recommendation of occupational exposure limits (2024–2025) (JSOH)

Notification No. 0111–1 (January 11, 2022), Chemical Hazards Control Division, Industrial Safety and Health Department, Labour Standards Bureau, MHLW in Japan

Supplier's data/information

Chemicals safety data management system "GHS Assistant" Version 4.38

(<https://www.asahi-ghs.com/>)

NITE Chemical Risk Information Platform "NITE-CHRIP"

(https://www.chem-info.nite.go.jp/en/chem/chrip/chrip_search/systemTop)

GHS Classification Guidance for Enterprises 2019 Revised Edition (Ver. 2.1) (May. 2024, METI)

Abbreviations and acronyms

ACGIH – American Conference of Governmental Industrial Hygienists;

anh – anhydride;

ATE – Acute Toxicity Estimate;

BCF – Bioconcentration Factor;

BOD – Biochemical Oxygen Demand;

Cat. – Category;

Ceiling–C – Ceiling value;

COD – Chemical Oxygen Demand;

CSCL – Chemical Substances Control Law in Japan;

DSEN – Dermal Sensitization;

EC No. – The European Community number;

EC50 – Effective Concentration 50;

Hexane, JUNSEI CHEMICAL CO., LTD., 67150jis_J_E1-4, 23/Apr/2026

ENCS – Existing and New Chemical Substances Inventory under CSCL
EPA – US Environmental Protection Agency;
EU – European Union;
GHS – Globally Harmonized System of Classification and Labelling of Chemicals;
IARC – International Agency for Research on Cancer;
IATA – International Air Transport Association;
IBC Code – International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk;
IMDG Code – International Maritime Dangerous Goods Code;
ISHA – Industrial Safety and Health Act in Japan;
JSOH – Japan Society for Occupational Health;
LC50 – Lethal Concentration 50;
LD50 – Lethal Dose 50;
logPow – n-Octanol/water Partition Coefficient;
MARPOL – International Convention for the Prevention of Pollution from Ships;
METI – Ministry of Economy, Trade and Industry in Japan;
MHLW – Ministry of Health, Labour and Welfare in Japan;
MOE – Ministry of the Environment in Japan
NOEC – No Observed Effect Concentration;
NTP – US National Toxicology Program;
REACH – Registration, Evaluation, Authorisation and Restriction of Chemicals Regulation (EC) No.1907/2006;
RSEN – Respiratory Sensitization;
Skin – Danger of cutaneous absorption;
STEL – Short-term Exposure Limit;
STOT – Specific target organ toxicity;
SVHC – Substance of Very High Concern under REACH;
TWA – time-weighted average;
UN – United Nations;
UNRTDG – United Nations Recommendations on the Transport of Dangerous Goods;

General Disclaimer

The information relates to this specific material. It may not be valid for this material, if used in combination with any other materials or in any process. It is the user's responsibility to satisfy him-selves as to the suitability and completeness of this information for his own particular use.

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Data published in Japan (National Institute of Technology and Evaluation (NITE) Chemical Risk Information Platform (NITE-CHRIP), up to FY2024).