

Dodecylbenzenesulfonic acid, soft,
JUNSEI CHEMICAL CO., LTD., 81045jis_E-3, 23/May/2023

Date of issue for the 1st edition : 14/Jul/2014

Date of revision : 23/May/2023

Safety Data Sheet

Section 1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: Dodecylbenzenesulfonic acid, soft

Reference number(SDS): 81045jis_E-3

Product type:

Reagent

Details of the supplier of the safety data sheet

Manufacturer/Supplier: JUNSEI CHEMICAL CO., LTD.

Address: 1-6, Ohmano-cho, Koshigaya-shi, Saitama 343-0844, Japan

Division: Quality Assurance Department

Telephone number: +81-48-986-6161

FAX: +81-48-989-2787

e-mail address: shiyaku-t@junsei.co.jp

Section 2. Hazards identification

GHS classification and label elements of the product

Classification of the substance or mixture

HEALTH HAZARDS

Acute toxicity (Oral): Category 4

Skin corrosion/irritation: Category 1

Serious eye damage/eye irritation: Category 1

Specific target organ toxicity – single exposure: Category 2 (respiratory system)

Specific target organ toxicity – repeated exposure: Category 2 (respiratory system)

ENVIRONMENT HAZARDS

Hazardous to the aquatic environment, short-term (acute): Category 2

Hazardous to the aquatic environment, long-term (chronic): Category 2

(Note) GHS classification without description: Not classified/Classification not possible

Label elements



Signal word: Danger

HAZARD STATEMENT

H302–Harmful if swallowed

H314–Causes severe skin burns and eye damage

H318–Causes serious eye damage

H371–May cause damage to organs

H373–May cause damage to organs through prolonged or repeated exposure

H401–Toxic to aquatic life

H411–Toxic to aquatic life with long lasting effects

PRECAUTIONARY STATEMENT

Prevention

Avoid release to the environment.

Do not breathe dust/fume/gas/mist/vapors/spray.

Wash contaminated parts thoroughly after handling.

Wear protective gloves, protective clothing or face protection.

Wear eye protection/face protection.

Dodecylbenzenesulfonic acid, soft,
JUNSEI CHEMICAL CO., LTD., 81045jis_E-3,23/May/2023

Do not eat, drink or smoke when using this product.

Response

Collect spillage.

Get medical advice/attention if you feel unwell.

Immediately call a POISON CENTER/doctor/physician.

IF exposed or concerned: Call a POISON CENTER/doctor/physician.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

Wash contaminated clothing before reuse.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

Storage

Store locked up.

Disposal

Dispose of contents/container in accordance with local/national regulation.

Section 3. Composition/information on ingredients

Mixture/Substance selection:

Substance

Common name, synonyms: Laurylbenzenesulfonic acid, soft

Ingredient name: Dodecylbenzenesulfonic acid

Content (%):(available ingredient) 96 <

Chemical formula: C₁₈H₃₀O₃S

Chemicals No, Japan: 3-1884;3-1907

CAS No.: 27176-87-0

MW: 326.50

ECNO: 248-289-4

Impurities and stabilizing additives

Sulfuric acid : max. 1.5 %

Section 4. First-aid measures

Descriptions of first-aid measures

General measures

Get medical advice/attention if you feel unwell.

Immediately call a POISON CENTER/doctor/physician.

Keep victim warm and quiet.

Call emergency medical service.

Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Effects of exposure (inhalation, ingestion or skin contact) to substance may be delayed.

IF INHALED

Remove person to fresh air and keep comfortable for breathing.

Give artificial respiration if victim is not breathing.

Administer oxygen if breathing is difficult.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF ON SKIN (or hair)

Take off immediately all contaminated clothing. Rinse skin with water or shower.

If skin irritation or rash occurs: Get medical advice/attention.

Remove and isolate contaminated clothing and shoes.

Dodecylbenzenesulfonic acid, soft,
JUNSEI CHEMICAL CO., LTD., 81045jis_E-3,23/May/2023

For minor skin contact, avoid spreading material on unaffected skin.

IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF SWALLOWED

Rinse mouth. Do NOT induce vomiting.

If victim is conscious, give 1 – 2 glasses of water.

Call a POISON CENTER/doctor/physician if you feel unwell.

Most important symptoms and effects, both acute and delayed

(Symptoms when inhalation or ingestion)

Burning sensation. Cough. Laboured breathing. Shortness of breath. Sore throat. Abdominal pain.

Shock or collapse.

(Symptoms when skin and/or eye contact)

Conjunctival redness of the eyes. Redness of the skin. Pain. Severe burns. Loss of vision. Blisters.

Indication of any immediate medical attention and special treatment needed

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

Section 5. Fire-fighting measures

Extinguishing media

Suitable extinguishing media

In case of fire, use water mist, foam, dry powder, CO2 to extinguish.

Unsuitable extinguishing media

Do not use direct water jet.

Specific hazards arising from the substance or mixture

Containers may explode when heated.

Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution.

Advice for firefighters

Specific fire-fighting measures

Evacuate non-essential personnel to safe area.

Shut off fuel to fire if possible to do so without hazard.

Special protective equipment and precautions for fire-fighters

Wear fire resistant or flame retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with a full facepiece operated in the positive pressure mode.

Section 6. Accidental release measures

Personnel precautions, protective equipment and emergency procedures

Keep unauthorized personnel away.

Ventilate area until material pick up is complete.

Wear proper protective equipment.

PUBLIC SAFETY: Ventilate closed spaces before entering.

Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

EVACUATION : Spill: See the Table of Initial Isolation and Protective Action Distances for highlighted substances. For non-highlighted substances, increase, in the downwind direction, as necessary, the isolation distance shown under “PUBLIC SAFETY”.

Environmental precautions

Avoid release to headsprings, rivers, lakes, ocean and groundwater.

Fire or Explosion : Runoff may pollute waterways.

Dodecylbenzenesulfonic acid, soft,
JUNSEI CHEMICAL CO., LTD., 81045jis_E-3,23/May/2023

Methods and materials for containment and cleaning up

Absorb spill with inert material (dry sand, earth, et al), then place in a chemical waste container.

Preventive measures for secondary accident

Collect spillage.

Stop leak if you can do it without risk.

ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).

Prevent entry into waterways, sewers, basements or confined areas.

Do not get water inside containers.

Keep out of low areas.

Section 7. Handling and storage

Precautions for safe handling

Preventive measures

(Exposure Control for handling personnel)

Do not breathe dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

(Exhaust/ventilator)

Exhaust/ventilator should be available.

(Safety treatments)

Avoid contact with skin.

Avoid contact with eyes.

Safety Measures

Wear protective gloves/protective clothing/eye protection/face protection.

Use personal protective equipment as required.

When using do not eat, drink or smoke.

Any incompatibilities

Bases, Oxidizing agents should not be mixed with the chemicals.

Advice on general occupational hygiene

Wash contaminated parts thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wash contaminated clothing before reuse.

Storage

Conditions for safe storage

Store in a well-ventilated place. Keep container tightly closed.

Keep cool. Protect from sunlight.

Store in accordance with local/national regulation.

Store locked up.

Container and packaging materials for safe handling data is not available.

Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See

Section 8 for exposure controls and personal protection recommendations.

Section 8. Exposure controls/personal protection

Control parameters

Control value in MHLW is not available.

Adopted value

(Sulfuric acid)

JSOH(2000) (ceiling) 1mg/m³

ACGIH(2004) TWA: 0.2mg/m³(T) (Pulm func)

Dodecylbenzenesulfonic acid, soft,
JUNSEI CHEMICAL CO., LTD., 81045jis_E-3,23/May/2023

Exposure controls

Appropriate engineering controls

- Do not use in areas without adequate ventilation.
- Eye wash station should be available.
- Washing facilities should be available.

Individual protection measures

Respiratory protection

- Wear respiratory protection.
- Wear positive pressure self-contained breathing apparatus (SCBA).

Hand protection

- Wear protective gloves.
- Inspect before use and replace worn or damaged gloves.
- Contact the glove manufacturer for specific advice on glove selection and breakthrough times for your use conditions.

Eye protection

- Wear chemical safety goggle.
- Wear eye/face protection.

Skin and body protection

- Wear impervious clothing and boots in case of repeated or prolonged treatment.

Section 9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state: Viscous liquid

Color: Yellow~Brown

Odor: Characteristic odor

Odor threshold data is not available.

Melting point/Freezing point: 10°C (Dodecylbenzenesulfonic acid)

Boiling point or initial boiling point data is not available.

Boiling range data is not available.

Flammability (gases, liquids and solids) data is not available.

Lower and upper explosion limit/flammability limit data is not available.

Flash point: (O.C.) 218°C

Auto-ignition temperature data is not available.

Decomposition temperature: > 204.5°C (Dodecylbenzenesulfonic acid)

Self-Accelerating Decomposition Temperature/SADT data is not available.

pH: pH ≤ 2 (Aqueous solution with 10% active ingredient)

pH data is not available.

Dynamic viscosity: ca. 900mPas(30°C)

Kinematic viscosity data is not available.

Solubility:

Solubility in water: Soluble

Solubility in solvent data is not available.

n-Octanol/water partition coefficient data is not available.

Vapor pressure data is not available.

Vapor density data is not available.

Density and/or relative density: ca. 1(25°C)

Relative vapor density (Air=1) data is not available.

Relative density of the Vapor/air – mixture at 20°C (Air = 1) data is not available.

Particle characteristics data is not available.

Other information

Critical temperature data is not available.

Evaporation rate data is not available.

VOC data is not available.

Dodecylbenzenesulfonic acid, soft,
JUNSEI CHEMICAL CO., LTD., 81045jis_E-3,23/May/2023

Other information is not available.

Section 10. Stability and Reactivity

Reactivity

Reactivity data is not available.

Chemical stability

Stable under normal storage/handling conditions.

Possibility of hazardous reactions

Decomposes on heating. This produces toxic fumes.

Reacts with bases and oxidants. This produces sulfur oxides. This generates toxic hazard.

Attacks metals.

Conditions to avoid

Contact with incompatible materials.

Open flames. Heating.

Incompatible materials

Bases, Oxidizing agents

Hazardous decomposition products

Carbon oxides, Sulfur oxides, Hydrogen sulfide.

Section 11. Toxicological Information

The product has not been subjected to toxicological testing. Refer to the available data on the constituents.

Information on toxicological effects

Acute toxicity

Acute toxicity (Oral)

[Product]

Category 4, Harmful if swallowed

[Data for components of the product]

[GHS Cat. Japan, base data]

(Dodecylbenzenesulfonic acid)

rat LD50=650mg/kg (SIDS, 2012)

(Sulfuric acid)

rat LD50=2140mg/kg (SIDS, 2001)

Acute toxicity (Dermal)

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Acute toxicity (Inhalation)

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

[GHS Cat. Japan, base data]

(Sulfuric acid)

mist: rat LC50=0.347mg/L/4hr (SIDS, 2001)

Labor standard law, Japan; Toxic

Sulfuric acid

Irritant properties

Skin corrosion/irritation

[Product]

Category 1, Causes severe skin burns and eye damage

Dodecylbenzenesulfonic acid, soft,
JUNSEI CHEMICAL CO., LTD., 81045jis_E-3,23/May/2023

[Product data]

[GHS Cat. based on pH]

pH ≤ 2, accordingly Skin corrosion/irritation: Category 1

[Data for components of the product]

[GHS Cat. Japan, base data]

(Dodecylbenzenesulfonic acid)

human moderate primary irritation (EHC 169, 1996; EPA RED, 2006)

(Sulfuric acid)

corrosive substance

Serious eye damage/irritation

[Product]

Category 1, Causes serious eye damage

[Product data]

[GHS Cat. based on pH]

pH ≤ 2, accordingly Serious eye damage/eye irritation: Category 1

[Data for components of the product]

[GHS Cat. Japan, base data]

(Dodecylbenzenesulfonic acid)

rabbit severe irritation (SIDS, 2012)

(Sulfuric acid)

human severe damage (ATSDR, 1998)

Sensitization

Respiratory sensitization

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Skin sensitization

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Germ cell mutagenicity

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Carcinogenicity

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

[IARC]

(Sulfuric acid)

Group 1 : Carcinogenic to humans

[ACGIH]

(Sulfuric acid)

A2(2004) : Suspected Human Carcinogen

[NTP]

(Sulfuric acid)

Known : Known to be Human Carcinogens

Reproductive toxicity

[Product]

Classification not possible (Insufficient data available or no data available).

Dodecylbenzenesulfonic acid, soft,
JUNSEI CHEMICAL CO., LTD., 81045jis_E-3,23/May/2023

[Data for components of the product]

No data available.

Specific target organ toxicity (STOT)

STOT-single exposure

[Product]

Category 2, May cause damage to organs

[Data for components of the product]

[cat.1]

[GHS Cat. Japan, base data]

(Sulfuric acid)

respiratory system (ATSDR, 1998)

STOT-repeated exposure

[Product]

Category 2, May cause damage to organs through prolonged or repeated exposure

[Data for components of the product]

[cat.1]

[GHS Cat. Japan, base data]

(Sulfuric acid)

respiratory system (ATSDR, 1998)

Aspiration hazard

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Section 12. Ecological Information

The product has not been subjected to ecotoxicological testing. Refer to the available data on the constituents.

Toxicity

Aquatic toxicity

[Product]

Category 2, Toxic to aquatic life

Category 2, Toxic to aquatic life with long lasting effects

[Data for components of the product]

Hazardous to the aquatic environment, short-term (acute)

[GHS Cat. Japan, base data]

(Dodecylbenzenesulfonic acid)

Crustacea (*Daphnia magna*) LC50=3.4mg/L/48hr (MOE Japan, 1999)

(Sulfuric acid)

Fish (bluegill) LC50(pH3.25-3.5)=16-28mg/L/96hr (OECD SIDS, 2001)

Hazardous to the aquatic environment, long-term (chronic)

[GHS Cat. Japan, base data]

(Sulfuric acid)

Fish (*Gambusia affinis*) NOEC(pH6.0)=0.025mg/L/45days (OECD SIDS, 2001)

Water solubility

(Dodecylbenzenesulfonic acid)

very good (ICSC, 2002)

(Sulfuric acid)

miscible (ICSC, 2016)

Persistence and degradability

Persistence and degradability data is not available.

Dodecylbenzenesulfonic acid, soft,
JUNSEI CHEMICAL CO., LTD., 81045jis_E-3,23/May/2023

Bioaccumulative potential

[Data for components of the product]

(Dodecylbenzenesulfonic acid)

log Pow=1.96 (PHYSPROP DB, 2005)

Mobility in soil

Mobility in soil data is not available.

Other adverse effects

Ozone depleting chemical data is not available.

Section 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Waste treatment methods

Avoid release to the environment.

Dispose of contents/container in accordance with local/national regulation.

Section 14. Transport Information

UN No., UN CLASS

UN Number or ID Number : 2586

UN Proper Shipping Name :

ALKYLSULPHONIC ACIDS, LIQUID or ARYLSULPHONIC ACIDS, LIQUID with not more than 5% free sulphuric acid

Class or division (Transport hazard class) : 8

Packing group : III

ERG GUIDE No.: 153

IMDG Code (International Maritime Dangerous Goods Regulations)

UN Number or ID Number : 2586

UN Proper Shipping Name :

ALKYLSULPHONIC ACIDS, LIQUID or ARYLSULPHONIC ACIDS, LIQUID with not more than 5% free sulphuric acid

Class or division (Transport hazard class) : 8

Packing group : III

IATA (Dangerous Goods Regulations)

UN Number or ID Number : 2586

UN Proper Shipping Name :

ALKYLSULPHONIC ACIDS, LIQUID or ARYLSULPHONIC ACIDS, LIQUID with not more than 5% free sulphuric acid

Class or division (Transport hazard class) : 8

Hazard labels : Corrosive

Packing group : III

Environmental hazards

Marine pollutants (yes/no) : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Noxious Liquid Substances ; Cat. Y

Dodecylbenzenesulfonic acid; Sulfuric acid

MARPOL Annex V – HME (Harmful to the Marine Environment)

Specific target organ toxicity – repeated exposure: cat.1

Sulfuric acid

Hazardous to the aquatic environment – long-term (chronic): cat.1, 2

Dodecylbenzenesulfonic acid; Sulfuric acid

Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

U.S. Toxic Substances Control Act (TSCA) Inventory

Chemicals listed in TSCA Inventory

7664-93-9; 27176-87-0

All components are listed or exempted.

Superfund Amendments and Reauthorizations Act (SARA), Title III

SARA 313 (TRI)

Sulfuric acid

Other regulatory information

We are not able to check up the regulatory information with regard to the substances in your country or region, therefore, we request this matter would be filled by your responsibility.

Regulatory information with regard to this substance in your country or in your region should be examined by your own responsibility.

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

Regulatory information in this section are limited to intentional ingredient(s), but does not contain information on non-intentional ingredients or impurities which are not informed by supplier(s).

Chemical safety assessment

Advice on safe handling for this product can be found in sections 7 and 8 of this SDS.

Section 16. Other information

GHS classification and labelling

H302-Acute toxicity, Category 4: H302 Harmful if swallowed

H314-Skin corrosion/irritation, Category 1: H314 Causes severe skin burns and eye damage

H318-Serious eye damage/eye irritation, Category 1: H318 Causes serious eye damage

H371-STOT - single exposure, Category 2: H371 May cause damage to organs

H373-STOT - Repeated exposure, Category 2: H373 May cause damage to organs through prolonged or repeated exposure

H401-Hazardous to the aquatic environment, short-term (acute), Category 2: H401 Toxic to aquatic life

H411-Hazardous to the aquatic environment, long-term (chronic), Category 2: H411 Toxic to aquatic life with long lasting effects

References and sources for data

Globally Harmonized System of classification and labelling of chemicals, UN

Recommendations on the TRANSPORT OF DANGEROUS GOODS 22nd edit., 2021 UN

IMDG Code, 2020 Edition (Incorporating Amendment 40-20)

IATA Dangerous Goods Regulations (64th Edition) 2023

2020 EMERGENCY RESPONSE GUIDEBOOK (US DOT)

2022 TLVs and BEIs. (ACGIH)

JIS Z 7252 : 2019

JIS Z 7253 : 2019

2022 Recommendation on TLVs (JSOH)

Notification No. 0111-1 (January 11, 2022), Chemical Hazards Control Division, Industrial Safety and Health Department, Labour Standards Bureau, MHLW in Japan

Supplier's data/information

Chemicals safety data management system "GHS Assistant" Version 4.22(<https://www.asahi-ghs.com/>)

NITE Chemical Risk Information Platform "NITE-CHRIIP"

(https://www.nite.go.jp/en/chem/chrip/chrip_search/systemTop)

GHS Classification Guidance for Enterprises 2019 Revised Edition (Ver. 2.0) (Mar. 2020, METI)

Dodecylbenzenesulfonic acid, soft,
JUNSEI CHEMICAL CO., LTD.,81045jis_E-3,23/May/2023

Abbreviations and acronyms

SDS (Safety Data Sheet)
LD50 (Lethal Dose, 50%)
LC50 (Lethal Concentration, 50%)
IARC (International Agency for Research on Cancer)
ACGIH (American Conference of Governmental Industrial Hygienists)
EPA (US Environmental Protection Agency)
NTP (US National Toxicology Program)
JSOH (Japan Society for Occupational Health)
EU (European Union)
EC50 (Effective Concentration, 50%)
NOEC (No Observed Effect Concentration)
BOD (Biochemical Oxygen Demand)
COD (Chemical Oxygen Demand)
BCF (Bioconcentration Factor)
anh (anhydride)

General Disclaimer

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Japan official data (NITE published in 2021).