

Aluminium sulfate 14~18-water,
JUNSEI CHEMICAL CO., LTD.,83100jis_J_E3-2,09/Oct/2025

Date of issue for the 1st edition : 25/Mar/2021

Date of revision : 09/Oct/2025

Safety Data Sheet

Section 1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: Aluminium sulfate 14~18-water

Reference number(SDS):83100jis_J_E3-2

Product type :

Reagent

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the product: Research and Development

Uses advised against: Do not use for other purposes.

Details of the supplier of the safety data sheet

Manufacturer/Supplier: JUNSEI CHEMICAL CO., LTD.

Address: 1-6, Ohmano-cho, Koshigaya-shi, Saitama 343-0844, Japan

Division: Quality Assurance Department

Telephone number: +81-48-986-6161

FAX: +81-48-989-2787

e-mail address: shiyaku-t@junsei.co.jp

Section 2. Hazards identification

GHS classification and label elements of the product

Classification of the substance or mixture

HEALTH HAZARDS

Serious eye damage/eye irritation: Category 2A

ENVIRONMENT HAZARDS

Hazardous to the aquatic environment, short-term (acute): Category 3

(Note) GHS classification without description: Not classified/Classification not possible

Label elements



Signal word: Warning

HAZARD STATEMENT

H319-Causes serious eye irritation

H402-Harmful to aquatic life

PRECAUTIONARY STATEMENT

Prevention

Avoid release to the environment.

Wash contaminated parts thoroughly after handling.

Wear eye protection/face protection.

Response

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

Disposal

Dispose of contents/container in accordance with local/national regulation.

Section 3. Composition/information on ingredients**Mixture/Substance selection:****Substance**

Ingredient name:Aluminium sulfate 14~18-water

Content (%):[Al₂(SO₄)₃] 51.0~57.5Chemical formula:Al₂O₃·14~18H₂O

ENCS:1-25

CAS No.:17927-65-0 [10043-01-3(anh)]

MW:342.14 (anh)

EC No.:233-135-0

Note : The figures shown above are not the specifications of the product.

Section 4. First-aid measures**Descriptions of first-aid measures****IF INHALED**

Remove person to fresh air and keep comfortable for breathing.

IF INHALED: Call a POISON CENTER/doctor/physician if you feel unwell.

IF ON SKIN (or hair)

Take off immediately all contaminated clothing. Rinse skin with water or shower.

If skin irritation or rash occurs: Get medical advice/attention.

IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF SWALLOWED

Rinse mouth.

If victim is conscious, give 1 - 2 glasses of water.

IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.

Most important symptoms and effects, both acute and delayed**(Symptoms when inhalation or ingestion)**

Cough. Sore throat. Burning sensation in the throat and chest. Abdominal pain. Nausea. Vomiting. Diarrhoea.

(Symptoms when skin and/or eye contact)

Conjunctival redness of the eyes. Redness of the skin. Burns of the eyes.

Indication of any immediate medical attention and special treatment needed

Information on indication of any immediate medical attention and special treatment needed is not available.

Section 5. Fire-fighting measures**Extinguishing media****Suitable extinguishing media**

Use appropriate extinguishing media suitable for surrounding facilities.

The product is non-flammable.

Unsuitable extinguishing media

Unsuitable extinguishing media data is not available.

Specific hazards arising from the substance or mixture

Containers may explode when heated.

Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution.

Aluminium sulfate 14~18-water,
JUNSEI CHEMICAL CO., LTD.,83100jis_J_E3-2,09/Oct/2025

Advice for firefighters

Specific fire-fighting measures

Evacuate non-essential personnel to safe area.

Special protective equipment and precautions for fire-fighters

Wear fire resistant or flame retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with a full facepiece operated in the positive pressure mode.

Section 6. Accidental release measures

Personnel precautions, protective equipment and emergency procedures

Ventilate area until material pick up is complete.

Wear proper protective equipment.

Environmental precautions

Avoid release to headsprings, rivers, lakes, ocean and groundwater.

Methods and materials for containment and cleaning up

Sweep up, place in a bag and hold for waste disposal.

If appropriate, moisten first to prevent dusting.

Preventive measures for secondary accident

Collect spillage.

Section 7. Handling and storage

Precautions for safe handling

Preventive measures

(Exposure Control for handling personnel)

Avoid breathing dust/fume/gas/mist/vapors/spray.

(Protective measures against fire and explosion)

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

(Exhaust/ventilator)

Exhaust/ventilator should be available.

(Precautions)

Avoid contact with skin.

Avoid contact with eyes.

Safety Measures

Wear protective gloves/protective clothing/eye protection/face protection.

Use personal protective equipment as required.

When using do not eat, drink or smoke.

Any incompatibilities

Bases, Strong oxidizing agents should not be mixed with the chemicals.

Advice on general occupational hygiene

Wash contaminated parts thoroughly after handling.

Storage

Conditions for safe storage

Store in a well-ventilated place. Keep container tightly closed.

Keep cool. Protect from sunlight.

Store in accordance with local/national regulation.

Container and packaging materials for safe handling data is not available.

Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

Section 8. Exposure controls/personal protection

Control parameters

Control value and Concentration standard value under ISHA

Not established

Occupational Exposure Limit

JSOH

Not established

ACGIH

Not established

Exposure controls

Appropriate engineering controls

Do not use in areas without adequate ventilation.

Eye wash station should be available.

Washing facilities should be available.

Individual protection measures

Respiratory protection

Select and wear respiratory protection in accordance with approved standards (e.g. JIS T8150).

Recommended respiratory protection: Dust mask

Hand protection

Wear protective gloves. Recommended material(s): neoprene, nitrile, butyl rubber, viton, PVC, impermeable or chemical resistant rubber

Inspect before use and replace worn or damaged gloves.

Contact the glove manufacturer for specific advice on glove selection and breakthrough times for your use conditions.

Chemical-resistant, impervious gloves complying with an approved standard (e.g. JIS T8116) should be used.

Eye protection

Wear chemical safety goggle.

Wear eye/face protection in accordance with approved standards (e.g. JIS T8147).

Skin and body protection

Wear impervious clothing and boots in case of repeated or prolonged treatment.

Personal protective equipment for the body and skin should be selected based on the task being performed and the risks involved.

Section 9. Physical and Chemical Properties

Information on basic physical and chemical properties

Physical state: Crystals or crystalline powder

Color: White

Odor: Odorless

Odor threshold data is not available.

Melting point/Freezing point data is not available.

Boiling point or initial boiling point data is not available.

Boiling range data is not available.

Flammability: Non-flammable

Lower and upper explosion limit/flammability limit data is not available.

Flash point: Non-flammable

Auto-ignition temperature data is not available.

Decomposition temperature: 770°C

pH: >2.2 (50g/L, 25°C)

Kinematic viscosity data is not available.

Solubility:

Solubility in water: Freely soluble

Aluminium sulfate 14~18-water,
JUNSEI CHEMICAL CO., LTD.,83100jis_J_E3-2,09/Oct/2025

Solubility in solvent: Practically insoluble in alcohol.
Partition coefficient n-octanol/water data is not available.
Vapor pressure data is not available.
Density and/or relative density data is not available.
Relative vapor density (Air=1) data is not available.
Particle characteristics data is not available.

Section 10. Stability and Reactivity

Reactivity

Reactivity data is not available.

Chemical stability

Stable under normal storage/handling conditions.

Possibility of hazardous reactions

Decomposes on heating and on burning. This produces toxic and corrosive fumes.

Reacts with bases.

Reacts violently with strong oxidants. This produces heat. This produces toxic and corrosive fumes.

The aqueous solution of this product is a medium strong acid.

Attacks many metals in the presence of water.

Conditions to avoid

Contact with incompatible materials.

Heating. Moisture. Light.

Incompatible materials

Bases, Strong oxidizing agents

Hazardous decomposition products

Sulfur oxides, Aluminum oxides.

Section 11. Toxicological Information

Information on toxicological effects

Acute toxicity

Acute toxicity (Oral)

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

(Hydrated aluminum sulfate ($\text{Al}_2(\text{SO}_4)_3 \cdot 14.3\text{H}_2\text{O}$)) #

rat LD50 : >5000 mg/kg (source: HSDB, Supplier's data/information)

Acute toxicity (Dermal)

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Acute toxicity (Inhalation)

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Irritant properties

Skin corrosion/irritation

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

rabbit : not irritating (source: Supplier's data/information)

Aluminium sulfate 14~18-water,
JUNSEI CHEMICAL CO., LTD.,83100jis_J_E3-2,09/Oct/2025

Serious eye damage/irritation

[Product]

Category 2A, Causes serious eye irritation

[Data for components of the product]

(Hydrated aluminum sulfate ($\text{Al}_2(\text{SO}_4)_3 \cdot 14.3\text{H}_2\text{O}$))#

rabbit : moderately irritating (source: HSDB, Supplier's data/information)

Sensitization

Respiratory sensitization

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Skin sensitization

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Germ cell mutagenicity

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Carcinogenicity

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Reproductive toxicity

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Specific target organ toxicity (STOT)

STOT-single exposure

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

STOT-repeated exposure

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Aspiration hazard

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Information on other hazards

(Data attached # show test data by similar products.)

Section 12. Ecological Information**Ecotoxicity****Aquatic toxicity****[Product]**

Category 3, Harmful to aquatic life

[Data for components of the product]

Hazardous to the aquatic environment, short-term (acute)

Crustacea (Daphnia) 48-hour EC50 : 12.8mg/L (source: Supplier's data/information)

(Aluminum sulfate tetradecahydrate)#

Crustacea (Daphnia magna) 48-hour EC50 : 47.5 mg/L(OECD TG 202)(source: REACH Registration dossier)

Water solubility**[Data for components of the product]**

(Aluminium sulfate)

good (source: ICSC, 2010)

Persistence and degradability

Persistence and degradability data is not available.

Bioaccumulative potential

Bioaccumulative potential data is not available.

Mobility in soil

Mobility in soil data is not available.

Other adverse effects

Ozone depleting chemical data is not available.

Additional information

(Data attached # show test data by similar products.)

Section 13. Disposal considerationsDescription of waste residues and information on their safe handling and methods of disposal,
including the disposal of any contaminated packaging**Waste treatment methods**

Avoid release to the environment.

Dispose of contents/container in accordance with local/national regulation.

Section 14. Transport Information**UN No., UN CLASS**

UN Number or ID Number : Not regulated

UN Proper Shipping Name : Not regulated

Class or division (Transport hazard class) : Not regulated

Packing group : Not regulated

IMDG Code (International Maritime Dangerous Goods Regulations)

UN Number or ID Number : Not regulated

UN Proper Shipping Name : Not regulated

Class or division (Transport hazard class) : Not regulated

Packing group : Not regulated

IATA (Dangerous Goods Regulations)

UN Number or ID Number : Not regulated

UN Proper Shipping Name : Not regulated

Class or division (Transport hazard class) : Not regulated

Packing group : Not regulated

Environmental hazards

Marine pollutants (yes/no) : no

Aluminium sulfate 14~18-water,
JUNSEI CHEMICAL CO., LTD.,83100jis_J_E3-2,09/Oct/2025

Special precautions for user

Special precautions for user is not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Noxious Liquid Substances ; Cat. Y

Aluminium sulfate 14~18-water

Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

The product does not contain any ingredients listed in REACH SVHC candidate list.

U.S. Toxic Substances Control Act (TSCA) Inventory

Chemicals listed in TSCA Inventory

17927-65-0 [10043-01-3(anh)]

All components are listed or exempted.

Other regulatory information

We are not able to check up the regulatory information with regard to the substances in your country or region, therefore, we request this matter would be filled by your responsibility.

Regulatory information with regard to this substance in your country or in your region should be examined by your own responsibility.

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

Regulatory information in this section are limited to intentional ingredient(s), but does not contain information on non-intentional ingredients or impurities which are not informed by supplier(s).

Chemical safety assessment

Advice on safe handling for this product can be found in sections 7 and 8 of this SDS.

Section 16. Other information

GHS classification and labelling

H319-Serious eye damage/eye irritation, Category 2A: H319 Causes serious eye irritation

H402-Hazardous to the aquatic environment, short-term (acute), Category 3: H402 Harmful to aquatic life

References and sources for data

Globally Harmonized System of classification and labelling of chemicals, UN

Recommendations on the TRANSPORT OF DANGEROUS GOODS 23rd edit., 2023 UN

IMDG Code, 2024 Edition (Incorporating Amendment 42-24)

IATA Dangerous Goods Regulations (66th Edition) 2025

2024 EMERGENCY RESPONSE GUIDEBOOK (US DOT)

2025 TLVs and BEIs. (ACGIH)

JIS Z 7252 : 2019

JIS Z 7253 : 2019

Recommendation of occupational exposure limits (2023-2024) (JSOH)

Notification No. 0111-1 (January 11, 2022), Chemical Hazards Control Division, Industrial

Safety and Health Department, Labour Standards Bureau, MHLW in Japan

Supplier's data/information

Chemicals safety data management system "GHS Assistant" Version 4.34 (<https://www.asahi-ghs.com/>)

NITE Chemical Risk Information Platform "NITE-CHRIIP"

(https://www.chem-info.nite.go.jp/chem/chrip/chrip_search/systemTop)

GHS Classification Guidance for Enterprises 2019 Revised Edition (Ver. 2.1) (May. 2024, METI)

Abbreviations and acronyms

SDS (Safety Data Sheet)

LD50 (Lethal Dose, 50%)

Aluminium sulfate 14~18-water,

JUNSEI CHEMICAL CO., LTD.,83100jis_J_E3-2,09/Oct/2025

LC50 (Lethal Concentration, 50%)

IARC (International Agency for Research on Cancer)

ACGIH (American Conference of Governmental Industrial Hygienists)

EPA (US Environmental Protection Agency)

NTP (US National Toxicology Program)

METI (Ministry of Economy, Trade and Industry in Japan)

MHLW (Ministry of Health, Labour and Welfare in Japan)

MOE (Ministry of the Environment in Japan)

JSOH (Japan Society for Occupational Health)

ISHA (Industrial Safety and Health Act in Japan)

CSCL (Chemical Substances Control Law in Japan)

EU (European Union)

EC50 (Effective Concentration, 50%)

NOEC (No Observed Effect Concentration)

BOD (Biochemical Oxygen Demand)

COD (Chemical Oxygen Demand)

BCF (Bioconcentration Factor)

anh (anhydride)

General Disclaimer

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Data published in Japan (National Institute of Technology and Evaluation (NITE) Chemical Risk Information Platform (NITE-CHRIP), up to FY2023).