

Iron(III) nitrate solution (42g/L) , with pipet

JUNSEI CHEMICAL CO., LTD., 97516jis\_E-1, 29/Oct/2025

Date of issue for the 1st edition : 29/Oct/2025

## Safety Data Sheet

### Section 1. Identification of the substance/mixture and of the company/undertaking

Product identifier:

Product name: Iron(III) nitrate solution (42g/L) , with pipet

Reference number(SDS):97516jis\_E-1

Product type:

Reagent

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the product: Research and Development (For Indicator)

Uses advised against: Do not use for other purposes.

Details of the supplier of the safety data sheet

Manufacturer/Supplier: JUNSEI CHEMICAL CO., LTD.

Address: 1-6, Ohmano-cho, Koshigaya-shi, Saitama 343-0844, Japan

Division: Quality Assurance Department

Telephone number: +81-48-986-6161

FAX: +81-48-989-2787

e-mail address: shiyaku-t@junsei.co.jp

### Section 2. Hazards identification

GHS classification and label elements of the product

Classification of the substance or mixture

HEALTH HAZARDS

Acute toxicity (Inhalation): Category 4

Skin corrosion/irritation: Category 2

Serious eye damage/eye irritation: Category 1

Specific target organ toxicity – single exposure: Category 2 (respiratory organs)

Specific target organ toxicity – repeated exposure: Category 2 (respiratory organs)

ENVIRONMENT HAZARDS

Hazardous to the aquatic environment, long-term (chronic): Category 2

(Note) GHS classification without description: Not classified/Classification not possible

Label elements



Signal word: Danger

HAZARD STATEMENT

H332-Harmful if inhaled

H315-Causes skin irritation

H318-Causes serious eye damage

H371-May cause damage to organs

H373-May cause damage to organs through prolonged or repeated exposure

H411-Toxic to aquatic life with long lasting effects

PRECAUTIONARY STATEMENT



Iron(III) nitrate solution (42g/L) , with pipet  
JUNSEI CHEMICAL CO., LTD., 97516jis\_E-1, 29/Oct/2025

#### Prevention

- Avoid release to the environment.
- Do not breathe dust/ mist.
- Use only outdoors or in a well-ventilated area.
- Wash contaminated parts thoroughly after handling.
- Wear protective gloves.
- Wear eye protection/face protection.
- Do not eat, drink or smoke when using this product.

#### Response

- Collect spillage.
- Specific treatment is required.
- Get medical advice/attention if you feel unwell.
- Immediately call a POISON CENTER/doctor/physician.
- Call a POISON CENTER/doctor/physician if you feel unwell.
- IF exposed or concerned: Call a POISON CENTER/doctor/physician.
- IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- IF ON SKIN: Wash with plenty of soap and water.
- If skin irritation occurs: Get medical advice/attention.
- Take off contaminated clothing and wash it before reuse.
- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

#### Storage

- Store locked up.

#### Disposal

- Dispose of contents/container in accordance with local/national regulation.

---

**Section 3. Composition/information on ingredients**

Mixture/Substance selection:

Mixture

Ingredient name:Iron(III) nitrate

Content (%):ca. 4.0

Chemical formula:FeN3O9

ENCS:1-355

CAS No.:10421-48-4

MW:241.86

EC No.:233-899-5

Ingredient name:Sulfuric acid

Content (%):ca. 3.4

Chemical formula:H2O4S

ENCS:1-430

CAS No.:7664-93-9

MW:98.08

EC No.:231-639-5

Ingredient name:Water

Content (%):Residual quantity of the ingredient mentioned above.

Chemical formula:H2O

CAS No.:7732-18-5

MW:18.02

EC No.:231-791-2

Note : The figures shown above are not the specifications of the product.

---

**Section 4. First-aid measures**

Descriptions of first-aid measures

General measures

Get medical advice/attention if you feel unwell.

Immediately call a POISON CENTER/doctor/physician.

Keep victim warm and quiet.

Call emergency medical service.

Do not use mouth-to-mouth method if victim ingested or inhaled the substance; give artificial respiration with the aid of a pocket mask equipped with a one-way valve or other proper respiratory medical device.

Effects of exposure (inhalation, ingestion or skin contact) to substance may be delayed.

IF INHALED

Remove person to fresh air and keep comfortable for breathing.

Give artificial respiration if victim is not breathing.

Administer oxygen if breathing is difficult.

Call a POISON CENTER/doctor/physician if you feel unwell.

IF ON SKIN (or hair)

Take off immediately all contaminated clothing. Rinse skin with water or shower.

Wash with plenty of soap and water.

Iron(III) nitrate solution (42g/L) , with pipet  
JUNSEI CHEMICAL CO., LTD., 97516jis\_E-1, 29/Oct/2025

If skin irritation or rash occurs: Get medical advice/attention.  
For minor skin contact, avoid spreading material on unaffected skin.  
Remove and isolate contaminated clothing and shoes.

#### IF IN EYES

Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Immediately call a POISON CENTER/doctor/physician.  
If eye irritation persists: Get medical advice/attention.

#### IF SWALLOWED

Rinse mouth.  
IF SWALLOWED: Call a POISON CENTER/doctor/physician if you feel unwell.

Most important symptoms and effects, both acute and delayed

Specific information on symptom and effect are unknown.

Indication of any immediate medical attention and special treatment needed

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

---

### Section 5. Fire-fighting measures

#### Extinguishing media

##### Suitable extinguishing media

Use appropriate extinguishing media suitable for surrounding facilities.

##### Unsuitable extinguishing media

Unsuitable extinguishing media data is not available.

#### Specific hazards arising from the substance or mixture

Containers may explode when heated.

Fire may produce irritating, corrosive and/or toxic gases.

Runoff from fire control or dilution water may cause pollution.

#### Advice for firefighters

##### Specific fire-fighting measures

Evacuate non-essential personnel to safe area.

##### Special protective equipment and precautions for fire-fighters

Wear fire resistant or flame retardant clothing.

Wear protective gloves/protective clothing/eye protection/face protection.

Firefighters should wear self-contained breathing apparatus with a full facepiece operated in the positive pressure mode.

---

### Section 6. Accidental release measures

#### Personnel precautions, protective equipment and emergency procedures

Keep unauthorized personnel away.

In case of contact with substance, immediately flush skin or eyes with running water for at least 20 minutes.

Ventilate area until material pick up is complete.

Wear proper protective equipment.

PUBLIC SAFETY: Ventilate closed spaces before entering.

#### Environmental precautions

Avoid release to headsprings, rivers, lakes, ocean and groundwater.

Iron(III) nitrate solution (42g/L) , with pipet  
JUNSEI CHEMICAL CO., LTD., 97516jis\_E-1, 29/Oct/2025

Methods and materials for containment and cleaning up

- Absorb or cover with dry earth, sand or other non-combustible material and transfer to containers.
- Use clean non-sparking tools to collect absorbed material.
- All equipment used when handling the product must be grounded.

Preventive measures for secondary accident

- Collect spillage.
- Stop leak if you can do it without risk.
- ELIMINATE all ignition sources (no smoking, flares, sparks or flames in immediate area).
- Prevent entry into waterways, sewers, basements or confined areas.

---

## Section 7. Handling and storage

### Precautions for safe handling

#### Preventive measures

(Exposure Control for handling personnel)

- Do not breathe dust/ mist.

(Protective measures against fire and explosion)

- Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

(Exhaust/ventilator)

- Exhaust/ventilator should be available.

(Precautions)

- Avoid contact with skin.
- Avoid contact with eyes.

#### Safety Measures

- Use only outdoors or in a well-ventilated area.
- Wear protective gloves/protective clothing/eye protection/face protection.
- Use personal protective equipment as required.
- When using do not eat, drink or smoke.

#### Any incompatibilities

- Bases, Reducing agents, Combustible substances, Metals should not be mixed with the chemicals.

#### Advice on general occupational hygiene

- Wash contaminated parts thoroughly after handling.
- Do not eat, drink or smoke when using this product.
- Take off contaminated clothing and wash it before reuse.

### Storage

#### Conditions for safe storage

- Store in a well-ventilated place. Keep container tightly closed.
- Keep cool. Protect from sunlight.
- Store in accordance with local/national regulation.

Container and packaging materials for safe handling data is not available.

#### Specific end use(s)

- See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

---

**Section 8. Exposure controls/personal protection****Control parameters**

Occupational Exposure Limit

JSOH

(Sulfuric acid) (Ceiling) 1mg/m<sup>3</sup>

ACGIH

(Iron(III) nitrate) TWA: 1mg-Fe/m<sup>3</sup>(Iron salts, soluble) (URT & skin irr)(Sulfuric acid) TWA: 0.2mg/m<sup>3</sup>(T) (Pulm func)**Exposure controls****Appropriate engineering controls**

Do not use in areas without adequate ventilation.

Eye wash station should be available.

Washing facilities should be available.

**Individual protection measures****Respiratory protection**

Select and wear respiratory protection in accordance with approved standards (e.g. JIS T8150).

**Hand protection**

Wear protective gloves.

Inspect before use and replace worn or damaged gloves.

Contact the glove manufacturer for specific advice on glove selection and breakthrough times for your use conditions.

Chemical-resistant, impervious gloves complying with an approved standard (e.g. JIS T8116) should be used.

**Eye protection**

Wear chemical safety goggle.

Wear eye/face protection in accordance with approved standards (e.g. JIS T8147).

**Skin and body protection**

Wear impervious clothing and boots in case of repeated or prolonged treatment.

Personal protective equipment for the body and skin should be selected based on the task being performed and the risks involved.

---

**Section 9. Physical and Chemical Properties****Information on basic physical and chemical properties**

Physical state: Liquid

Color: Pale yellow

Odor data is not available.

Odor threshold data is not available.

Melting point/Freezing point data is not available.

Boiling point or initial boiling point data is not available.

Boiling range data is not available.

Flammability data is not available.

Lower and upper explosion limit/flammability limit data is not available.

Iron(III) nitrate solution (42g/L) , with pipet  
JUNSEI CHEMICAL CO., LTD., 97516jis\_E-1, 29/Oct/2025

Flash point data is not available.

Auto-ignition temperature data is not available.

Decomposition temperature data is not available.

Self-Accelerating Decomposition Temperature/SADT data is not available.

pH: Acidic.

Dynamic viscosity data is not available.

Kinematic viscosity data is not available.

Solubility:

Solubility in water: Miscible

Solubility in solvent data is not available.

Partition coefficient n-octanol/water data is not available.

Vapor pressure data is not available.

Vapor density data is not available.

Density and/or relative density data is not available.

Relative vapor density (Air=1) data is not available.

Relative density of the Vapor/air - mixture at 20°C (Air = 1) data is not available.

Particle characteristics data is not available.

Other information

Critical temperature data is not available.

Evaporation rate data is not available.

VOC data is not available.

---

## Section 10. Stability and Reactivity

Reactivity

Reactivity data is not available.

Chemical stability

Stable under normal storage/handling conditions.

Possibility of hazardous reactions

Possibility of hazardous reactions data is not available.

Conditions to avoid

Contact with incompatible materials.

Open flames. Heating.

Incompatible materials

Bases. Reducing agents. Metals. Combustible substances.

Hazardous decomposition products

Nitrogen oxides. Sulfur oxides. Iron oxides.

---

## Section 11. Toxicological Information

The product has not been subjected to toxicological testing. Refer to the available data on the constituents.

Information on toxicological effects

Acute toxicity

Acute toxicity (Oral)

[Product]

Classification not possible (Insufficient data available or no data available).

Iron(III) nitrate solution (42g/L) , with pipet  
JUNSEI CHEMICAL CO., LTD., 97516jis\_E-1, 29/Oct/2025

[Data for components of the product]

[NITE-CHRIP]

(Sulfuric acid)

rat LD50: 2140 mg/kg (source: NITE)

Acute toxicity (Dermal)

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Acute toxicity (Inhalation)

[Product]

Category 4, Harmful if inhaled

[Data for components of the product]

[NITE-CHRIP]

(Sulfuric acid)

mist: rat LC50: 0.375 mg/L (4-hour) (OECD TG 403) (source: NITE)

Irritant properties

Skin corrosion/irritation

[Product]

Category 2, Causes skin irritation

[Data for components of the product]

[NITE-CHRIP]

(Sulfuric acid)

Category 1 (source: NITE)

Serious eye damage/irritation

[Product]

Category 1, Causes serious eye damage

[Data for components of the product]

[NITE-CHRIP]

(Sulfuric acid)

Category 1 (source: NITE)

Sensitization

Respiratory sensitization

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Skin sensitization

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Germ cell mutagenicity

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Carcinogenicity

Iron(III) nitrate solution (42g/L) , with pipet  
JUNSEI CHEMICAL CO., LTD., 97516jis\_E-1, 29/Oct/2025

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

[IARC]

(Sulfuric acid)

Group 1 : Carcinogenic to humans

[ACGIH]

(Sulfuric acid)

A2: Suspected Human Carcinogen

[NTP]

(Sulfuric acid)

Known : Known to be Human Carcinogens

Reproductive toxicity

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

Specific target organ toxicity (STOT)

STOT-single exposure

[Product]

Category 2, May cause damage to organs

[Data for components of the product]

[NITE-CHRIP]

(Sulfuric acid)

Category 1 (respiratory organs) (source: NITE)

STOT-repeated exposure

[Product]

Category 2, May cause damage to organs through prolonged or repeated exposure

[Data for components of the product]

[NITE-CHRIP]

(Sulfuric acid)

Category 1 (respiratory organs) (source: NITE)

Aspiration hazard

[Product]

Classification not possible (Insufficient data available or no data available).

[Data for components of the product]

No data available.

---

## Section 12. Ecological Information

The product has not been subjected to ecotoxicological testing. Refer to the available data on the constituents.

### Ecotoxicity

#### Aquatic toxicity

[Product]

Category 2, Toxic to aquatic life with long lasting effects

[Data for components of the product]

Hazardous to the aquatic environment, short-term (acute)

Iron(III) nitrate solution (42g/L) , with pipet  
JUNSEI CHEMICAL CO., LTD., 97516jis\_E-1, 29/Oct/2025

[NITE-CHRIP]

(Sulfuric acid)

Fish (*Lepomis macrochirus*) 96-hour LC50: 16 – 28 mg/L (pH: 3.25 – 3.5) (source: NITE)

Crustacea (*Daphnia magna*) 24-hour LC50: 29 mg/L (source: NITE)

Hazardous to the aquatic environment, long-term (chronic)

[NITE-CHRIP]

(Sulfuric acid)

Fish (*Jordanella floridae*) 45-day NOEC (growth): 0.025 mg/L (pH: 6.0) (source: NITE)

Water solubility

[Data for components of the product]

(Sulfuric acid)

miscible (20°C) (source: ICSC, 2016)

Persistence and degradability

Persistence and degradability data is not available.

Bioaccumulative potential

Bioaccumulative potential data is not available.

Mobility in soil

Mobility in soil data is not available.

Other adverse effects

Ozone depleting chemical data is not available.

---

### Section 13. Disposal considerations

Description of waste residues and information on their safe handling and methods of disposal, including the disposal of any contaminated packaging

Waste treatment methods

Avoid release to the environment.

Dispose of contents/container in accordance with local/national regulation.

---

### Section 14. Transport Information

UN No., UN CLASS

UN Number or ID Number : 2796

UN Proper Shipping Name :

SULPHURIC ACID with not more than 51% acid or BATTERY FLUID, ACID

Class or division (Transport hazard class) : 8

Packing group : II

ERG GUIDE No.: 157

IMDG Code (International Maritime Dangerous Goods Regulations)

UN Number or ID Number : 2796

UN Proper Shipping Name :

SULPHURIC ACID with not more than 51% acid or BATTERY FLUID, ACID

Class or division (Transport hazard class) : 8

Packing group : II

IATA (Dangerous Goods Regulations)

UN Number or ID Number : 2796

UN Proper Shipping Name :

SULPHURIC ACID with not more than 51% acid or BATTERY FLUID, ACID

Iron(III) nitrate solution (42g/L) , with pipet  
JUNSEI CHEMICAL CO., LTD., 97516jis\_E-1, 29/Oct/2025

Class or division (Transport hazard class) : 8

Hazard labels : Corrosive

Packing group : II

Environmental hazards

Marine pollutants (yes/no) : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Noxious Liquid Substances ; Cat. Y

Sulfuric acid

Non Noxious Liquid Substances ; Cat. OS

Water

MARPOL Annex V – HME (Harmful to the Marine Environment)

Specific target organ toxicity – repeated exposure: cat.1

Sulfuric acid

Hazardous to the aquatic environment – long-term (chronic): cat.1, 2

Sulfuric acid

---

## Section 15. Regulatory Information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Labor Standards Act, Japan

Chemical substances or compounds (including alloys) causing disease (item (iv)-1 of Appended Table 1-2 of Regulation)

Sulfuric acid

U.S. Toxic Substances Control Act (TSCA) Inventory

Chemicals listed in TSCA Inventory

10421-48-4; 7664-93-9; 7732-18-5

All components are listed or exempted.

Superfund Amendments and Reauthorizations Act (SARA), Title III

SARA 313 (TRI)

Sulfuric acid; Iron(III) nitrate

Other regulatory information

We are not able to check up the regulatory information with regard to the substances in your country or region, therefore, we request this matter would be filled by your responsibility.

Regulatory information with regard to this substance in your country or in your region should be examined by your own responsibility.

Ensure this material in compliance with federal requirements and ensure conformity to local regulations.

Regulatory information in this section are limited to intentional ingredient(s), but does not contain information on non-intentional ingredients or impurities which are not informed by supplier(s).

Chemical safety assessment

Advice on safe handling for this product can be found in sections 7 and 8 of this SDS.

---

## Section 16. Other information

GHS classification and labelling

H332-Acute toxicity, Category 4: H332 Harmful if inhaled

Iron(III) nitrate solution (42g/L) , with pipet  
JUNSEI CHEMICAL CO., LTD., 97516jis\_E-1, 29/Oct/2025

H315–Skin corrosion/irritation, Category 2: H315 Causes skin irritation  
H318–Serious eye damage/eye irritation, Category 1: H318 Causes serious eye damage  
H371–STOT – single exposure, Category 2: H371 May cause damage to organs  
H373–STOT – Repeated exposure, Category 2: H373 May cause damage to organs through prolonged or repeated exposure  
H411–Hazardous to the aquatic environment, long-term (chronic), Category 2: H411 Toxic to aquatic life with long lasting effects

#### References and sources for data

Globally Harmonized System of classification and labelling of chemicals, UN  
Recommendations on the TRANSPORT OF DANGEROUS GOODS 23rd edit., 2023 UN  
IMDG Code, 2024 Edition (Incorporating Amendment 42–24)  
IATA Dangerous Goods Regulations (66th Edition) 2025  
2024 EMERGENCY RESPONSE GUIDEBOOK (US DOT)  
2025 TLVs and BEIs. (ACGIH)  
JIS Z 7252 : 2019  
JIS Z 7253 : 2019  
Recommendation of occupational exposure limits (2023–2024) (JSOH)  
Notification No. 0111–1 (January 11, 2022), Chemical Hazards Control Division, Industrial Safety and Health Department, Labour Standards Bureau, MHLW in Japan  
Supplier's data/information  
Chemicals safety data management system "GHS Assistant" Version 4.35  
(<https://www.asahi-ghs.com/>)  
NITE Chemical Risk Information Platform "NITE-CHRIP"  
([https://www.chem-info.nite.go.jp/chem/chrip/chrip\\_search/systemTop](https://www.chem-info.nite.go.jp/chem/chrip/chrip_search/systemTop))  
GHS Classification Guidance for Enterprises 2019 Revised Edition (Ver. 2.1) (May. 2024, METI)

#### Abbreviations and acronyms

SDS (Safety Data Sheet)  
LD50 (Lethal Dose, 50%)  
LC50 (Lethal Concentration, 50%)  
IARC (International Agency for Research on Cancer)  
ACGIH (American Conference of Governmental Industrial Hygienists)  
EPA (US Environmental Protection Agency)  
NTP (US National Toxicology Program)  
METI (Ministry of Economy, Trade and Industry in Japan)  
MHLW (Ministry of Health, Labour and Welfare in Japan)  
MOE (Ministry of the Environment in Japan)  
JSOH (Japan Society for Occupational Health)  
ISHA (Industrial Safety and Health Act in Japan)  
CSCL (Chemical Substances Control Law in Japan)  
EU (European Union)  
EC50 (Effective Concentration, 50%)  
NOEC (No Observed Effect Concentration)  
BOD (Biochemical Oxygen Demand)  
COD (Chemical Oxygen Demand)  
BCF (Bioconcentration Factor)  
anh (anhydride)

#### General Disclaimer

Iron(III) nitrate solution (42g/L) , with pipet

JUNSEI CHEMICAL CO., LTD., 97516jis\_E-1, 29/Oct/2025

This data sheet was created based on the information we currently have and may be revised according to new information. In addition, the precautions apply only to normal handling, and in the case of special handling, please make adequate countermeasure to maintain your safety.

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe the products in terms of their safety requirements. The data does not signify any warranty with regard to the products' properties.

The GHS classification data given here is based on current Data published in Japan (National Institute of Technology and Evaluation (NITE) Chemical Risk Information Platform (NITE-CHRIP), up to FY2023).